


PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-1A)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: Talon LPE

2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Shane Currie; Cesar Munoz

4) Date well plugging began: July 24, 2019 Date well plugging concluded: July 24, 2019

5) GPS Well Location: Latitude: 32 deg, 36 min, 50.51 sec
Longitude: -103 deg, 16 min, 58.18 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 30 ft below ground level (bgl),
by the following manner: _____

7) Static water level measured at initiation of plugging: 20.0 ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- For each interval plugged, describe within the following columns:**


MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

8/19/19
Date:



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-2)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: Talon LPE

2) New Mexico Well Driller License No.: WD-1575

Expiration Date: July 31, 2020

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):

Shane Currie; Cesar Munoz

4) Date well plugging began: July 24, 2019

Date well plugging concluded: July 24, 2019

5) GPS Well Location: Latitude: 32 deg, 36 min, 49.40 sec

Longitude: -103 deg, 16 min, 51.72 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 25 ft below ground level (bgl),
by the following manner: _____

7) Static water level measured at initiation of plugging: 18.0 ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19


9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- For each interval plugged, describe within the following columns:**


MULTIPLY	BY	AND OBTAIN
cubic feet x 7.4805	=	gallons
cubic yards x 201.97	=	gallons

I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

8/19/19
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-3)
Well owner: Plains All American Phone No.: 432-221-7924
Mailing address: 505 N. Big Spring, Suite 600
City: Midland State: Texas Zip code: 79701

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Talon LPE
- 2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Shane Currie; Cesar Munoz
- 4) Date well plugging began: July 24, 2019 Date well plugging concluded: July 24, 2019
- 5) GPS Well Location: Latitude: 32 deg, 36 min, 49.09 sec
Longitude: -103 deg, 16 min, 49.65 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 26 ft below ground level (bgl),
by the following manner: _____
- 7) Static water level measured at initiation of plugging: 18.5 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	Type I/II Portland Cement	34.14	38.41	Tremie Pipe	

MULTIPLY	BY	AND OBTAIN
cubic feet x	7.4805	= gallons
cubic yards x	201.97	= gallons

III. SIGNATURE:


I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

8/19/19
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-4)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: Talon LPE

2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Shane Currie; Cesar Munoz

4) Date well plugging began: July 25, 2019 Date well plugging concluded: July 25, 2019

5) GPS Well Location: Latitude: 32 deg, 36 min, 47.30 sec
Longitude: -103 deg, 16 min, 50.15 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 27 ft below ground level (bgl),
by the following manner: _____

7) Static water level measured at initiation of plugging: 17 ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	Type I/II Portland Cement	35.46	39.89	Tremie Pipe	

MULTIPLY		BY	AND OBTAIN	
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:


I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

8/19/19
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-5)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: Talon LPE

2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Shane Currie; Cesar Munoz

4) Date well plugging began: July 25, 2019 Date well plugging concluded: July 25, 2019

5) GPS Well Location: Latitude: 32 deg, 36 min, 50.02 sec
Longitude: -103 deg, 16 min, 49.60 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 25 ft below ground level (bgl),
by the following manner: _____

7) Static water level measured at initiation of plugging: 15 ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	Type I/II Portland Cement	32.83	36.93	Tremie Pipe	

MULTIPLY		BY	AND OBTAIN
cubic feet	x	7.4805	= gallons
cubic yards	x	201.97	= gallons

III. SIGNATURE:


I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

8/19/19
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-7)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

1) Name of well drilling company that plugged well: Talon LPE

2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020

3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s):
Shane Currie; Cesar Munoz

4) Date well plugging began: July 25, 2019 Date well plugging concluded: July 25, 2019

5) GPS Well Location: Latitude: 32 deg, 36 min, 48.12 sec
Longitude: -103 deg, 16 min, 51.96 sec, WGS 84

6) Depth of well confirmed at initiation of plugging as: 27 ft below ground level (bgl),
by the following manner: _____

7) Static water level measured at initiation of plugging: 20 ft bgl

8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19

9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.

For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	Type I/II Portland Cement	35.46	39.89	Tremie Pipe	

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:


I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.

Signature of Well Driller

8/19/19
Date



PLUGGING RECORD



NOTE: A Well Plugging Plan of Operations shall be approved by the State Engineer prior to plugging - 19.27.4 NMAC

I. GENERAL / WELL OWNERSHIP:

State Engineer Well Number: POD # Unknown (MW-8)

Well owner: Plains All American

Phone No.: 432-221-7924

Mailing address: 505 N. Big Spring, Suite 600

City: Midland

State: Texas

Zip code: 79701

II. WELL PLUGGING INFORMATION:

- 1) Name of well drilling company that plugged well: Talon LPE
- 2) New Mexico Well Driller License No.: WD-1575 Expiration Date: July 31, 2020
- 3) Well plugging activities were supervised by the following well driller(s)/rig supervisor(s): Shane Currie; Cesar Munoz
- 4) Date well plugging began: July 25, 2019 Date well plugging concluded: July 25, 2019
- 5) GPS Well Location: Latitude: 32 deg, 36 min, 51.91 sec
Longitude: -103 deg, 16 min, 50.13 sec, WGS 84
- 6) Depth of well confirmed at initiation of plugging as: 30 ft below ground level (bgl),
by the following manner: _____
- 7) Static water level measured at initiation of plugging: 21 ft bgl
- 8) Date well plugging plan of operations was approved by the State Engineer: 07/18/19
- 9) Were all plugging activities consistent with an approved plugging plan? Yes If not, please describe differences between the approved plugging plan and the well as it was plugged (attach additional pages as needed):

- 10) Log of Plugging Activities - Label vertical scale with depths, and indicate separate plugging intervals with horizontal lines as necessary to illustrate material or methodology changes. Attach additional pages if necessary.


For each interval plugged, describe within the following columns:

<u>Depth</u> (ft bgl)	<u>Plugging Material Used</u> (include any additives used)	<u>Volume of Material Placed</u> (gallons)	<u>Theoretical Volume of Borehole/ Casing</u> (gallons)	<u>Placement Method</u> (tremie pipe, other)	<u>Comments</u> ("casing perforated first", "open annular space also plugged", etc.)
	Type I/II Portland Cement	39.39	44.32	Tremie Pipe	

MULTIPLY		BY		AND OBTAIN
cubic feet	x	7.4805	=	gallons
cubic yards	x	201.97	=	gallons

III. SIGNATURE:

I, Shane Currie, say that I am familiar with the rules of the Office of the State Engineer pertaining to the plugging of wells and that each and all of the statements in this Plugging Record and attachments are true to the best of my knowledge and belief.


Signature of Well Driller

8/19/19
Date