

June 19, 2020

#5E28980-BG6

NMOCD District 1 1625 N. French Drive Hobbs, New Mexico 88240

SUBJECT: Remediation Closure Report for the Abe Unit #002 Release (NRM2010157543), Lea County, New Mexico

To Whom it May Concern:

On behalf of Marathon Oil, Permian LLC, Souder, Miller & Associates (SMA) has prepared this Remediation Closure Report that describes the remediation of a release of liquids related to oil and gas production activities at the Abe Unit #002 site. The site is in Unit H, Section 29, Township 21S, Range 33E, Lea County, New Mexico, on State land. Figure 1 illustrates the vicinity and site location on an USGS 7.5 minute quadrangle map.

Table 1 summarizes release information and Closure Criteria.

	Table 1: Release Information	on and Closure	Criteria				
Name	Abe Unit #002	Company	Marathon Oil, Permian LLC				
API Number	30-025-34146 Location 32.4525604 -103.5881958						
Incident Number	NRM2010157543						
Estimated Date of Release	April 7, 2020	Date Reported to NMOCD	April 8, 2020				
Land Owner	State Land	Reported To	NMOCD District I, NMSLO				
Source of Release	Polyethylene flow line failure						
Released Volume	63.25 bbls	Released Material	Crude Oil				
Recovered Volume	25 bbls	Net Release	38.25 bbls				
NMOCD Closure Criteria	>100 feet to groundwater						
SMA Response Dates	4/8/2020,4/16/2020, 5/20-5/22/2020						

Abe Unit #002 Remediation Closure Report (NRM2010157543)
June 19, 2020

Page 2 of 4

1.0 Background

On April 7, 2020, a release was discovered at the Abe Unit #002 site due to a failure in the polyethylene flow line. Initial response activities were conducted by Marathon Oil, Permian LLC, and included source elimination, containment and the recovery of 25 bbl of standing fluids. Figure 1 illustrates the vicinity and site location, Figure 2 illustrates the release location. The C-141 form is included in Appendix A.

2.0 Site Information and Closure Criteria

The Abe Unit #002 is located approximately 32 miles southeast from Hobbs, New Mexico on State land at an elevation of approximately 3707 feet above mean sea level (amsl).

Based upon New Mexico Office of the State Engineer (Appendix B), depth to groundwater in the area is estimated to be 198 feet below grade surface (bgs). There are no known water sources within ½-mile of the location, according to the New Mexico Office of the State Engineer (NMOSE) online water well database. However, there is a NMOSE registered water well located 0.60 miles to the northeast of the release with a depth to groundwater recorded at 178 feet bgs. Additionally, there are two United States Geological Survey (USGS) water wells with groundwater data. USGS 322702103344001 water well is located 0.60 miles to the northeast of the release with a depth to groundwater recorded at 179 feet bgs and USGS 322702103344002 water well, located 0.62 miles to the northeast, has a recorded depth to groundwater at 179 feet bgs. Based on this data, the depth to groundwater at the site is estimated to be 198 feet bgs. See Table 4 for Calculation, Appendix B for data.

The nearest significant watercourse is unnamed draw, located approximately 5,351 feet to the southeast of the release. Figure 2 illustrates the site with 200 and 300-foot radii to indicate that it does not lie within a sensitive area as described in 19.15.29.12.C(4) NMAC.

Based on the information presented herein, the applicable NMOCD Closure Criteria for this site is for a groundwater depth of greater than 100 feet bgs. The site has been restored to meet the standards of Table I of 19.15.29.12 NMAC.

Table 2 demonstrates the Closure Criteria applicable to this location. Pertinent well data is attached in Appendix B.

3.0 Release Characterization and Remediation Activities

On April 8, 2020, SMA personnel arrived on site in response to the release associated with Abe Unit #002. SMA performed an initial site visitation to map the release area, the point of release, and collected soil samples around the pasture overspray area. Soil samples were field-screened for chloride using an electrical conductivity (EC) meter. A total of two sample locations from the engineered pad (Pad Overspray L1-L2) and seven (7) sample locations from the pasture overspray (Pasture Overspray L1-L7) were investigated using a hand auger, to depths up to 0.5 feet bgs. A minimum of two samples were collected at each sampling location and field-screened using the method above. A total of 18 samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D. Initial analytical results are summarized in Table 3. Results indicated the overspray did meet NMOCD Closure Criteria.

Abe Unit #002 Remediation Closure Report (NRM2010157543) June 19, 2020 Page 3 of 4

On April 16, 2020 SMA returned to the site after receiving Right-of-Entry permit approval from the New Mexico State Land Office to perform further delineation and surface scrape of the concentrated area in the pasture. A total of nine (9) sample locations (L1-L9) from the pasture concentrated area, off the southwest corner of the pad, were investigated using a hand-auger to depths up to four (4) feet bgs. Soil samples were field-screened utilizing an electrical conductivity meter (EC) for chlorides and a calibrated MiniRAE 2000 photoionization detector (PID) equipped with a 10.6 eV lamp for hydrocarbon impacts. A total of forty-one (41) samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D.

Initial analytical results are summarized in Table 3A. Results indicated that the pasture concentrated area was impacted to a maximum depth of two (2) feet bgs.

Between May 20-22, 2020, SMA returned to the site to guide excavation of contaminated soil. SMA guided the excavation activities by collecting soil samples for field screening. Samples were screened for chloride using an electrical conductivity (EC) meter. The walls and base were excavated until field screening results indicated that the NMOCD Closure Criteria would be met. NMOCD was notified on May 19, 2020 that closure samples were expected to be collected in two (2) business days.

On May 22, 2020, SMA conducted confirmation sampling of the walls and base of the excavation of the pasture concentrated area. The area around sample locations (CSL1-CSL5) was excavated to a depth of two (2) feet bgs, the area around sample locations (CSL6-CSL8) was excavated to a depth of half-foot bgs. The pasture overspray area around sample locations (CSL1-CSL5, CSL7) was not excavated as NMOCD Closure Criteria was met from previous delineation event. However, SMA did apply Micro-Blaze to the pasture to ensure full re-vegetation and rehabilitation (See SDS in Appendix E). The pad overspray area around sample locations (CSL6, CSL8, CSL9) was also not excavated as NMOCD Closure Criteria was met in the previous delineation event. Confirmation samples were comprised of five-point composites of the base of the pasture overspray (CSL1-CSL5, CSL7), pad overspray (CSL6, CSL8, CSL9), pasture concentrated area (CSL1-CSL8) and walls (SW1-SW6). The confirmation samples were collected from within the excavated areas in accordance with a systematic sampling approach, as defined by SW846 using Gilbert, 1987 equation 5.2.3 for Stratified Random Sampling (Appendix C). This systematic method meets the EPAs data quality assessment standards (DQA) for composite sampling

A total of twenty-four (24) samples were collected for laboratory analysis for total chloride using EPA Method 300.0; benzene, toluene, ethylbenzene and total xylenes (BTEX) using EPA Method 8021B; and motor, diesel and gasoline range organics (MRO, DRO, and GRO) by EPA Method 8015D. Laboratory samples were collected in accordance with the sampling protocol included in Appendix D. Samples were placed into laboratory supplied glassware, labeled, and maintained on ice until delivery to Envirotech Analytical Laboratory in Farmington, New Mexico (Appendix F).

Figure 3B shows the extent of the excavation and confirmation sample locations. All laboratory results are summarized in Table 3B. Laboratory reports are included in Appendix F.

Contaminated soils were removed and replaced with clean backfill material to return the surface to previous contours. The contaminated soil was transported and disposed of at R360 Environmental Solutions near Hobbs, NM, an NMOCD permitted disposal facility.

SMA recommends no further action, and requests closure on behalf of Marathon for this incident.

Abe Unit #002 Remediation Closure Report (NRM2010157543)
June 19, 2020

Page 4 of 4

4.0 Scope and Limitations

The scope of our services included: assessment sampling; verifying release stabilization; regulatory liaison; remediation; and preparing this closure report. All work has been performed in accordance with generally accepted professional environmental consulting practices for oil and gas releases in the Permian Basin in New Mexico.

If there are any questions regarding this report, please contact either Ashley Maxwell or Shawna Chubbuck at 505-325-7535.

Submitted by:

SOUDER, MILLER & ASSOCIATES

Reviewed by:

Ashley Maxwell Project Manager Shawna Chubbuck Senior Scientist

hauna Chubbuck

ATTACHMENTS:

Figures:

Figure 1: Vicinity and Well Head Protection Map

Figure 2: Surface Water Radius Map

Figure 3A: Initial Site and Sample Location Map

Figure 3B: Excavation and Confirmation Sample Map

Tables:

Table 2: NMOCD Closure Criteria Justification

Table 3: Summary of Sample Results

Table 4: Potential Depth to Groundwater Calculation

Appendices:

Appendix A: Form C141

Appendix B: NMOSE Wells Report Appendix C: VSP Sampling Protocol Appendix D: Photo Log & Field Notes


Appendix E: Micro-Blaze Safety Data Sheet Appendix F: Laboratory Analytical Reports

FIGURES

Revisions Lynn A. Acosta Drawn ___ Descr: 4/26/2020 Date Descr: Checked © Souder, Miller & Associates, 2020, All Rights Reserved Approved



201 South Halaguena Street Carlsbad, New Mexico 88221 (575) 689-7040 Serving the Southwest & Rocky Mountains



TABLES

Table 2: NMOCD Closure Criteria

Marathon Oil, Permian LLC Abe Unit #002 NRM2010157543

Site Information (19.15.29.11.A(2, 3, and 4) NMAC)	Source/Notes		
Depth to Groundwater (feet bgs)	198	New Mexico Office of the State Engineer, USGS	
Hortizontal Distance From All Water Sources Within 1/2 Mile (ft)	N/A	United States Geological Survery Topo Map	
Hortizontal Distance to Nearest Significant Watercourse (ft)	5,351	United States Geological Survery Topo Map	

Closure Criteria (19.15.29.12.B(4) and Table 1 NMAC)							
		Closi	ure Criteria	(units in n	ng/kg)		
Depth to Groundwater	Chloride *numerical limit or background, whichever is greater	ТРН	GRO + DRO	ВТЕХ	Benzene		
< 50' BGS		600	100		50	10	
51' to 100'		10000	2500	1000	50	10	
>100'	Х	20000	2500	1000	50	10	
Surface Water		if yes	s, then				
<300' from continuously flowing watercourse or other significant watercourse?	No						
<200' from lakebed, sinkhole or playa lake?	No						
Water Well or Water Source							
<500 feet from spring or a private, domestic fresh water well used by							
less than 5 households for domestic or stock watering purposes?	No						
<1000' from fresh water well or spring?	No						
Human and Other Areas		600	100		50	10	
<300' from an occupied permanent residence, school, hospital,		000	100		30	10	
institution or church?	No						
within incorporated municipal boundaries or within a defined municipal							
fresh water well field?	No						
<100' from wetland?	No						
within area overlying a subsurface mine	No						
within an unstable area?	No						
within a 100-year floodplain?	No						

Table 3: Initial Summary of Sample Results

Marathon Oil, Permian LLC Abe Unit #002 (NRM2010157543)

Sample ID	Sample Date		BTEX	Benzene	GRO	DRO	GRO + DRO	MRO	Total TPH	CI-
	Date	bgs)	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
NMOC	CD Closure (Criteria	50	10			1000		100	600
				Over	spray					
Pad-L1		surface	<0.225	<0.025	<5.0	28	28	<50	28	62
r au-Li		0.5'	-	-	-	-	-	-	-	62
Pad-L2		surface	<0.222	< 0.025	<4.9	21	21	<50	21	<60
r au-Lz		0.5	-	-	-	-	-	-	-	<60
Pasture-L1		Surface	<0.220	<0.024	<4.9	<9.9	<14.8	<49	<63.8	<60
Pasiure-Li		0.5	-	-		-	-		-	<60
Pasture-L2		Surface	<0.219	<0.024	<4.9	<9.9	<15	<50	<65	<60
Pasiure-L2		0.5	-	-		-	-		-	<60
Pasture-L3	4/0/2020	Surface	<0.220	<0.024	<4.9	<9.9	<15	<50	<65	<60
Fasiule-L3	4/8/2020	0.5	-	-	•	-	-	-	-	<60
Pasture-L4		Surface	<0.219	<0.024	<4.9	60	60	<48	60	<60
Fasiule-L4		0.5	-	-		-	-	-	-	<60
Pasture-L5		Surface	<0.220	<0.024	<4.9	16	16	<49	16	<59
Fasiule-L5		0.5	-	-	•	-	-	-	-	<60
Pasture-L6		Surface	<0.220	<0.024	<4.9	2200	2200	1900	4100	220
r asiule-L0		0.5	-	-	1	-	-	1	-	<60
Pasture-L7		Surface	<0.221	<0.025	<4.9	<9.4	<14.3	<47	<61.3	<60
rasiule-L/		0.5	-	-	-	-	-	-	-	<60



Table 3: Initial Summary of Sample Results

Marathon Oil, Permian LLC Abe Unit #002 (NRM2010157543)

Sample ID	Sample	Depth (feet	BTEX	Benzene	GRO	DRO	GRO + DRO	MRO	Total TPH	CI-
·	Date	bgs)	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
NMOC	D Closure (Criteria	50	10			1000		100	600
				Conce	ntrated					
		0.5	39.29	0.19	530	9900	10430	3500	13930	3800
		1	<0.221	<0.025	<4.9	15	15	<44	15	930
L1		2	<0.225	<0.025	<5.0	130	130	70	200	73
		3	<0.220	<0.024	<4.9	32	32	<49	32	-
	i)	4	<0.217	<0.024	<4.8	14	14	<48	14	2000
		0.5	<1.12	<0.12 <0.025	<25 <4.9	560 41	560 41	290 <41	850 41	3600 590
L2		2	<0.224	<0.025	<4.9 <5.0	<9.6	<14.6	<48	<62.6	<60
		3	<0.224	<0.025	<5.0	<8.6	<13.6	<43	<56.6	-
		0.5	<1.12	<0.023	<25	1000	1000	440	1440	510
		1	<0.225	<0.025	<5.0	<9.2	<14.2	<46	<60.2	-
L3		2	<0.224	<0.025	<5.0	<9.5	<14.5	<47	<61.5	<59
		3	<0.220	<0.025	<4.9	<8.9	<13.8	<45	<58.8	-
		0.5	<1.11	<0.12	<25	990	990	490	1480	1500
1.4		1	<1.12	<0.12	<25	120	120	64	184	73
L4		2	<0.221	<0.025	<4.9	28	28	<50	28	-
		3	<1.11	<0.12	<25	130	130	71	201	-
	J	0.5	1.7	<0.25	100	5800	5900	2500	8400	750
L5		1	<1.11	<0.12	<25	190	190	100	290	<59
Lo		2	<0.222	<0.025	<4.9	28	28	<44	28	-
	4/16/2020	3	<0.217	<0.024	<4.8	44	44	<50	44	-
		0.5	<1.08	<0.12	<24	830	830	350	1180	2700
		1	<1.12	<0.12	<25	190	190	96	286	88
L6		2	<1.12	<0.12	<25	260	260	140	400	-
		3	<0.224	<0.025	<5.0	38	38	<45	38	-
	ļi	4	<0.222	<0.025	<4.9	12	12	<46	12	4400
		0.5	2.2	<0.25	160	3400	3560	1500	5060	1100
L7		1	<1.11	<0.12	<25	180	180	120	300	<59
۲,		3	<0.222	<0.025 <0.025	<4.9 <5.0	20 38	20 38	<48 <48	20 38	-
		4	<0.220	<0.023	<4.9	18	18	<46	18	
		0.5	15.42	<0.024	420	8000	8420	3800	12220	1700
		1	<1.12	<0.12	<25	190	190	110	300	<60
L8		2	<1.12	<0.12	<25	270	270	190	460	-
20		3	<0.221	<0.025	<4.9	24	24	<47	24	-
		4	<1.12	<0.12	<25	140	140	99	239	-
	1	0.5	73.5	0.5	1700	15000	16700	5700	22400	4000
		1	<0.45	<0.050	<10	110	110	60	170	5900
L9		2	<0.225	<0.025	<5.0	<9.5	<14.5	<47	<71	180
		3	<0.222	<0.025	<4.9	70	70	62	132	•
"" – Not Anal		4	<0.220	<0.024	<4.9	12	12	<50	12	-

"--" = Not Analyzed



Table 3: Closure Summary of Sample Results

Marathon Oil, Permian LLC Abe Unit #002 (NRM2010157543)

Sample	Sample Date	Depth (feet	BTEX	Benzene	GRO	DRO	GRO + DRO	MRO	Total TPH	CI-
iD.	Date	bgs)	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
NMOC	D Closure (Criteria	50	10			1000		100	600
				Pasture	e Overspr	ay				
CSL1	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL2	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL3	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL4	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL5	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL6	5/22/2020	Surface	<0.100	<0.0250	<20.0	30.0	30.0	<50.0	30.0	28.7
CSL7	5/22/2020	Surface	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	22.2
CSL8	5/22/2020	Surface	<0.100	<0.0250	<20.0	32.6	32.6	<50.0	32.6	21.7
CSL9	5/22/2020	0.5	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0

Sample	Sample	Depth (feet	BTEX	Benzene	GRO	DRO	GRO + DRO	MRO	Total TPH	CI-
ID	Date	bgs)	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg	mg/Kg
NMOC	D Closure C	Criteria	50	10			1000		100	600
				Concer	ntrated Ar	ea				
CSL1	5/22/2020	2	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL2	5/22/2020	2	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL3	5/22/2020	2	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL4	5/22/2020	2	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL5	5/22/2020	2	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL6	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL7	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
CSL8	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW1	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW2	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW3	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW4	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW5	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW6	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0
SW7	5/22/2020	1	<0.100	<0.0250	<20.0	<25.0	<45.0	<50.0	<95.0	<20.0



Table 4: Potential Depth to Groundwater

Marathon Oil, Permian LLC Abe Unit #002 NRM2010157543

	Deptl	h To Grou	ındwater				
Location Elevation (ft): 3707		3707	Calculations				
Well Name	Well Elev	vation (ft)	Well Depth to GW	Groundwater Elevation	Depth to GW at Location		
CP 00601 POD1	36	94	178	3516	191		
ISGS 322702103344001	36	88	179	3509	198		
JSGS 322702103344002	36	80	179	3501	206		
					3707		
Total # of Wells	3				595		

APPENDIX A FORM C141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	NRM2010157543
District RP	
Facility ID	
Application ID	

Release Notification

			Resp	onsi	ible Party	y			
Responsible	Party Maratl	non Oil Permian L	LC		OGRID 372098				
Contact Nam	e Melodie S	anjari			Contact Telephone 575-988-8753				
Contact email msanjari@marathonoil.com					Incident #	(assigned by OCD)			
Contact mail	ing address	4111 S. Tidwell R	d., Carlsbad, NM	8220	1				
			Location	of R	Release So	ource			
Latitude 32.4	<u>525604</u>		Longitude (NAD 83 in de	cimal de	-103.588195 egrees to 5 decim				
Site Name: A	be Unit #002	2		Site Type Oil & Gas Facility					
Date Release	Discovered:	4/7/2020			API# (if applicable) 30-25-34146				
Unit Letter	Section	Township	Range		Coun	ty			
Н	29	21S	33E	Lea					
Surface Owner	r: X State	☐ Federal ☐ Tr	ibal Private (A	Name:			·)		
			Nature and	d Vo	lume of F	Release			
				calcula	tions or specific		volumes provided below)		
Crude Oil		Volume Release					vered (bbls) 25		
Produced	Water	Volume Release	` '			Volume Reco	. ,		
	Is the concentration of dissolved chloride produced water >10,000 mg/l?					☐ Yes ☐ No			
Condensate Volume Released (bbls)						Volume Recovered (bbls)			
Natural Gas Volume Released (Mcf)						Volume Recovered (Mcf)			
Other (des	Other (describe) Volume/Weight Released (provide units)					Volume/Weight Recovered (provide units)			

Cause of Release

The release came from a failure in a flow line that ran across the two-tire lease road running parallel to the southern boundary of the pad. The release pooled near the source in the pasture and also over sprayed an ultra-fine mist across the containment, the western half of the pad and some pasture to the west and north of location. A vac truck was able to recovered standing fluids from around the source and the affected pasture area has been fenced off. Surface scrape as a part of initial action pending an SLO right of entry permit and arch survey.

Received by OCD: 6/22/2020 7:49:28 AM State of New Mexico
Page 2 Oil Conservation Division

-	200		-0	-	
Dan	100 A	8eo	+ .	<i>a</i> (13 A
T UZ	cu	37:17		F i	74
		7	, .	5/	

	1 18 2 28 00 1 27
Incident ID	NRM2010157543
District RP	
Facility ID	
Application ID	

Was this a major	If YES, for what reason(s) does the respon	sible party consider this a major release?
release as defined by 19.15.29.7(A) NMAC?	>25 bbls	
Myas □Na		
⊠ Yes □ No		
	otice given to the OCD? By whom? To who Melodie Sanjari on 4/8/2020	om? When and by what means (phone, email, etc)?
	Initial Re	sponse
The responsible p	party must undertake the following actions immediately	unless they could create a safety hazard that would result in injury
☐ The source of the rele	ease has been stopped.	
☐ The impacted area has	s been secured to protect human health and	he environment.
	we been contained via the use of berms or d	kes, absorbent pads, or other containment devices.
	ecoverable materials have been removed and	managed appropriately.
If all the actions described	d above have <u>not</u> been undertaken, explain v	rhy:
D 10.17.20.0 D (4) ND4	11	
has begun, please attach a	a narrative of actions to date. If remedial e	mediation immediately after discovery of a release. If remediation fforts have been successfully completed or if the release occurred ease attach all information needed for closure evaluation.
regulations all operators are public health or the environm failed to adequately investigated to adequate the public health or the environment of the envir	required to report and/or file certain release notified ment. The acceptance of a C-141 report by the O ate and remediate contamination that pose a threat	est of my knowledge and understand that pursuant to OCD rules and ications and perform corrective actions for releases which may endanger CD does not relieve the operator of liability should their operations have t to groundwater, surface water, human health or the environment. In esponsibility for compliance with any other federal, state, or local laws
Printed Name: Melo	odie Sanjari	Title: Environmental Professional
Signature: <u>Melod</u>	<u>lie Sanjari</u>	Date: 4/9/2020
email: <u>msanjari@marat</u>	thonoil.com_	Telephone: <u>575-988-8753</u>
OCD Only		
Received by:Ramo	ona Marcus	Date:40/10/2020

Received by OCD: 6/22/2020 7:49:28 AM Form C-141 State of New Mexico Page 3 Oil Conservation Division

Topographic/Aerial maps

✓ Laboratory data including chain of custody

	Page 19 of 194
Incident ID	NRM2010157543
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	(ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☑ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☑ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☑ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☑ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☑ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☑ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☑ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☑ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☑ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☑ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☑ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☑ No
Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vercontamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.	tical extents of soil
Characterization Report Checklist: Each of the following items must be included in the report.	
Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring well Field data Data table of soil contaminant concentration data Depth to water determination Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release Boring or excavation logs	ls.
Photographs including date and GIS information	

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Received by OCD: 6/22/2020 7:49:28 AM Form C-141 State of New Mexico Page 4 Oil Conservation Division

Page	<i>20</i>	of	194

Incident ID	NRM2010157543
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name:Melodie Sanjari	Titletle:Environmental Professional
Signature: <u>Melodie Sanjari</u>	Date:6/22/2020
email: msanjari@marathonoil.com	Telephone: 575-988-8753
OCD Only	
OCD Only Received by: Cristina Eads	Date: 06/22/2020
Received by: Cristina Eads	Date:

Page 21 of 194

	1 1180 21 0/ 1
Incident ID	NRM2010157543
District RP	
Facility ID	
Application ID	

Closure


The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items	s must be included in the closure report.
✓ A scaled site and sampling diagram as described in 19.15.29.11 N	IMAC
Photographs of the remediated site prior to backfill or photos of t must be notified 2 days prior to liner inspection)	he liner integrity if applicable (Note: appropriate OCD District office
☑ Laboratory analyses of final sampling (Note: appropriate ODC Di	strict office must be notified 2 days prior to final sampling)
✓ Description of remediation activities	
I hereby certify that the information given above is true and complete to and regulations all operators are required to report and/or file certain remay endanger public health or the environment. The acceptance of a C should their operations have failed to adequately investigate and remed human health or the environment. In addition, OCD acceptance of a C-compliance with any other federal, state, or local laws and/or regulation restore, reclaim, and re-vegetate the impacted surface area to the condit accordance with 19.15.29.13 NMAC including notification to the OCD	lease notifications and perform corrective actions for releases which -141 report by the OCD does not relieve the operator of liability iate contamination that pose a threat to groundwater, surface water, -141 report does not relieve the operator of responsibility for its. The responsible party acknowledges they must substantially ions that existed prior to the release or their final land use in when reclamation and re-vegetation are complete.
	itle: Environmental Professional
Signature: <u>Melodie Sanjari</u> Da	ate:6/22/2020
Signature: Melodie Sanjari Da email: msanjari@marathonoil.com Te	lephone: _575-988-8753
OCD Only	
Received by: Cristina Eads	Date:06/22/2020
	iability should their operations have failed to adequately investigate and er, human health, or the environment nor does not relieve the responsible egulations.
Closure Approved by: DENIED	Date:09/01/2020
Printed Name: Cristina Eads	Title: Environmental Specialist

Spill Calculation Tool



Standing Liquid Inputs:							
			Avg. Liquid		Total Volume	Water Volume	Oil Volume
-	Length (ft.)	Width (ft.)	Depth (in.)	% Oil	(bbls)	(bbls)	(bbls)
Rectangle Area #1	5	5	2		0.74	0.74	0.00
Rectangle Area #2	5	5	2		0.74	0.74	0.00
Rectangle Area #3	5	5	2		0.74	0.74	0.00
Rectangle Area #4	5	5	2		0.74	0.74	0.00
Rectangle Area #5	5	5	2		0.74	0.74	0.00
Rectangle Area #6	5	5	2		0.74	0.74	0.00
Rectangle Area #7					0.00	0.00	0.00
Rectangle Area #8					0.00	0.00	0.00
				Liquid Volume:	4.45	4.45	0.00
		,		•			
Saturated Soil Inputs:		Soil Type:	Gravel Loam				
			Avg. Saturated		Total Volume	Water Volume	Oil Volume
_		Area (ft.)	Depth (in.)	% Oil	(bbls)	(bbls)	(bbls)
Rectangle Area #1		13131	1	0%	27.29	27.29	0.00
Rectangle Area #2		36018	0.25	0%	18.71	18.71	0.00
Rectangle Area #3		42687	0.1	0%	8.87	8.87	0.00
Rectangle Area #4		75735	0.025	0%	3.93	3.93	0.00
Rectangle Area #5				0%	0.00	0.00	0.00
Rectangle Area #6				0%	0.00	0.00	0.00
Rectangle Area #7					0.00	0.00	0.00
Rectangle Area #8					0.00	0.00	0.00
					0.00	0.00	0.00
				Saturated Volume	58.80	58.80	0.00
				Saturated Volume			
Malana							
<u>Volume I</u>	Recovered and no	t included in Stand			58.80	58.80	0.00
<u>Volume I</u>	Recovered and no	t included in Stand			58.80 Total Volume	58.80 Water Volume	0.00 Oil Volume
<u>Volume I</u>	Recovered <i>and no</i>	t included in Stand			58.80 Total Volume	58.80 Water Volume	0.00 Oil Volume
<u>Volume I</u>	Recovered <i>and no</i>	t included in Stand			58.80 Total Volume	58.80 Water Volume	0.00 Oil Volume
<u>Volume I</u>	Recovered <i>and no</i>	t included in Stand			58.80 Total Volume (bbls)	58.80 Water Volume (bbls)	0.00 Oil Volume (bbls)



APPENDIX B NMOSE WELLS REPORT



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the POD suffix indicates the POD has been replaced & no longer serves a water right

(R=POD has been replaced, O=orphaned,

C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to

(NAD83 UTM in meters)

(In feet)

Water

POD

Sub-QQQ Code basin County 6416 4 Sec Tws Rng

633502 3591791*

DistanceDepthWellDepthWaterColumn

POD Number CP 00601 POD1

2 1 28 21S 33E

Average Depth to Water:

Minimum Depth:

Maximum Depth:

Record Count:1

UTMNAD83 Radius Search (in meters):

Easting (X): 632647

Northing (Y): 3591388

Radius: 1600

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data

6/10/20 10:21 AM

WATER COLUMN/ AVERAGE DEPTH TO

BASIN NAME ration No. CP-601 BASIN NAME STATEMENT SANTA FE, N.M me of Declarant THE MERCHANT LIVESTOCK COMPANY illing Address P.O. Box 548 Carlsbad unty of Bddy State of New Mexico stree of water supply Shallow (arresian or shallow water aquifer) weithe well location under one of the following subheadings: "NE W NW W of Sec. 28 Twp. 21S Rgc. 33-E N.M.P.M., in Tack No. of Map No. of the Grant. The County. Tract No. of Map No. of the Grant on land owned by Grant on land owned by Grant. Secription of well: date drilled 1952 driller depth 2231 feet. Acres acres and type of pump ake, type, horsepower, etc., of power plant reactitional or percentage interest claimed in well reactitional or percentage interest claimed in well 100% Tack Nater Proposes. Subdivision Sec. Twp. Ronge Irrigated Owner Stock water Owner Stock only The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto (Note: location of well and acresps octually irrigated must be shown on plot on reverse Meso.) The Merchant Livesto Stock water propriated and the octual of the above described lands or for the above described	BASIN NAME STATEMENT BASIN NAME STATEMENT SANTA FE, N.M. me of Declarant. THE MERCHANT LIVESPOCK COMPANY iiling Address P.O. Box 548 Carlsbad uncy of Bddy State of New Mexico unce of water supply Shallow (artesian or shallow water aquifer) scribe well location under one of the following subheadings: 4 NE W. NW 40 Sec. 28 Twp. 218 Rgc. 33-E NM.P.M. in Lea County. Tract No. of Map No. of the X = feet, Y = feet, N. M. Coordinate System Zone on land owned by scription of well: date drilled 1952 driller depth 2231 feet, unstide diameter of casing 6 5/Binches; original capacity gal. per min.; present capacity 3 al. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; are and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well 1005 anantity of water appropriated and beneficially used (acre feet per annum) R Stock water Purposes. Creage actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Ronge Irrigated Owner Stock Only The Merchant Livesto (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.) (Note: location of well and acreege octually irrigated must be shown on plat on reverse file.)			or Onder	ground	Water Ri	gnt
The MERCHANT LIVESTOCK COMPANY The Merchant Livestock of Merchant Livestock Company The Merchant Company The	The MERCHANT LIVESTOCK COMPANY The MERCHANT LIVESTOCK COMPANY The MERCHANT LIVESTOCK COMPANY The MERCHANT LIVESTOCK COMPANY The Merchant Livestoch Company The Merchant Company The		CAP			· · · · · · · ·	ra L
STATEMENT THE MERCHANT LIVESTOCK COMPANY liling Address P.O. Box 548 Carlsbad unty of Eddy State of New Mexico stribe well location under one of the following subheadings: "A NE % NN % of Sec. 28 Twp. 21S Rgc. 33-E N.M.P.M., in Lea County. Tract No. of Map No. of the "Feet, Y = feet, N. M. Coordinate System Zone in the Grant. On land owned by escription of well: date drilled 1952 driller depth 2231 feet. taide diameter of casing 6. 5/Binches; original capacity gal. per min.; present capacity 3 1. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; ake and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well 100% statity of water appropriated and beneficially used 100% (Note: location of well and acreege actually irrigated North 100% Acrees Subdivision Sec. Twp. Range 1rrigated 00 wmer 100% Stock water 1952 and data chat time 1952 a	STATEMENT THE MERCHANT LIVESTOCK COMPANY illing Address P.O. Box 518 Carlsbad unry of Eddy State of New Mexico scribe well location under one of the following subheadings: "A NE % NW % of Sec. 28 Twp. 218 Rge. 33-E NM.P.M., in Lea County. Tract No. of Map No. of the X = feet, Y = feet, N. M. Coordinate System Zone in the Grant. On land owned by escription of well: date drilled 1952 driller depth 2231 feet. It is defined a feet; static water level 178 feet (above) (below) land surface; are and type of pump ake, type, horsepower, etc., of power plant reactitional or percentage interest claimed in well 100% anantity of water appropriated and beneficially used Stack water Subdivision Sec. Twp. Ronge Irrigated Owner Stock water Subdivision Sec. Twp. Ronge Irrigated Owner Stock only The Merchant Livesto Steen was first applied to beneficial use month day year stack that time year should be seen used fully and continuously on all of the above described lands or for the above deadlibed pusses except follows: diditional statements or explanations.	aration No. CI	P-601		April 1	7. 1979+	
me of Declarant THE MERCHANT LIVESTOCK COMPANY Iling Address P. 0. BOX 548 Carl sbad	me of Declarant THE MERCHANT LIVESTOCK COMPANY P. 0. BOX 54.8 Carlsbad uncy of Eddy Ince of water supply Shallow (artesian or shallow water aquifer) Seribe well location under one of the following subheadings: W. N. W. W. of Sec. 28 Twp. 21S Rgc. 33-E NMP.M., in Lea County. Tract No. — of Map No. — of the X = feet, Y = feet, N. M. Coordinate System Zone in the On land owned by escription of well: date drilled 1952 driller depth 2231 feet, staide diameter of casing 6 5/Binches; original capacity gal. per min.; present capacity 3 al., per min.; pumping lift feet; static water level 178. feet (above) (below) land surface; axe and type of pump ake, type, horsepower, etc., of power plant reactitional or percentage interest claimed in well 100% stantity of water appropriated and beneficially used				~	SANTA	GINEE
integration of white supply shallow (arrestan or shallow water aquifer) cribe well location under one of the following subheadings: W. NE W. NW W. of Sec. 28 Twp. 21S Rge. 33-E N.M.P.M., in	integration of white the continuous of the following substance of the following subhadings: Wind Wind		MILE MED CITANE T			- Ania	re, N.M.
inty of state of New Mexico (artesian or shallow water aquifer) (rice of water supply Shallow (artesian or shallow water aquifer) (artesian or shallow water aquifer) (artesian or shallow water aquifer) (by MR NE NN W of Sec. 28 Twp. 21S Rgc. 33-E N.M.P.M., in Lea County. Tract No. of Map No. of the Get, Y = feet, N. M. Coordinate System Zone in the Grant. (Con land owned by Secription of well: date drilled 1952 driller depth 2231 feet. (actional diameter of casing 6.5/Binches; original capacity gal. per min.; present capacity axe and type of pump ake, type, horsepower, etc., of power plant actitional or percentage interest claimed in well 100% (active feet per annum) (active f	inty of				ANY		
A Stablew water supply shallow (artesian or shallow water aquifer)	(artesian or shallow water aquifer) seribe well location under one of the following subheadings:			······································	New Mexi	30	
teribe well location under one of the following subheadings: % NE 4 NW % of Sec. 28 Twp. 21S Rgc. 33-E N.M.P.M., in Lea County. Tract No. of Map No. County. Tract No. of Map No. of the Sec. 1 Sec. 1 Sec. 1 Sec. 2 Sec	scribe well location under one of the following subheadings: '** NE '4 NW '4 of Sec. 28 Twp. 21S Rgc. 33-E N.M.P.M., in Lea County. Tract No. of Map No. of the X = feet, Y = feet, N. M. Coordinate System Zone in the Grant. On land owned by escription of well: date drilled 1952 driller depth 2231 feet. Activide diameter of casing 6.5/Binches; original capacity gal. per min.; present capacity 3 Al. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; axe and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well 100% uantity of water appropriated and beneficially used 100% reage actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Ronge Irrigated Owner 11		-1 7.7 · · · ·				
Tract No. of Map No. of the X = feet, Y = feet, N. M. Coordinate System Zone in the Grant. On land owned by Secription of well: date drilled 1952 driller depth 2231 feet. straide diameter of casing 6.5/Binches; original capacity gal. per min.; present capacity 3.1. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; aske and type of pump ake, type, horsepower, etc., of power plant reactitional or percentage interest claimed in well 100% (acre feet per annum) staticty of water appropriated and beneficially used acres, located and described as follows (describe only lands acrually irrigated): Subdivision Sec. Twp. Ronge Irrigoted Owner stack only The Merchant Livesto (Note: location of well and acrooge actually irrigoted must be shown on plat on reverse file.) (Note: location of well and acrooge actually irrigoted must be shown on plat on reverse file.) and effect that time year year stack only The Merchant Livesto for the stack of the shown of the above described pusces except follows:	Tract No. of Map No. of the X = feet, Y = feet, N. M. Coordinate System			headings:			
Tract No of Map No of the X =	Tract No of Map No of the X =				wp21S_ R	ge. 33-E N.	M.P.M., in
Grant. On land owned by	Grant. On land owned by	. Tract No.	of Map No	of the			
On land owned by escription of well: date drilled 1952 driller depth 2231 feet. Itside diameter of casing 6.5/8 inches; original capacity gal. per min.; present capacity 3. Il. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; aske and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well 100% tantity of water appropriated and beneficially used tantity of water appropriated and beneficially used (acre feet per annum) purposes. Treage actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Range Irrigated Owner Stock only The Marchant Livesto 178 feet was first applied to beneficial use month day year and etace that time seen used fully and continuously on all of the above described lands or for the above described purposes except follows:	On land owned by escription of well: date drilled 1952 driller depth 2231 feet. atside diameter of casing 6 5/8inches; original capacity gal. per min.; present capacity 3 al. per min.; pumping lift feet; static water level 178 feet (above) (below) land surface; ake and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well 100% nantity of water appropriated and beneficially used (acre feet per annum) as took water purposes. The Ronge Irrigored Owner stock only The Merchant Livesto (Note: location of well and acreage actually irrigated must be shown on plat on reverse life.) (Note: location of well and acreage actually irrigored must be shown on plat on reverse life.) The Merchant Livesto only and capacity on the above described lands or for the above described purposes except follows:	X =					
Acres Subdivision Sec. Twp. Range Irrigated Subdivision	al. per min.; pumping liftfeet; static water level178_feet (above) (below) land surface; ake and type of pump						_ Grant.
Acres Subdivision Sec. Twp. Range Irrigated Subdivision	al. per min.; pumping liftfeet; static water level178_feet (above) (below) land surface; ake and type of pump	Description of well:	date drilled 19	52 driller	de	pth 2231	feet.
Acres Subdivision Sec. Twp. Range Irrigated Subdivision Su	ake and type of pump					-	
ake, type, horsepower, etc., of power plant	ake and type of pump ake, type, horsepower, etc., of power plant ractitional or percentage interest claimed in well nantity of water appropriated and beneficially used r stock water recease actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Range Irrigated Owner stock only The Merchant Livesto Only (Note: location of well and acreage actually irrigated must be shown on plat on reverse file.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse file.) Acres Subdivision Sec. Twp. Range Irrigated Owner stock only The Merchant Livesto Only Only Acres Only Acres Outer Acres Subdivision Sec. Twp. Range Irrigated Owner stock only The Merchant Livesto Only Only Only Acres Only Acres Only					_	
ake, type, horsepower, etc., of power plant	ractitional or percentage interest claimed in well 100% nantity of water appropriated and beneficially used (acre feet per annum) r. stock water purposes. creage actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Ronge Irrigated Owner stock only The Marchant Livesto (Note: location of well and acreage actually irrigated must be shown on plat on reverse He.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse He.) acter was first applied to beneficial use month day year month day gear month day	al. per min.; pumpir	ng liftfeet; static	water level 178 fe	et (above) (below) l	and surface;	
ractitional or percentage interest claimed in well 100% nantity of water appropriated and beneficially used (acre feet per annum) ratiok water purposes. reage actually irrigated acres, located and described as follows (describe only lands actually irrigated): Acres Subdivision Sec. Twp. Range Irrigated Owner Stock only The Merchant Livesto (Note: location of well and acreage actually irrigated must be shown on plot on reverse file.) (Note: location of well and acreage actually irrigated must be shown on plot on reverse file.) acter was first applied to beneficial use 1952 and effect that time when the special use 1952 and effect that time shown on plot on reverse file.) Steen used fully and continuously on all of the above described lands or for the above described purposes except follows:	ractitional or percentage interest claimed in well	nake and type of pu	ımp		CONTRACTOR OF THE CONTRACTOR O		
Subdivision Sec. Twp. Ronge Irrigated (Note: location of well and acreage actually irrigated must be shown on plot on reverse the control of the above described lands or for the above described pureses except follows: Subdivision Sec. Twp. Ronge Sec. Twp.	(Note: location of well and acreage actually irrigated must be shown on plat on reverse the state was first applied to beneficial use	nake, type, horsepo	wer, etc., of power plant_	-			
Stock water purposes. Subdivision Sec. Twp. Ronge Irrigated Owner Stock only The Merchant Livesto Stock only The Merchant Livesto Subdivision of well and acreage actually irrigated must be shown on plat on reverse the.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) Subdivision of well and acreage actually irrigated must be shown on plat on reverse the.) Subdivision Sec. Twp. Ronge Irrigated Type of the Merchant Livesto On The Merchant L	(Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.)	Fractitional or perce	entage interest claimed in	well100%			
Stock water purposes. Subdivision Sec. Twp. Ronge Irrigated Owner Stock only The Merchant Livesto Stock only The Merchant Livesto Subdivision of well and acreage actually irrigated must be shown on plat on reverse the.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) Subdivision of well and acreage actually irrigated must be shown on plat on reverse the.) Subdivision Sec. Twp. Ronge Irrigated Type of the Merchant Livesto On The Merchant L	(Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.) (Note: location of well and acreage actually irrigated must be shown on plat on reverse files.)	Quantity of water ap	propriated and beneficially	used		up to 3	
Acres Subdivision Sec. Twp. Ronge Irrigated Stock only Who te: location of well and acreage actually irrigated must be shown on plat on reverse the.) Iter was first applied to beneficial use month see been used fully and continuously on all of the above described lands or for the above described pureses except follows: Indicational statements or explanations	Acres Subdivision Sec. Twp. Range Irrigated Stock only The Merchant Livesto (Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) ater was first applied to beneficial use month month day year month day year stollows: follows:			○(®XXXXXXX XX		acre feet per annum)	
Subdivision Sec. Twp. Range Irrigated Stock only The Merchant Livesto The Merchant Li	Subdivision Sec. Twp. Range Irrigated Stock only The Merchant Livesto Stock only The Merchant Livesto Orn Orn Orn Orn Orn Orn Acres Stock only The Merchant Livesto Orn Orn Orn Orn Orn Orn Orn Or	for stock	water			P	urposes.
(Note: location of well and acreage actually irrigated must be shown on plat on reverse tide.) atter was first applied to beneficial use	(Note: location of well and acreage actually irrigated must be shown on plat on reverse tide.) ater was first applied to beneficial use			stock	only The	Merchant Li	vesto
(Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) Atter was first applied to beneficial use	(Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) atter was first applied to beneficial use					G)	
(Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) Atter was first applied to beneficial use	(Note: location of well and acreage actually irrigated must be shown on plat on reverse tide.) atter was first applied to beneficial use	1.1.4				7	
(Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) ater was first applied to beneficial use	(Note: location of well and acreage actually irrigated must be shown on plat on reverse the.) ater was first applied to beneficial use					7	
atter was first applied to beneficial use	ater was first applied to beneficial use					APR L	
month day year not see that time seem used fully and continuously on all of the above described lands or for the above described pureses except follows:	month day year in a month	(Note: I	location of well and accepts			APR L	
lditional statements or explanations	dditional statements or explanations				hown on plat on reve	APP AM	hattima
		Water was first appli	ied to beneficial usen and continuously on all of	nonth day	hown on plat on reve 1952 year	se Ide.) III	
		Water was first appli	ied to beneficial usen and continuously on all of	nonth day	hown on plat on reve 1952 year	se Ide.) III	
		ater was first appli	ied to beneficial usen and continuously on all of	nonth day	hown on plat on reve 1952 year	se Ide.) III	
		as been used fully	ied to beneficial usen and continuously on all of	nonth day	hown on plat on reve 1952 year	se Ide.) III	
		Vater was first appli	ied to beneficial use n and continuously on all of	north day the above described las	thown on plat on reverse 1952 year ands or for the above	TE PHO	
		ater was first appli as been used fully s follows:	ied to beneficial usen and continuously on all of	nonth day the above described lan	thown on plat on reverse 1952 year ands or for the above	TE PHO	
		ater was first appli as been used fully as follows:	ied to beneficial usen and continuously on all of	nonth day the above described lan	thown on plat on reverse 1952 year ands or for the above	TE PHO	
		ter was first appli s been used fully follows:	ied to beneficial usen and continuously on all of	nonth day the above described lan	thown on plat on reverse 1952 year ands or for the above	TE PHO	
pose and say that the above is a full all populate statement prepared in accordance with the instructions on the re- rse side of this form and submitted in collection where ship of a valid underground water right, that I have carefully	J. D. Merchant, Jr. President being first duly sworn upon my oath, pose and say that the above is a full adding the statement prepared in accordance with the instructions on the resesside of this form and submitted in contained to ownership of a valid underground water right, that I have carefully ad each and all of the item contained therein an that the same are true to the best of my knowledge and belief.	Water was first appli has been used fully a as follows: Additional statement name o	and continuously on all of and continuously on all of ts or explanations The above is a full limiting	nonth day the above described lan ard asident	hown on plat on reve 1952 year ds or for the above being fired in accordance welid underground wa	de Tibed purses	my oath,
pose and say that the above is a full all the post of the research of the same are true to the best of my knowledge and belief. THE MERCHANT LIVESTOCK CO. declarant. by: Description: Description Descript	pose and say that the above is a full adding the statement prepared in accordance with the instructions on the re- rse side of this form and submitted in 20 May connership of a valid underground water right, that I have carefully ad each and all of the item soortained therein are that the same are true to the best of my knowledge and belief. THE MERCHANT LIVESTOCK CO. declarant. by:	Water was first appliants been used fully in as follows: Additional statement name of the property of the pr	and continuously on all of and continuously on all of ts or explanations The above is a full limiting	asident ownership of a van and the same are	being fied in accordance we lid underground wa true to the best of	de Tibed purses set duly sworn upon the the instructions of the right, that I have my knowledge and be the state of the s	my oath, on the re- carefully elief.
pose and say that the above is a full all appropries statement prepared in accordance with the instructions on the re- rse side of this form and submitted in evidence ownership of a valid underground water right, that I have carefully ad each and all of the items fortained berein and that the same are true to the best of my knowledge and belief. THE MERCHANT LIVESTOCK CO. declarant. by: J. D. Merchant, Jr. President	pose and say that the above is a full adding the statement prepared in accordance with the instructions on the re- rse side of this form and submitted in element ownership of a valid underground water right, that I have carefully ad each and all of the items fortained therein are that the same are true to the best of my knowledge and belief. THE MERCHANT LIVESTOCK CO. declarant. by: J.D. Merchant, Jr. President	ditional statement Tame O J. D. Mer pose and say that ree side of this for ad each and all of a second state of the second say that the second say that the second say that	and continuously on all of and continuously on all of ts or explanations of well = Standard chants Jr. Property and submitted in children the above is a full and any m and submitted in children the item contained bereit	asident ownership of a van and the same are	being fied in accordance we lid underground wa true to the best of	set duly sworn upon the the instructions of the right, that I have my knowledge and b	my oath, on the recarefully elief.

563298

ACCEPTANCE FOR FILING DOES NOT CONSTITUTE APPROVAL OR REJECTION OF THE CLAIM.



Locate well and areas actually irrigated as accurately as possible on following plat:

INSTRUCTIONS

Declaration shall be executed (preferably typewritten) in triplicate and must be accompanied by a \$1.00 filing fee. Each of triplicate copies must be properly signed and attested.

A separate declaration must be filed for each well in use.

All blanks shall be filled out fully. Required information which cannot be sworn to by declarant shall be supplied by affidavit of person or persons familiar with the facts and shall be submitted herewith.

Secs. 1-3. Complete all blanks.

Sec. 4. Fill out all blanks applicable as fully as possible.

Sec. 5. Irrigation use shall be stated in acre feet of water per acre per year applied on the land. If used for domestic, municipal or other purposes, state total quantity in acre feet used annually.

Sec. 6. Describe only the acreage actually irrigated. When necessary to clearly define irrigated acreages, describe to nearest 2½ acre subdivision. If located on unsurveyed lands, describe by legal supdivision "as projected" from the nearest government survey corners, or describe by metes and bounds and tie survey to some permanent, easily-located natural object.

Sec. 7. Explain and give dates as nearly as possible of any years when all or part of acreage claimed was not irrigated.

Sec. 8. If well irrigates or supplies supplemental water to any other land than that described above, or if land is also irrigated from any other source, explain under this section. Give any other data necessary to fully describe water right.

If additional space is necessary, use a separate sheet or sheets and attach securely hereto.

5

66

*/0 APR 20 PM 3 00

April 17, 1979

OTATO ENGINEER OFFICE LL LIAFE, N.M. 81501

Files: CP-584; CP-585; CP-586; CP-587; CP-588; CP-589; CP-590; CP-591; CP-592; CP-593; CP-594; CP-595; CP-596; CP-597; CP-598; CP-599; CP-600; CP-601; CP-602

The Merchant Livestock Company P. O. Box 548 Carlsbad, NM 88220

Gentlemen:

Enclosed are your copies of Declarations of Owner of Underground Water Right as numbered above, which have been filed for record in the office of the State Engineer.

Please refer to each individual number in all future correspondence concerning these declarations.

The filing of these declarations does not indicate affirmation or rejection of the statements contained therein.

Yours very truly,

J. C. Groseclose Basin Supervisor

JCG/fh Encls.

cc: Santa Fe



USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:	Geographic Area:		
Groundwater	✓ United States	~	GO

Click to hideNews Bulletins

- Introducing The Next Generation of USGS Water Data for the Nation
- Full News

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs site_no list =

• 322702103344001

Minimum number of levels = 1

Save file of selected sites to local disk for future upload


USGS 322702103344001 21S.33E.28.12443

Available data for this site Groundwater: Field measurements V GO

Lea County, New Mexico
Hydrologic Unit Code 13070007
Latitude 32°27'13", Longitude 103°34'42" NAD27
Land-surface elevation 3,688.00 feet above NGVD29
The depth of the well is 224 feet below land surface.
This well is completed in the Chinle Formation (231CHNL) local aquifer.

Out	put	for	ma	ıts

Table of data	
Tab-separated data	
Graph of data	
Reselect period	



Breaks in the plot represent a gap of at least one year between field measurements.

Download a presentation-quality graph

Questions about sites/data?
Feedback on this web site
Automated retrievals
Help
Data Tips
Explanation of terms
Subscribe for system changes
News

Accessibility

Plug-Ins

FOIA

Privacy

Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Groundwater for USA: Water Levels

URL: https://nwis.waterdata.usgs.gov/nwis/gwlevels?

Page Contact Information: <u>USGS Water Data Support Team</u>

Page Last Modified: 2020-06-10 12:06:26 EDT

0.64 0.58 nadww01





USGS Home Contact USGS Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:	Geographic Area:	
Groundwater	✓ United States	✓ GO

Click to hideNews Bulletins

- Introducing The Next Generation of USGS Water Data for the Nation
- Full News

Groundwater levels for the Nation

Search Results -- 1 sites found

Agency code = usgs site_no list =

• 322702103344002


Minimum number of levels = 1

Save file of selected sites to local disk for future upload

USGS 322702103344002 21S.33E.28.12443A

Available data for this site	Groundwater: Field measurements ∨ GO
Lea County, New Mexico	
Hydrologic Unit Code 13070	0007
Latitude 32°27'02", Longit	ude 103°34'40" NAD27
Land-surface elevation 3,68	30 feet above NAVD88
This well is completed in th	e Chinle Formation (231CHNL) local aquifer

Table of data Tab-separated data Graph of data Reselect period



Breaks in the plot represent a gap of at least one year between field measurements.

Download a presentation-quality graph

Questions about sites/data?
Feedback on this web site
Automated retrievals
Help
Data Tips
Explanation of terms
Subscribe for system changes
News

Accessibility

Plug-Ins

FOIA

Privacy

Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Groundwater for USA: Water Levels

URL: https://nwis.waterdata.usgs.gov/nwis/gwlevels?

Page Contact Information: <u>USGS Water Data Support Team</u>

Page Last Modified: 2020-06-10 12:08:25 EDT

0.66 0.6 nadww01



APPENDIX C VSP SAMPLING PROTOCOL

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY OF SAMPLING DESIGN		
Primary Objective of Design	Estimate the population proportion of all strata combined	
Criteria for Determining Total Number of Samples	Achieve pre-specified precision of the estimated proportion for specified stratum costs, but no restriction on total costs	
Sample Placement (Location) in the Field	Adaptive grid sampling with a rectangular pattern	
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)	
Method for calculating number of sampling locations in each stratum	Optimal Allocation	
Calculated total number of samples	8	
Stratum 1	8	
Total area of all strata	1473.79 m ²	

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1

X Coord	Y Coord	Label	Value	Туре	Historical	Sample Area
-11531460.2026	3822770.2648			Adaptive Grid		
-11531446.8027	3822770.2648			Adaptive Grid		
-11531460.2026	3822784.0130			Adaptive Grid		
-11531446.8027	3822784.0130			Adaptive Grid		
-11531433.4028	3822784.0130			Adaptive Grid		
-11531446.8027	3822797.7611			Adaptive Grid		
-11531433.4028	3822797.7611			Adaptive Grid		
-11531424.8843	3822790.8787			Adaptive Grid		

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples is computed to achieve the pre-specified precision of the estimated population proportion for specified stratum costs, but no restriction on total costs. *Note that the calculation is for the total number of samples, i.e., for combined strata, rather than individual strata.*

The formula used to calculate the total number of samples is:

$$n = \frac{\left(\sum_{h=1}^{L} W_{h} \sqrt{P_{h}(1 - P_{h})} \sqrt{c_{h}}\right) \sum_{h=1}^{L} \frac{W_{h} \sqrt{P_{h}(1 - P_{h})}}{\sqrt{c_{h}}}}{V + \sqrt{1 + \frac{1}{N} \sum_{h=1}^{L} W_{h} P_{h}(1 - P_{h})}}$$

where

L is the number of strata, h=1,2,...,L,

 P_h is the estimated proportion of measurements in stratum h,

 $W_h = N_h / N$ is the weight associated with stratum h,

 $N_h^{"}$ is the total number of possible sampling locations (units) in stratum h,

is the total number of possible units in all strata combined,

 $N = \sum_{k=1}^{L} N_k$

V is the pre-specified variance or precision, and

c_h is the cost of collecting and measuring a sample in stratum h.

The values of these inputs that result in the calculated number of sampling locations are:

Parameter	Stratum
	1
P _h	0.2
W _h	1473.79



Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}$$

where

 n_h is the number of samples allocated to stratum h,

L' is the number of strata,

 N_h is the total number of units in stratum h,

 P_h is the proportion in stratum h,

 c_h is the cost per population unit in stratum h.

n is the total number of units sampled in all strata, $n = \sum_{h=1}^{L} n_h$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples
1	8
Total Samples	8

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using adaptive grid sampling in each stratum.

Locating the sample points using an adaptive grid sampling method ensures spatial coverage of the site. Statistical analyses of systematically collected data are valid because a random start to the grid is used. One disadvantage of collecting samples on a systematic grid is that spatial variability or patterns of data may not be discovered if the grid spacing is large relative to the spatial patterns. Also, if a spatial pattern of population values corresponds to the systematic spacing of sample locations, then the estimated proportion may be very biased.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

- The estimated stratum proportions, P_h, are reasonable and representative of the stratum populations being sampled.
- 2. The sampling locations are selected using simple random sampling.
- 3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Stratum	Samples	Collection Cost Per Sample	Analytic Cost Per Sample	Total Cost
1	8	\$100.00	\$400.00	\$4,000.00
Total Samples:	8		Subtotal:	\$4,000.00
			Fixed Startup Cost:	\$1,000.00
			Grand Total:	\$5,000.00

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.13.

This design was last modified 5/12/2020 8:33:45 AM.

Software and documentation available at http://vsp.pnnl.gov

Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

^{* -} The report contents may have been modified or reformatted by end-user of software.

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY OF SA	MPLING DESIGN
Primary Objective of Design	Estimate the population proportion of all strata combined
Criteria for Determining Total Number of Samples	Predetermined Number
Sample Placement (Location) in the Field	Adaptive grid sampling with a rectangular pattern
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)
Method for calculating number of sampling locations in each stratum	Optimal Allocation
Calculated total number of samples	3
Stratum 1	3
Total area of all strata	5568.65 m ²

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1						
X Coord	Y Coord	Label	Value	Туре	Historical	Sample Area
-11531412.3945	3822821.0014			Adaptive Grid		
-11531412.3945	3822862.7123			Adaptive Grid		

-11531367.8926 3822862.7123 Adaptive Grid

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples, n, has been provided by the user. It is left to the professional judgment of the user to know if this number is adequate for the intended goal of the sampling design.

Parameter	Input Value
n	3

Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}$$

where

 n_h is the number of samples allocated to stratum h,

L is the number of strata,

 N_h is the total number of units in stratum h,

 P_h'' is the proportion in stratum h,

 $c_h^{"}$ is the cost per population unit in stratum h.

is the total number of units sampled in all strata, $n = \sum_{i=1}^{L} n_{h}$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples
1	3
Total Samples	3

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using adaptive grid sampling in each stratum.

Locating the sample points using an adaptive grid sampling method ensures spatial coverage of the site. Statistical analyses of systematically collected data are valid because a random start to the grid is used. One disadvantage of collecting samples on a systematic grid is that spatial variability or patterns of data may not be discovered if the grid spacing is large relative to the spatial patterns. Also, if a spatial pattern of population values corresponds to the systematic spacing of sample locations, then the estimated proportion may be very biased.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

1. The estimated stratum proportions, P_h , are reasonable and representative of the stratum populations being

sampled.

- 2. The sampling locations are selected using simple random sampling.
- 3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.13. This design was last modified 5/12/2020 8:43:56 AM.

Software and documentation available at http://vsp.pnnl.gov

Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

* - The report contents may have been modified or reformatted by end-user of software.

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY	OF SAMPLING DESIGN
Primary Objective of Design	Estimate the population proportion of all strata combined
Criteria for Determining Total Number of Samples	Achieve pre-specified precision of the estimated proportion for specified stratum costs, but no restriction on total costs
Sample Placement (Location) in the Field	Adaptive grid sampling with a rectangular pattern
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)
Method for calculating number of sampling locations in each stratum	Optimal Allocation
Calculated total number of samples	3
Stratum 1	3
Total area of all strata	487.54 m ²

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1

X Coord	Y Coord	Label	Value	Туре	Historical	Ref/Surv	Sample Area
-11531441.9305	3822761.6720			Adaptive Grid		Undefined	
-11531426.7396	3822772.3700			Adaptive Grid		Undefined	
-11531411.5487	3822790.6905			Adaptive Grid		Undefined	

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples is computed to achieve the pre-specified precision of the estimated population proportion for specified stratum costs, but no restriction on total costs. Note that the calculation is for the total number of samples, i.e., for combined strata, rather than individual strata.

The formula used to calculate the total number of samples is:

is the number of strata, h=1,2,...,L,

is the estimated proportion of measurements in stratum h,

is the weight associated with stratum h,

is the total number of possible sampling locations (units) in stratum *h*,

is the total number of possible units in all strata combined,

is the pre-specified variance or precision, and

is the cost of collecting and measuring a sample in stratum h.

The values of these inputs that result in the calculated number of sampling locations are:

Parameter	Stratum
	1
P _h	0.2
C _h	\$500.00
W _h	487.539

Parameter	Input Value
V	1

Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}$$

where

 n_h is the number of samples allocated to stratum h,

L is the number of strata,

 N_h is the total number of units in stratum h,

 P_h'' is the proportion in stratum h,

 $c_h^{"}$ is the cost per population unit in stratum h.

n is the total number of units sampled in all strata, $n = \sum_{k=1}^{L} n_k$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples	
1	3	
Total Samples	3	

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using adaptive grid sampling in each stratum.

Locating the sample points using an adaptive grid sampling method ensures spatial coverage of the site. Statistical analyses of systematically collected data are valid because a random start to the grid is used. One disadvantage of collecting samples on a systematic grid is that spatial variability or patterns of data may not be discovered if the grid spacing is large relative to the spatial patterns. Also, if a spatial pattern of population values corresponds to the systematic spacing of sample locations, then the estimated proportion may be very biased.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

- 1. The estimated stratum proportions, P_h , are reasonable and representative of the stratum populations being sampled.
- 2. The sampling locations are selected using simple random sampling.
- 3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Stratum	Samples	Collection Cost Per Sample	Analytic Cost Per Sample	Total Cost
1	3	\$100.00	\$400.00	\$1,500.00
Total Samples:	3		Subtotal:	\$1,500.00
			Fixed Startup Cost:	\$1,000.00
			Grand Total:	\$2,500.00

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.13.

This design was last modified 5/12/2020 8:42:01 AM.

Software and documentation available at http://vsp.pnnl.gov

Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

^{* -} The report contents may have been modified or reformatted by end-user of software.

VSP Sample Design Report for Using Stratified Sampling to Estimate the Population Proportion


Summary

This report summarizes the stratified sampling design used, associated statistical assumptions, as well as general guidelines for conducting post-sampling data analysis. Sampling plan components presented here include how many sampling locations to choose and where within the sampling area to collect those samples. The type of medium to sample (i.e., soil, groundwater, etc.) and how to analyze the samples (in-situ, fixed laboratory, etc.) are addressed in other sections of the sampling plan. It is important to note that the decision for sample size calculation is determined for the combined strata, rather than any individual strata.

The following table summarizes the proportion stratified sampling design developed. A figure that shows sampling locations in the field and a table that lists sampling location coordinates are also provided below.

SUMMARY	OF SAMPLING DESIGN
Primary Objective of Design	Estimate the population proportion of all strata combined
Criteria for Determining Total Number of Samples	Achieve pre-specified precision of the estimated proportion for specified stratum costs, but no restriction on total costs
Sample Placement (Location) in the Field	Adaptive grid sampling with a rectangular pattern
Formula for calculating number of sampling locations	From Gilbert (1987, page 51)
Method for calculating number of sampling locations in each stratum	Optimal Allocation
Calculated total number of samples	5
Stratum 1	5
Total area of all strata	5941.19 m ²
Total cost of sampling ^a	\$3,500.00

^a Including measurement analyses and fixed overhead costs. See the Cost of Sampling section for an explanation of the costs presented here.



Area: Area 1

X Coord	Y Coord	Label	Value	Туре	Historical	Sample Area
-11531469.8254	3822798.2716			Adaptive Grid		
-11531469.8254	3822833.9119			Adaptive Grid		
-11531436.4857	3822881.0106			Adaptive Grid		
-11531403.1460	3822887.0513			Adaptive Grid		
-11531369.8064	3822892.2485			Adaptive Grid		

Primary Sampling Objective

The primary purpose of sampling at this site is to estimate the proportion for the entire site, i.e., for all strata combined, such that the estimated proportion has the minimum possible standard deviation under the condition that the sampling and measurement costs cannot exceed a specified amount. Preexisting information was used to divide the site into 1 non-overlapping strata that were expected to be more homogeneous internally than for the entire site (all strata combined). The expected variability of values within each stratum was estimated or approximated, and the stratum weights, W_h , were determined so that the total number of samples could be allocated appropriately among the strata.

Number of Total Samples: Calculation Equation and Inputs

The total number of samples is computed to achieve the pre-specified precision of the estimated population proportion for specified stratum costs, but no restriction on total costs. Note that the calculation is for the total number of samples, i.e., for combined strata, rather than individual strata.

The formula used to calculate the total number of samples is:

$$n = \frac{\left(\sum_{h=1}^{L} W_{h} \sqrt{P_{h}(1 - P_{h})} \sqrt{c_{h}}\right) \sum_{h=1}^{L} \frac{W_{h} \sqrt{P_{h}(1 - P_{h})}}{\sqrt{c_{h}}}}{V + \frac{1}{N} \sum_{h=1}^{L} W_{h} P_{h}(1 - P_{h})}$$

where

is the number of strata, h=1,2,...,L,

is the estimated proportion of measurements in stratum h,

is the weight associated with stratum *h*,

is the total number of possible sampling locations (units) in stratum *h*,

is the total number of possible units in all strata combined,

is the pre-specified variance or precision, and

is the cost of collecting and measuring a sample in stratum h.

The values of these inputs that result in the calculated number of sampling locations are:

Parameter	Stratum
	1
P _h	0.2
C _h	\$500.00
W _h	5941.19

Parameter	Input Value
V	1

Allocation of Samples to Strata

The total number of samples is allocated to the individual strata on an optimal basis using the formula:

$$n_h = n \frac{N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}{\sum_{h=1}^L N_h \sqrt{P_h (1 - P_h)} / \sqrt{c_h}}$$

where

 n_h is the number of samples allocated to stratum h,

L is the number of strata,

 N_h is the total number of units in stratum h,

 P_h is the proportion in stratum h,

 $c_h^{"}$ is the cost per population unit in stratum h.

n is the total number of units sampled in all strata, $n = \sum_{i=1}^{L} n_{i}$

Using this formula, the number of samples allocated to each stratum is:

Stratum	Number of Samples
1	5
Total Samples	5

Method for Determining Sampling Locations

Five methods for determining sample locations are provided in VSP: 1) simple random sampling, 2) random sampling within grids, 3) systematic sampling with a random start, 4) systematic sampling with a fixed start and 5) adaptive grid sampling. One may use a different method for each stratum, based on the conceptual site model and decision to be made for a given stratum. For this site, sample locations were chosen using adaptive grid sampling in each stratum.

Locating the sample points using an adaptive grid sampling method ensures spatial coverage of the site. Statistical analyses of systematically collected data are valid because a random start to the grid is used. One disadvantage of collecting samples on a systematic grid is that spatial variability or patterns of data may not be discovered if the grid spacing is large relative to the spatial patterns. Also, if a spatial pattern of population values corresponds to the systematic spacing of sample locations, then the estimated proportion may be very biased.

Statistical Assumptions

The assumptions associated with the formulas for computing the number of samples are:

- 1. The estimated stratum proportions, P_h , are reasonable and representative of the stratum populations being sampled.
- 2. The sampling locations are selected using simple random sampling.
- 3. The stratum costs, C_h , and the fixed cost C_0 , are accurate.

The first and third assumptions will be assessed in a post data collection analysis. The second assumption, although not strictly valid for strata where systematic grid sampling was used rather than simple random sampling, is not expected to significantly affect conclusions of the study because (1) the gridded sample locations were selected based on a random start and (2) any patterns of contamination in the field that may exist are not expected to coincide with the regularity of the grid sampling pattern.

Stratum	Samples	Collection Cost Per Sample	Analytic Cost Per Sample	Total Cost
1	5	\$100.00	\$400.00	\$2,500.00
Total Samples:	5		Subtotal:	\$2,500.00
			Fixed Startup Cost:	\$1,000.00
			Grand Total:	\$3,500.00

Recommended Data Analysis Activities

Post data collection activities generally follow those outlined in EPA's Guidance for Data Quality Assessment (EPA, 2000). The data analysts will become familiar with the context of the problem and goals for data collection and assessment. The data will be verified and validated before being subjected to statistical or other analyses. Graphical and analytical tools will be used to verify to the extent possible the assumptions of any statistical analyses that are performed as well as to achieve a general understanding of the data. The data will be assessed to determine whether they are adequate in both quality and quantity to support the primary objective of sampling.

Estimates for the proportion of the population values will be calculated using the formulas appropriate for stratified sampling; these formulas are found in EPA QA/G-5S (EPA, 2001). Results of the exploratory and quantitative assessments of the data will be reported, along with conclusions that may be supported by them.

This report was automatically produced* by Visual Sample Plan (VSP) software version 7.13.


This design was last modified 5/12/2020 8:36:57 AM.

Software and documentation available at http://vsp.pnnl.gov


Software copyright (c) 2020 Battelle Memorial Institute. All rights reserved.

^{* -} The report contents may have been modified or reformatted by end-user of software.

APPENDIX D PHOTO LOG & FIELD NOTES














Received by OCD: 6/22/2020 7:49:28 AM

Page 51 of 194







	1/2		Field Sc	reening			
	Lo	cation	Name:			Da	te:
Abe Unit	# 2				<u> </u>	5/22/	26
Sample Name:	Soil Type:	Depth (BGS)	Collection Time:	EC (ppm)	Temp (°C)	PID Reading	PF
Rud Durgran CSL 2	Calian	surface	945	0.04	27.3		
0.0 168	a la	Surlace	947	0.05	27.3		
Parmers Care 3		Surlau	949	0.06	27.4		
Son Drawage Carl	rd Sund	Surface	1047	0.04	28.0		
7.489 MCW A	tan/rd sand	Sullay	10E0	0.03	28.1		
2 2 4 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		Suluq	1053	0.04	28.2		
SO ME	4 6	Surface	1055	0.05	28.1		
	61 1	Surface	1058	0.03	28.2		
2 God ONE COL 6	4 4	Sur Luce	1100	0.04	28.1		
Stephing Assessment C. ST 3	LL VI	Some	1105	0.05	28.4		
CSC3 Control Marchan CSC3	4	Surlay	1110	0.03	283		
USAN CHOKARE CSL9	21 31	0.51	1113	0.04	28.4		
months CSC 9	u	ני ני	11.33	0.03	28.5		-
.37	u	2'	1136	0.02	285		
MUMMINIM DALS	4 11	2'	1128	0.04	28.6		
INCOMPOSED C.E. C.	u u	2'	1132	0.05	28.7		
much ruled	"	2'	1136	0.02	28.6		
oncentrated CSL 6.	· ()	11	1140	0.04	28.7		
uncentrated used CSC7	de V	11	1143	0-01	28.8		
uncentrated CSLS	Zi u	1'	1145	0.02	28.4		
รพไ	ė į	0-31	1320	0.03	28.9		
Swa	u	0-11	1322	0.04	28.8		
Sw3	de vi	0-1	1325	0.04	288		
5w4	H W	0-1	1328	0.03	284		
SW 5	H	0-21	1330	0.04	28.9		

				reening			
	Loc	cation	Name:			Date	e:
Abe Unit #	519212020						
Sample Name:	Soil Type:	Depth (BGS)	Collection Time:	EC (ppm)	Temp (°C)	PID Reading	PF
5W6	tan/rd sand	0-3	1334	0.04	28.9		
5W7	u w	0-21	1338	0.03	28.9		
							_
,							
					-		
			<u></u> .				
			٠,				
			-				
F							
				`.			
					-		
			1				
<u> </u>				1			

			We shall depressed .	^ <u>SM_4</u>	Field Sci	reeni	ng			
Location Name:	Abe State				Date:	4/8/	2020			Rails
0.	mple Name:	Collection Time:	EC (mS)	Temp (°C)	PID Reading /PF		il Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
overshand	SLI-Surfisee	9:28	0.13	20.5		Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist	Calicle layer, snows no
Charptail	Sta - 0.5-1	4:30	0.14	20.9		Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	Sign of impact.
Sagrand	SLO-Surba	433	6.12	20.1		Light Lan Gray Yellow	Dark Brown Olive	Gravel Rock Sand Silt Clay	Dry Moist Wet	it
Cal may	922-0.51		0.08	20.2		Light Lan Tan Gray Yellow	Red Dark Brown Olive	Gravel Rock Sand Silt Clay		le
Sosping Many	SU-Sulva			20.6		Light Tan Gray Yellow	Red Dark Brown Olive Red	Gravel Rock Sand Silt Clay		Brown sond tul second comp of siltlebay (In
Saspingan	91-6.51	945	0.64	20.7	1	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	li
Susural Susurand Susurand	512-51/60 G2-6.5'	450	5.62	26.5	L T G	Light Tan Gray Yellow	Dark Brown Olive Red	Gravel Rock Sarid Silt Clay		
Sognition		953		20.1	I. Ti	ight an Gray Yellow	Dark Brown Olive	Gravel Rock Sapd Silt Clay	Dry Moist Wet	
Mechan	CL3-6vilva	457	7.03 V	10.3	Li Ta G	ight an iray ellow	Red Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	

		***************************************	\ <u>SMA</u>	Field Sci	reen	ing			
cation Name: Abe St				Date:		41	8120		80212
Sample Name:	Collection Time:	EC (mS)	Temp (°C)	PID Reading /PF	_	il Color	Primary Soil Type	Moisture Level	Other Remarks/Notes:
Result SL3-05	10:00	20	12g		Light Tan Gray Yellow	Brown Olive	Gravel Rock Sand Silt	Dry Moist Wet	i e
Organia Or Congre		^	′		Light Tan Gray	Red Dark Brown Olive	Gravel Rock Sand Silt	Dry Moist	ť
Dight while Allos	1		10		Yellow Light Tan	Red Dark Brown	Clay Gravel Rock Sand Sile	Wet Dry Moist	(1)
Our Soldier STE. From		- 1	70.5		Gray Yellow Light Tan Gray	Olive Red Dark Brown	Clay Gravel Rock Sand Silt	Wet Dry Moist	4
D IN G					Yellow Light Tan	Olive Red Dark Brown	Clay Gravel Rock	Wet	4
Signaling of Primer	1 T		20.9		Gray Yellow Light Fan	Olive Red Dark Brown	Sand Silt Clay Gravel Rock	Moist Wet Dry	<u>(l</u>
Cas can of 10 2				Y	Gray Yellow ight	Olive Red Dark	Sand Silt Clay	Moist Wet	There was a seperation in continuous including possible HC pres
me and I ma			20.6		an iray ellow	Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	
Cosmon St. Cripes	10.00	5.69 3	30.5)τ; G	ight an ray ellow	Dark Brown Olive Red	Gravel Rock Sand Silt Clay	Dry Moist Wet	1
Dany Cy. O.s.	16:30	0.63	40.4	Ta Gi	ght an ray allow	Dark Brown Olive	Gravel Rock Sand Silt Clay	Dry Moist Wet	

				creening			
	Loc	cation	Name:			Date):
Alha Un	11/ #2					4/16/2	ð
Sample Name:	Soil Type:	Depth (BGS)	Collection Time:	EC (ppm)	Temp (°C)	PID Reading	PF
41	ved Sand	0.5	842	3.44	17.2	1107	
		1	850	0.95	8.0	170	
		2	8.53	0.49	18.0	129	-
		3	855	6.08	18.2	161	
		Ч	900	0.08	17.8	95.5	
<u>L</u> 2	Sand	4 0,5	907	2.58	18.3	536	
		11	969	0.66	18.3	149	
		* 21	911	0.04	18.4	112	
		3'	415	0.01	19.2	68	
		4'	24920	0.08	18,9	168	•
L3	ved sand f	0.5	940	0.69	19.2	POSTERFE	· ·
	*	1	944	0.02	19.4	10055.6	_
	1	2'	945	0.02	19.4	(190806152.5	
	*	3'	447	0.01	19.2	48.9	
		41	950			44,5	
LY	red sand	05'	955	600 0.36	19.6	136	
		y 1'	457	0.07	197	113	
		2'	459	6.02	194	92.2	
		3'	10.02			84.5	
		4'	10:03			134	
45	red sanci	0.5	1609	0.46	19.2	+843	
		11	1012	6.04	143	142	
		2'	1013	_		73	38 38
		3'	1015	_~_		44.5	
		41	1017		+	48.4	

			Field Sc	reening			
	Loc	ation	Name:			Date	e :
Allo	Unit #	 				4/16/2	0
Sample Name:	Soil Type:	Depth (BGS)	Collection Time:	EC (ppm)	Temp (°C)	PID Reading	PF
16	red	0.5.1	1026	2.67	21.3	378	
		11	10:30		19. 9	213	•
		2 '	1032			142	
		3'	1035	No.		87.5	
		4'	1037			53	
L7	Ved Sund	0.51	1042	0.67	20.7	184	
311		$ \psi $	16 44	0.04	14.4	95.8	
		1'	1646			<i>\$</i> 3.7	
	923	3'	1043			86.4	
		41	10000 V50			68.1	
L8	regund	0.5	1005200 410	1.19	21.0	(08.1 14477 10063	
		\mathcal{C}^{\bullet}	1112	0.05	20,5	GOG 3	
		2'	1115		_	169	
		3'	1117			95.3	
		4'	1120		-	95. a	
64	recl	0.5	Water 154	2.48	20.9	1197	
		6.1	Vosco	4.24	20.5	626	
		2'	1056	0.07	20.0	118	
		3'	1658	6.06	19.5		
		4'	16:1107			126	
			_				
					_		

APPENDIX E MICRO-BLAZE SDS SHEET



1. IDENTIFICATION OF THE SUBSTANCE

Product identifier

Product Name:

Micro-Blaze® Emergency Liquid Spill Control

Product Code: MBELSC

Recommended use of the chemical and restrictions on use

Recommended Use:

Bioremediation/cleaning

Uses advised against:

Please refer to Product Data Sheet

Details of the supplier of the Safety Data Sheet

Contact Manufacturer:

Verde Environmental, Inc. 9223 Eastex Freeway

Houston, TX USA 77093

Information Telephone Number:

1-713-691-6468

Emergency Telephone Number:

1-800-424-9300 (Chemtrec) 24 hours every day

2. HAZARDS IDENTIFICATION

Classification

Classification of the product is in accordance with 29CFR 1910.1200

Acute toxicity – Oral	Category 5
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1

Label elements

Emergency Overview

Warning

Hazard statements

May cause an allergic skin reaction Causes serious eye irritation May be harmful if swallowed



Appearance: Opaque

Physical State: Liquid

Odor: Slight fermentation odor

Precautionary Statements – Prevention

Date Issued: 10th October, 2018 Page 1 of 8



Wear eye/face protection. Wear protective gloves. Avoid breathing dust/fume/gas/mist/vapors/spray.

<u>Precautionary Statements – Response</u>

Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

Skin IF ON SKIN: Gently wash with plenty of soap and water

Inhalation IF INHALED: If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing

Ingestion IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell

Precautionary Statements - Storage

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

Precautionary Statements – Disposal

Dispose of unused product and container in accordance with all applicable local and regional requirements

Hazards not otherwise classified (HNOC)

Not applicable

Other information

Health Hazard	1
Fire Hazard	0
Reactivity	0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Name	CAS No	EC No
Water	7732-18-5	231-791-2
Viable Spore Forming Cultures	N/A	N/A
Alcohol Ethoxylate	68131-39-5	500-195-7
Urea	57-13-6	200-315-5
Dipotassium Phosphate	7758-11-4	231-834-5
Diammonium Phosphate	7783-28-0	231-987-8
EDTA	64-02-8	200-573-9
Fragrance	Proprietary	Proprietary

Date Issued: 10th October, 2018 Page 2 of 8



4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes

Skin Contact Wash off immediately with soap and plenty of water

Inhalation Move to fresh air

Ingestion Clean mouth with water and afterwards drink plenty of water

Most important symptoms and effects, both acute and delayed

Main symptoms No information available

Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Specific Hazards Arising from the Chemical

No information available

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Ensure adequate ventilation

Environmental precautions

Environmental Precautions It is not anticipated to be hazardous for the environment

Methods and material for containment and cleaning up

Methods for Clean-up Pick up and transfer to properly labeled containers

7. HANDLING AND STORAGE

Date Issued: 10th October, 2018 Page 3 of 8



Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place

Packaging Material There could be many packaging types for the product. The details are

given in other Verde Environmental, Inc. documents

Incompatible Materials Strong acids or alkali compounds and strong oxidizing agents may

inactivate biological cultures

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Control parameters

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Water	-	_	-
Viable Spore Forming Cultures	-	-	-
Alcohol Ethoxylate	-	-	-
Urea	-	-	-
Dipotassium Phosphate	-	-	-
Diammonium Phosphate	-	=	-
EDTA	-	=	-
Fragrance	-	-	-

Appropriate engineering controls

Individual protection measures, such as personal protective equipment

Eye Protection Avoid contact with eyes

Skin and body protection No special technical protective measures are necessary

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practices

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Date Issued: 10th October, 2018 Page 4 of 8



AppearanceTan, OpaqueOdorPleasant (perfume)Odor ThresholdNo information available

 Property pH
 Values 7.0 – 8.0

Melting/freezing pointfreeze at 0°C/32°FEvaporation rate VALUENo information available

Flammability (solid, gas) Not flammable

Burning rate 100mm VALUENo information availableVapor pressureNo information availableVapor densityNo information availableSpecific gravityNo information available

Water solubility 99%

Solubility in other solvents No information available Partition Coefficient (n-octanol/water) No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity of product No information available No information available Viscosity **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening PointNo information availableVOC ContentNo information availableDensityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to avoid

Extremes of temperature and direct sunlight

Incompatible materials

Strong acids or alkali compounds and strong oxidizing agents may inactivate biological cultures

Hazardous Decomposition Products

No information available

Date Issued: 10th October, 2018 Page 5 of 8



11. Toxicological Information

Information on likely routes of exposure

Inhalation There is no data available for this product

Avoid contact with eyes. Severely irritating to eyes Eye contact

Skin contact Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons.

Ingestion may cause stomach discomfort Ingestion

Information on toxicological effects

Symptoms No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization of susceptible persons

Mutagenic Effects No information available **Reproductive Effects** No information available Specific target organ systemic toxicity No information available **Aspiration hazard** No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

Chemical Name	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
EDTA	EC50 = 1.01 mg/L			EC50 = 610 mg/L
64-02-8	72h			24h

Persistence/Degradability

The organic components of the product are biodegradable.

Bioaccumulation/Accumulation

No information available

Other adverse effects

No known effect

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Date Issued: 10th October, 2018 Page 6 of 8



Waste Disposal Method Dispose of contents/container in accordance with local regulation

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste

disposal

14. TRANSPORT INFORMATION

DOT Not regulated **TDG** Not regulated MEX Not regulated **ICAO** Not regulated **IATA** Not regulated IMDG/IMO Not regulated RID Not regulated **ADR** Not regulated **ADN** Not regulated

15. REGULATORY INFORMATION

International Inventories

Legend:

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory *DSL/NDSL* – Canadian Domestic Substances List/Non-Domestic Substances List

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and 40 CFR Part 372.

SARA 311/312 Hazardous

Categorization

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Date Issued: 10th October, 2018 Page 7 of 8



CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

State Right-to-Know
U.S. EPA Label Information
EPA Pesticide Registration Number

Not Applicable

Canada

WHMIS Statement This pro

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the CPR.



WHMIS Graphic

WHMIS Hazard Class

D2B Toxic materials

16. OTHER INFORMATION

Revision date:

10.10.2018

Revision Summary

No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. Furthermore, as the conditions of use are beyond the control of Verde Environmental, Inc., it is the responsibility of the customer to determine the conditions of safe use of this preparation.

Date Issued: 10th October, 2018 Page 8 of 8

APPENDIX F LABORTARY ANALYTICAL RESULTS



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

April 20, 2020

Ashley Maxwell Souder, Miller & Associates 201 S Halagueno Carlsbad, NM 88221 TEL: FAX:

RE: Abe Unit OrderNo.: 2004519

Dear Ashley Maxwell:

Hall Environmental Analysis Laboratory received 18 sample(s) on 4/10/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

andyl

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pod Overspray L1-Surface

Project: Abe Unit

Collection Date: 4/8/2020 9:28:00 AM

Lab ID: 2004519-001 **Matrix:** SOIL **Received Date:** 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	62	60	mg/Kg	20	4/14/2020 7:24:55 PM	51782
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	CLP
Diesel Range Organics (DRO)	28	10	mg/Kg	1	4/13/2020 3:12:06 PM	51742
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/13/2020 3:12:06 PM	51742
Surr: DNOP	85.8	55.1-146	%Rec	1	4/13/2020 3:12:06 PM	51742
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/15/2020 3:17:54 AM	51738
Surr: BFB	94.0	66.6-105	%Rec	1	4/15/2020 3:17:54 AM	51738
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/15/2020 3:17:54 AM	51738
Toluene	ND	0.050	mg/Kg	1	4/15/2020 3:17:54 AM	51738
Ethylbenzene	ND	0.050	mg/Kg	1	4/15/2020 3:17:54 AM	51738
Xylenes, Total	ND	0.10	mg/Kg	1	4/15/2020 3:17:54 AM	51738
Surr: 4-Bromofluorobenzene	96.5	80-120	%Rec	1	4/15/2020 3:17:54 AM	51738

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Project: Abe Unit

Collection Date: 4/8/2020 9:30:00 AM

Lab ID: 2004519-002

Matrix: SOIL

Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: JMT
Chloride	62	60	mg/Kg	20	4/14/2020 8:02:08 PM	1 51782

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT:Souder, Miller & AssociatesClient Sample ID: Pod Overspray L2-SurfaceProject:Abe UnitCollection Date: 4/8/2020 9:33:00 AM

Lab ID: 2004519-003 **Matrix:** SOIL **Received Date:** 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	ND	60	mg/Kg	20	4/14/2020 8:39:21 PM	51782
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/13/2020 11:58:33 PM	51743
Surr: BFB	97.8	70-130	%Rec	1	4/13/2020 11:58:33 PM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	21	9.9	mg/Kg	1	4/14/2020 1:28:08 PM	51745
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/14/2020 1:28:08 PM	51745
Surr: DNOP	80.8	55.1-146	%Rec	1	4/14/2020 1:28:08 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst	JMR
Benzene	ND	0.025	mg/Kg	1	4/13/2020 11:58:33 PM	51743
Toluene	ND	0.049	mg/Kg	1	4/13/2020 11:58:33 PM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/13/2020 11:58:33 PM	51743
Xylenes, Total	ND	0.099	mg/Kg	1	4/13/2020 11:58:33 PM	51743
Surr: 1,2-Dichloroethane-d4	96.1	70-130	%Rec	1	4/13/2020 11:58:33 PM	51743
Surr: 4-Bromofluorobenzene	96.2	70-130	%Rec	1	4/13/2020 11:58:33 PM	51743
Surr: Dibromofluoromethane	102	70-130	%Rec	1	4/13/2020 11:58:33 PM	51743
Surr: Toluene-d8	97.5	70-130	%Rec	1	4/13/2020 11:58:33 PM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pod Overspray L2-0.5'

Project: Abe Unit

Collection Date: 4/8/2020 9:35:00 AM

Lab ID: 2004519-004 **Matrix:** SOIL **Received Date:** 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	st: JMT
Chloride	ND	60	mg/Kg	20	4/14/2020 8:51:46 PM	51782

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pasture Overspray L1-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 9:40:00 AM

 Lab ID: 2004519-005
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 3:19:19 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 1:25:21 AM	51743
Surr: BFB	97.6	70-130	%Rec	1	4/14/2020 1:25:21 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	4/15/2020 6:22:15 PM	51745
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	4/15/2020 6:22:15 PM	51745
Surr: DNOP	89.5	55.1-146	%Rec	1	4/15/2020 6:22:15 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	JMR
Benzene	ND	0.024	mg/Kg	1	4/14/2020 1:25:21 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 1:25:21 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 1:25:21 AM	51743
Xylenes, Total	ND	0.098	mg/Kg	1	4/14/2020 1:25:21 AM	51743
Surr: 1,2-Dichloroethane-d4	95.5	70-130	%Rec	1	4/14/2020 1:25:21 AM	51743
Surr: 4-Bromofluorobenzene	98.0	70-130	%Rec	1	4/14/2020 1:25:21 AM	51743
Surr: Dibromofluoromethane	104	70-130	%Rec	1	4/14/2020 1:25:21 AM	51743
Surr: Toluene-d8	97.6	70-130	%Rec	1	4/14/2020 1:25:21 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray L1-0.5'

 Project:
 Abe Unit
 Collection Date: 4/8/2020 9:45:00 AM

 Lab ID:
 2004519-006
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 3:56:33 PM	1 51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pasture Overspray L2-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 9:50:00 AM

 Lab ID: 2004519-007
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 4:08:57 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 2:51:53 AM	51743
Surr: BFB	98.0	70-130	%Rec	1	4/14/2020 2:51:53 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	4/14/2020 2:16:23 PM	51745
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/14/2020 2:16:23 PM	51745
Surr: DNOP	96.4	55.1-146	%Rec	1	4/14/2020 2:16:23 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST	-				Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/14/2020 2:51:53 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 2:51:53 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 2:51:53 AM	51743
Xylenes, Total	ND	0.097	mg/Kg	1	4/14/2020 2:51:53 AM	51743
Surr: 1,2-Dichloroethane-d4	90.8	70-130	%Rec	1	4/14/2020 2:51:53 AM	51743
Surr: 4-Bromofluorobenzene	95.6	70-130	%Rec	1	4/14/2020 2:51:53 AM	51743
Surr: Dibromofluoromethane	101	70-130	%Rec	1	4/14/2020 2:51:53 AM	51743
Surr: Toluene-d8	98.7	70-130	%Rec	1	4/14/2020 2:51:53 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray L2-0.5'

Project: Abe Unit
 Collection Date: 4/8/2020 9:53:00 AM

 Lab ID: 2004519-008
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 4:21:22 PM	51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pasture Overspray L3-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 9:57:00 AM

 Lab ID: 2004519-009
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 4:33:46 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 3:20:43 AM	51743
Surr: BFB	98.7	70-130	%Rec	1	4/14/2020 3:20:43 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.9	mg/Kg	1	4/14/2020 2:40:33 PM	51745
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/14/2020 2:40:33 PM	51745
Surr: DNOP	97.0	55.1-146	%Rec	1	4/14/2020 2:40:33 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/14/2020 3:20:43 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 3:20:43 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 3:20:43 AM	51743
Xylenes, Total	ND	0.098	mg/Kg	1	4/14/2020 3:20:43 AM	51743
Surr: 1,2-Dichloroethane-d4	96.7	70-130	%Rec	1	4/14/2020 3:20:43 AM	51743
Surr: 4-Bromofluorobenzene	98.0	70-130	%Rec	1	4/14/2020 3:20:43 AM	51743
Surr: Dibromofluoromethane	105	70-130	%Rec	1	4/14/2020 3:20:43 AM	51743
Surr: Toluene-d8	101	70-130	%Rec	1	4/14/2020 3:20:43 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray L3-0.5'

Project: Abe Unit
 Collection Date: 4/8/2020 10:00:00 AM

 Lab ID: 2004519-010
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 4:46:10 PM	51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

Client Sample ID: Pasture Overspray L4-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 10:03:00 AM

 Lab ID: 2004519-011
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 5:23:25 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 3:49:32 AM	51743
Surr: BFB	96.6	70-130	%Rec	1	4/14/2020 3:49:32 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	60	9.7	mg/Kg	1	4/14/2020 3:04:58 PM	51745
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	4/14/2020 3:04:58 PM	51745
Surr: DNOP	106	55.1-146	%Rec	1	4/14/2020 3:04:58 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/14/2020 3:49:32 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 3:49:32 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 3:49:32 AM	51743
Xylenes, Total	ND	0.097	mg/Kg	1	4/14/2020 3:49:32 AM	51743
Surr: 1,2-Dichloroethane-d4	93.4	70-130	%Rec	1	4/14/2020 3:49:32 AM	51743
Surr: 4-Bromofluorobenzene	96.4	70-130	%Rec	1	4/14/2020 3:49:32 AM	51743
Surr: Dibromofluoromethane	103	70-130	%Rec	1	4/14/2020 3:49:32 AM	51743
Surr: Toluene-d8	97.5	70-130	%Rec	1	4/14/2020 3:49:32 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray L4-0.5'

 Project:
 Abe Unit
 Collection Date: 4/8/2020 10:05:00 AM

 Lab ID:
 2004519-012
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 5:35:49 PM	1 51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL5-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 10:10:00 AM

 Lab ID: 2004519-013
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	59	mg/Kg	20	4/14/2020 5:48:14 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 4:18:19 AM	51743
Surr: BFB	101	70-130	%Rec	1	4/14/2020 4:18:19 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	16	9.7	mg/Kg	1	4/14/2020 3:29:33 PM	51745
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	4/14/2020 3:29:33 PM	51745
Surr: DNOP	98.5	55.1-146	%Rec	1	4/14/2020 3:29:33 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/14/2020 4:18:19 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 4:18:19 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 4:18:19 AM	51743
Xylenes, Total	ND	0.098	mg/Kg	1	4/14/2020 4:18:19 AM	51743
Surr: 1,2-Dichloroethane-d4	93.7	70-130	%Rec	1	4/14/2020 4:18:19 AM	51743
Surr: 4-Bromofluorobenzene	94.3	70-130	%Rec	1	4/14/2020 4:18:19 AM	51743
Surr: Dibromofluoromethane	104	70-130	%Rec	1	4/14/2020 4:18:19 AM	51743
Surr: Toluene-d8	99.6	70-130	%Rec	1	4/14/2020 4:18:19 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL5-0.5'

Project: Abe Unit
 Collection Date: 4/8/2020 10:13:00 AM

 Lab ID: 2004519-014
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analys	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 6:00:38 PM	51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL6-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 10:20:00 AM

 Lab ID: 2004519-015
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	MRA
Chloride	220	60		mg/Kg	20	4/14/2020 6:13:03 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/14/2020 4:47:06 AM	51743
Surr: BFB	98.6	70-130		%Rec	1	4/14/2020 4:47:06 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	BRM
Diesel Range Organics (DRO)	2200	96		mg/Kg	10	4/14/2020 3:54:02 PM	51745
Motor Oil Range Organics (MRO)	1900	480		mg/Kg	10	4/14/2020 3:54:02 PM	51745
Surr: DNOP	0	55.1-146	S	%Rec	10	4/14/2020 3:54:02 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	JMR
Benzene	ND	0.024		mg/Kg	1	4/14/2020 4:47:06 AM	51743
Toluene	ND	0.049		mg/Kg	1	4/14/2020 4:47:06 AM	51743
Ethylbenzene	ND	0.049		mg/Kg	1	4/14/2020 4:47:06 AM	51743
Xylenes, Total	ND	0.098		mg/Kg	1	4/14/2020 4:47:06 AM	51743
Surr: 1,2-Dichloroethane-d4	92.6	70-130		%Rec	1	4/14/2020 4:47:06 AM	51743
Surr: 4-Bromofluorobenzene	93.6	70-130		%Rec	1	4/14/2020 4:47:06 AM	51743
Surr: Dibromofluoromethane	99.9	70-130		%Rec	1	4/14/2020 4:47:06 AM	51743
Surr: Toluene-d8	98.6	70-130		%Rec	1	4/14/2020 4:47:06 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL6-0.5'

 Project:
 Abe Unit
 Collection Date: 4/8/2020 10:23:00 AM

 Lab ID:
 2004519-016
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qu	al Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 6:25:28 PM	1 51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL7-Surface

Project: Abe Unit
 Collection Date: 4/8/2020 10:27:00 AM

 Lab ID: 2004519-017
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 6:37:52 PM	51788
EPA METHOD 8015D MOD: GASOLINE RANGE	!				Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/14/2020 5:15:56 AM	51743
Surr: BFB	100	70-130	%Rec	1	4/14/2020 5:15:56 AM	51743
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	BRM
Diesel Range Organics (DRO)	ND	9.4	mg/Kg	1	4/14/2020 4:18:14 PM	51745
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	4/14/2020 4:18:14 PM	51745
Surr: DNOP	104	55.1-146	%Rec	1	4/14/2020 4:18:14 PM	51745
EPA METHOD 8260B: VOLATILES SHORT LIST	Г				Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/14/2020 5:15:56 AM	51743
Toluene	ND	0.049	mg/Kg	1	4/14/2020 5:15:56 AM	51743
Ethylbenzene	ND	0.049	mg/Kg	1	4/14/2020 5:15:56 AM	51743
Xylenes, Total	ND	0.098	mg/Kg	1	4/14/2020 5:15:56 AM	51743
Surr: 1,2-Dichloroethane-d4	91.2	70-130	%Rec	1	4/14/2020 5:15:56 AM	51743
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	4/14/2020 5:15:56 AM	51743
Surr: Dibromofluoromethane	99.6	70-130	%Rec	1	4/14/2020 5:15:56 AM	51743
Surr: Toluene-d8	100	70-130	%Rec	1	4/14/2020 5:15:56 AM	51743

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 25

Date Reported: 4/20/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: Pasture Overspray SL7-0.5'

Project: Abe Unit
 Collection Date: 4/8/2020 10:30:00 AM

 Lab ID: 2004519-018
 Matrix: SOIL
 Received Date: 4/10/2020 8:25:00 AM

Analyses	Result	RL Qı	ıal Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analy	st: MRA
Chloride	ND	60	mg/Kg	20	4/14/2020 6:50:17 PM	<i>l</i> 51788

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- * Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004519

20-Apr-20

Client: Souder, Miller & Associates

Project: Abe Unit

Sample ID: MB-51788 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 51788 RunNo: 68125

Prep Date: 4/14/2020 Analysis Date: 4/14/2020 SeqNo: 2355044 Units: mq/Kq

PQL SPK value SPK Ref Val %REC LowLimit %RPD **RPDLimit** Analyte Result HighLimit Qual

Chloride ND 1.5

Sample ID: LCS-51788 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 51788 RunNo: 68125

Units: mg/Kg Prep Date: 4/14/2020 Analysis Date: 4/14/2020 SeqNo: 2355045

SPK value SPK Ref Val %REC %RPD **RPDLimit** Result PQL LowLimit Qual

Analyte HighLimit Chloride 1.5 15.00 95.4 110

Sample ID: MB-51782 SampType: mblk TestCode: EPA Method 300.0: Anions

Client ID: PBS Batch ID: 51782 RunNo: 68129

Prep Date: 4/14/2020 Analysis Date: 4/14/2020 SeqNo: 2355256 Units: mq/Kq

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

Chloride ND 1.5

Sample ID: LCS-51782 SampType: Ics TestCode: EPA Method 300.0: Anions

Client ID: LCSS Batch ID: 51782 RunNo: 68129

Prep Date: Analysis Date: 4/14/2020 SeqNo: 2355257 4/14/2020 Units: mg/Kg

Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual

14 15.00 Chloride 1.5 O 94.2 90 110

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- Н Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- RL Reporting Limit

Page 19 of 25

Hall Environmental Analysis Laboratory, Inc.

SampType: LCS

WO#: **2004519**

20-Apr-20

Client: Souder, Miller & Associates

Project: Abe Unit

Sample ID: LCS-51742

Sample ID: MB-51742 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics RunNo: 68052 Client ID: PBS Batch ID: 51742 Prep Date: 4/11/2020 Analysis Date: 4/13/2020 SeqNo: 2352273 Units: mg/Kg PQL SPK value SPK Ref Val %REC LowLimit %RPD **RPDLimit** Analyte Result HighLimit Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 8.2 10.00 81.7 55.1 146

Client ID: LCSS Batch ID: 51742 RunNo: 68052 Prep Date: 4/11/2020 Analysis Date: 4/13/2020 SeqNo: 2352274 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 49 10 97.6 70 130 50.00 Surr: DNOP 4.8 5.000 96.4 55.1 146

TestCode: EPA Method 8015M/D: Diesel Range Organics

Sample ID: LCS-51745 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 51745 RunNo: 68101 Prep Date: 4/12/2020 Analysis Date: 4/14/2020 SeqNo: 2354222 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 50 10 50.00 0 99.6 70 130 Surr: DNOP 4.6 5.000 92.4 55.1 146

Sample ID: MB-51745 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 51745 RunNo: 68101 Prep Date: 4/12/2020 Analysis Date: 4/14/2020 SeqNo: 2354223 Units: mg/Kg Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Analyte Diesel Range Organics (DRO) ND 10

 Motor Oil Range Organics (MRO)
 ND
 50

 Surr: DNOP
 7.7
 10.00
 77.4
 55.1
 146

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004519 20-Apr-20**

Client:

Souder, Miller & Associates

Project:

Client ID: PBS

Abe Unit

Sample ID: mb-51738 SampType: MBLK

Batch ID: **51738** RunNo: **68118**

Prep Date: 4/11/2020 Analysis Date: 4/14/2020 SeqNo: 2354670 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

TestCode: EPA Method 8015D: Gasoline Range

Gasoline Range Organics (GRO) ND 5.0

Surr: BFB 970 1000 97.3 66.6 105

Sample ID: Ics-51738 SampType: LCS TestCode: EPA Method 8015D: Gasoline Range

Client ID: LCSS Batch ID: 51738 RunNo: 68118

Prep Date: 4/11/2020 Analysis Date: 4/14/2020 SeqNo: 2354671 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 80 Gasoline Range Organics (GRO) 22 5.0 25.00 0 87.8 120 Surr: BFB 1100 1000 106 66.6 105 S

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004519**

20-Apr-20

Client: Souder, Miller & Associates

Project: Abe Unit

Sample ID: mb-51738 SampType: MBLK TestCode: EPA Method 8021B: Volatiles

Client ID: PBS Batch ID: 51738 RunNo: 68086

Prep Date: 4/11/2020 Analysis Date: 4/13/2020 SeqNo: 2353660 Units: mg/Kg

Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual

 Benzene
 ND
 0.025

 Toluene
 ND
 0.050

 Ethylbenzene
 ND
 0.050

 Xylenes, Total
 ND
 0.10

Surr: 4-Bromofluorobenzene 0.98 1.000 98.3 80 120

Sample ID: LCS-51738 SampType: LCS TestCode: EPA Method 8021B: Volatiles

Client ID: LCSS Batch ID: 51738 RunNo: 68086

Units: mg/Kg Prep Date: 4/11/2020 Analysis Date: 4/13/2020 SeqNo: 2353661 PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 0.89 0.025 1.000 0 89.0 80 120 Benzene Toluene 0.91 0.050 1.000 0 91.4 80 120 0.050 0 94.3 80 120 Ethylbenzene 0.94 1.000 2.8 0.10 3.000 0 94.0 80 120 Xylenes, Total 98.6 Surr: 4-Bromofluorobenzene 0.99 1.000 80 120

Qualifiers:

- Value exceeds Maximum Contaminant Level
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004519**

20-Apr-20

Client: So

Souder, Miller & Associates

Project: Abe Unit

Sample ID: 2004519-003ams SampType: MS TestCode: EPA Method 8260B: Volatiles Short List

Client ID: Pod Overspray L2-S Batch ID: 51743 RunNo: 68093

Prep Date: 4/11/2020	Analysis [Date: 4/	14/2020	8	SeqNo: 2	354028	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.024	0.9737	0	103	70	130			
Toluene	1.0	0.049	0.9737	0	105	70	130			
Ethylbenzene	1.0	0.049	0.9737	0	106	70	130			
Xylenes, Total	3.0	0.097	2.921	0	104	70	130			
Surr: 1,2-Dichloroethane-d4	0.46		0.4869		94.3	70	130			
Surr: 4-Bromofluorobenzene	0.47		0.4869		96.0	70	130			
Surr: Dibromofluoromethane	0.49		0.4869		101	70	130			
Surr: Toluene-d8	0.47		0.4869		97.1	70	130			

Sample ID: 2004519-003amsd SampType: MSD TestCode: EPA Method 8260B: Volatiles Short List

Client ID: Pod Overspray L2-S Batch ID: 51743 RunNo: 68093

Prep Date: 4/11/2020 Analysis Date: 4/14/2020 SeqNo: 2354029 Units: mg/Kg

			14/2020	-	seqino: 2	00.020	Units: mg/K	.9		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.98	0.024	0.9775	0	100	70	130	2.28	20	
Toluene	1.0	0.049	0.9775	0	102	70	130	2.22	20	
Ethylbenzene	0.99	0.049	0.9775	0	101	70	130	4.13	0	
Xylenes, Total	2.9	0.098	2.933	0	99.2	70	130	4.44	0	
Surr: 1,2-Dichloroethane-d4	0.46		0.4888		93.9	70	130	0	0	
Surr: 4-Bromofluorobenzene	0.46		0.4888		95.0	70	130	0	0	
Surr: Dibromofluoromethane	0.49		0.4888		99.7	70	130	0	0	
Surr: Toluene-d8	0.48		0.4888		98.6	70	130	0	0	

Sample ID: Ics-51743	Samp	Гуре: LC	s	Tes	tCode: El	PA Method	8260B: Volat	tiles Short	List	
Client ID: LCSS	Batc	h ID: 51	743	F	RunNo: 6	8093				
Prep Date: 4/11/2020	Analysis [Date: 4/	13/2020	S	SeqNo: 2	354045	Units: mg/k	ζg		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	1.0	0.025	1.000	0	101	70	130			
Toluene	1.0	0.050	1.000	0	101	70	130			
Ethylbenzene	1.0	0.050	1.000	0	101	70	130			
Xylenes, Total	3.0	0.10	3.000	0	100	70	130			
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		93.5	70	130			
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.9	70	130			
Surr: Dibromofluoromethane	0.51		0.5000		102	70	130			
Surr: Toluene-d8	0.48		0.5000		96.7	70	130			

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 23 of 25

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004519 20-Apr-20**

Client:

Souder, Miller & Associates

Project:

Abe Unit

Sample ID: mb-51743	Sampl	Гуре: МЕ	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: PBS	Batc	h ID: 51	743	F	RunNo: 6	8093				
Prep Date: 4/11/2020	Analysis D	Date: 4/	13/2020	5	SeqNo: 2	354046	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.46		0.5000		92.9	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		97.1	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.3	70	130			
Surr: Toluene-d8	0.49		0.5000		98.3	70	130			

Sample ID: Ics-51748	SampT	ype: LC	S	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: LCSS	Batch	n ID: 51	748	F	RunNo: 6	8134				
Prep Date: 4/12/2020	Analysis D	ate: 4/	14/2020	9	SeqNo: 2	355378	Units: %Red	;		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		95.1	70	130			
Surr: 4-Bromofluorobenzene	0.46		0.5000		92.9	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.9	70	130			
Surr: Toluene-d8	0.48		0.5000		96.4	70	130			

Sample ID: mb-51748	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: PBS	Batch	ID: 51	748	F	RunNo: 6	8134				
Prep Date: 4/12/2020	Analysis D	ate: 4/	14/2020	S	SeqNo: 2	355379	Units: %Red	;		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		94.1	70	130			
Surr: 4-Bromofluorobenzene	0.48		0.5000		95.9	70	130			
Surr: Dibromofluoromethane	0.50		0.5000		100	70	130			
Surr: Toluene-d8	0.49		0.5000		97.8	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004519 20-Apr-20**

Client:

Souder, Miller & Associates

Project:

Abe Unit

Sample ID: 2004	519-005ams	SampT	ype: M \$	6	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: Past	ure Overspray	Batch	ID: 51	743	F	RunNo: 6	3093				
Prep Date: 4/1	1/2020	Analysis Da	ate: 4/	14/2020	\$	SeqNo: 2:	354071	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Orga	anics (GRO)	22	4.9	24.39	0	91.3	70	130			
Surr: BFB		480		487.8		98.2	70	130			
Sample ID: 2004	519-005amsd	SampT	ype: M \$	SD	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: Past	ure Overspray	Batch	ID: 51	743	F	RunNo: 6	3093				
Prep Date: 4/1	1/2020	Analysis Da	ate: 4/	14/2020	\$	SeqNo: 2	354072	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Orga	anics (GRO)	21	4.9	24.61	0	86.6	70	130	4.43	20	
Surr: BFB		490		492.1		98.7	70	130	0	0	
Sample ID: Ics-5	51743	SampT	ype: LC	s	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: LCS:	S	Batch	ID: 51	743	F	RunNo: 6 8	3093				
Prep Date: 4/1	1/2020	Analysis Da	ate: 4/	13/2020	5	SeqNo: 2:	354087	Units: mg/K	ζg		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Orga	anics (GRO)	20	5.0	25.00	0	80.2	70	130			
Surr: BFB		490		500.0		97.3	70	130			
Sample ID: mb-5	51743	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: PBS		Batch	ID: 51	743	F	RunNo: 6	3093				
Prep Date: 4/1	1/2020	Analysis Da	ate: 4/	13/2020	\$	SeqNo: 2:	354088	Units: mg/K	(g		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Orga	anics (GRO)	ND	5.0			_					

Sample ID: Ics-51748	SampType	: LCS	Test	Code: EF	PA Method	8015D Mod:	Gasoline	Range	
Client ID: LCSS	Batch ID:	51748	R	unNo: 6 8	3134				
Prep Date: 4/12/2020	Analysis Date:	4/14/2020	S	eqNo: 23	355428	Units: %Red	:		
Analyte	Result Po	QL SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	480	500.0		96.3	70	130			

500.0

Sample ID: mb-51748	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8015D Mod:	Gasoline l	Range	
Client ID: PBS	Batch	ID: 51	748	F	tunNo: 6	8134				
Prep Date: 4/12/2020	Analysis D	ate: 4/	14/2020	S	SeqNo: 2	355429	Units: %Red	:		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	500		500.0		100	70	130			

Qualifiers:

Surr: BFB

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank


102

70

130

- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 25



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107

Sample Log-In Check List

Website: www.hallenvironmental.com Client Name: SMA-CARLSBAD Work Order Number: 2004519 RcptNo: 1 Received By: Isaiah Ortiz 4/10/2020 8:25:00 AM Completed By: **Desiree Dominguez** 4/10/2020 10:03:05 AM 4/10/20 Reviewed By: Chain of Custody 1. Is Chain of Custody sufficiently complete? Yes 🗸 No 🗌 Not Present 2. How was the sample delivered? Courier Log In 3. Was an attempt made to cool the samples? No 🗌 Yes 🗸 NA 🗌 4. Were all samples received at a temperature of >0° C to 6.0°C No 🗌 Yes 🗸 NA 🗌 5. Sample(s) in proper container(s)? Yes 🗸 No 🗌 6. Sufficient sample volume for indicated test(s)? No 🗌 Yes 🗸 7. Are samples (except VOA and ONG) properly preserved? No 🗌 Yes 🗸 No 🗸 8. Was preservative added to bottles? Yes 🗌 NA 🗌 9. Received at least 1 vial with headspace <1/4" for AQ VOA? No 🗌 NA 🗸 Yes 10. Were any sample containers received broken? Yes \square No 🗸 # of preserved bottles checked 11. Does paperwork match bottle labels? Yes 🗸 No 🗌 for pH: (Note discrepancies on chain of custody) (<2 or >12 unless noted) Adjusted? 12. Are matrices correctly identified on Chain of Custody? Yes 🗸 No 🗌 13. Is it clear what analyses were requested? Yes 🗸 No 🗌 Checked by: JR4(10(20 14. Were all holding times able to be met? Yes 🗸 No 🗌 (If no, notify customer for authorization.) Special Handling (if applicable) 15. Was client notified of all discrepancies with this order? Yes No _ NA 🗸 Person Notified: Date: By Whom: Via: eMail Phone Fax In Person Regarding: Client Instructions: 16. Additional remarks: 17. Cooler Information Cooler No Temp °C Condition Seal Intact Seal No Seal Date Signed By 4.8

Good

Not Present

O	hain	-of-Cus	Chain-of-Custody Record	Turn-Around Time:	Time:										į			Receive
Client:	SMA	14- Carl	arts bad	□ Standard	⊠ Rush	5 day Man				HALL		FINAL	N N	ENVIRONMENTAL	ME	TOL		ed by
				Project Name:		-				*	v.hall	nviro) men	www.hallenvironmental.com				OCD
Mailing	Mailing Address:	S:		ADE	Just -			490	1 Hav	4901 Hawkins NE	_ 및	Albuq	nerqu	Albuquerque, NM 87109	37109			: 6/2
								Tel	502	Tel. 505-345-3975	975	Fax	502	505-345-4107	07			2/20
Phone #:	#:										Ar	Analysis	Commercial Control	Request				20 7
email or Fax#:	r Fax#:			Project Manager:	ger:		(1	(0				[†] O ⁹		(ţu				:49:
QA/QC F	QA/QC Package:	***				4.	805	AM.	s,B;	SM		S Ԡ(psq				:28 /
□ Standard	dard		□ Level 4 (Full Validation)	Ashleu	Moxwell	ell) s,8	/ O	Dd	IS0)4 <u>,</u>		∀/Ju				4 <i>M</i>
Accreditation:	tation:			Sampler:	LAA		TME	\ DE				10 ⁵	(əsə.				
□ NELAC	AC	□ Other		On Ice:	☑ Yes	□ No	. /	90				J 'E	(AC	1日)				
	(Type)			# of Coolers:			.BE	(GF						ma				
				Cooler Temp(including CF): 4.		7+0.1/co/4.8 (°C)	LM .	12D						olilo				
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX /	08:HGT	9 1808 N) 803	I sHA9	ARDA	85e0 (/ © E' I	8) 0728	O latoT				
4/8/20	826	Soil 20	Burkace			100-	×	X	_		_							
-	930	90	1-0.51	,		200-				=		×						
	(33		5			- 003	×	Х				×						
	935					h00-					,	_						
	940	96	Some And South South State of the South State of the Stat			500-	X	X				X						
	945		-			-000						×						
	950		رح			- 007	×	×				×						
	953	500	C Control of the Cont			-008						X						
	45-7		₃ 1			-009	×	×	-			×				-		
	10:00		5			-010						×				-		
_	10:03	29	177			-011	X	X				×						
_	1N.05	- -	(S. 5)	_		-012						×						
Date:	Time:	Relinquished t		Received by:	Via:	Dafte Time	Rem	Remarks:	,		,					7		
				1		22/		J.	Lirect Bill	3:11:	_	ara	Maraiman Orl	0,1	X	20 1/2	2	Pag
Date:	Time:	Relinquished by:		Received by:	Via:	/ /Date Time							,)		re 95
4/9/20	206)	1	900 MM	0	Some	4/10/10 0875	1				_ =	=			=			of
_	lf necessary	y, samples submitt	ted to Hall Environmental may be subco	ontracted to other ac	scredited laboratorie	es. This serves as notice of thi	s possit	ility. A	ny sub-c	ontracted	l data w	II be cle	arly nota	ted on the	analytical	report.		194

Ċ	ב ב		Chain-of-Oustody Rocord	Turn-Around Time:	Time:												Kecei
Client:	SM	SMA COS	rusious necolu	0	1	One of New Arms			Τ,	HALL	⊒; □	Z	IR	NO.	ME	ENVIRONMENTAL	
	5	7	SIMO	Project Name:]	o cay min			4		ANALYSIS	S		N BC	RA RA	ABORATOR	>
Mailing Address:	\ddress:			Ahos	2			4901	www.hall - 4901 Hawkins NE	www.		ivironi Ibuau	www.hallenvironmental.com	environmental.com Albuquerque, NM 87109	37109		D: 6/2
				Project #:		Ī	1	Tel.	505-345-3975	5-397		Fax	505-3	505-345-4107	07		22/20
Phone #:											Ana	100000000000000000000000000000000000000	Request	est			20
email or Fax#:	Fax#:			Project Manager	iger:		(1	(C			70			(11			1:49
QA/QC Package:	ackage: ard		□ Level 4 (Full Validation)	ASM &	Marine	7	1208) s	DCB's		SWIS	PO₄, S			nəsdA\t):28 AM
Accreditation:	0.000	☐ Az Compliance		Sampler:	7		BW.	3		3270	, _c O			uəse			
□ NELAC		□ Other		On Ice:	☑ Yes	oN 🗆	L/	3.50.60						91 9)			
☐ EDD (Type)	Type)_			# of Coolers:			38. I	- 50 50) w.			
				Cooler Temp	Cooler Temp(including CF): 4.7 +6.1	1+0,16=14.8 (°C)	TM	2.00					23000	ofilo			
				Container	Preservative		TEX!	(S)() (E)()(S)(S)	M) 80		CKA 8	V) 09	S) 047	otal Co			
Uate HK70	e lime	Matrix O	Sample Name	I ype and #	l ype	-013	8 ×				_	_)			
-			50,00	2 -		h10-	(\dagger	/ >			+			-
	10:20	1 3	3			2002	×	×		\vdash	×			-			+
	10:23		à			910-					\times						
	10:27	200	K.			-013	×	×			×						
_	10:30	-	2.4	_		-018					×						
		*															
											-						
										+	-			-			+
								+		\dashv	-			-		1	-
						9				+							-
Date: Ti	Time:	Relinquished by:		Received by:	Wia:	Date Time	Remarks:	arks:	Q	-	N N		Marchan M.	-	8	2	- P
Date: Ti	Time: F	Relinquished by:		Received by:	Via:	Date Time	\ \	Under Dini.	ā		3	3			2	5	age 96 of
If r	Tecessary, s	samples submitt	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories.	ontracted to other a	ccredited laboratori	This serves as not	is possibi	lity. Any	sub-cont	racted d	ata will b	oe clearl	y notated	d on the	analytical r	sport.	194



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109 TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

April 24, 2020

Ashley Maxwell Souder, Miller & Associates 201 S Halagueno Carlsbad, NM 88221 TEL: FAX:

RE: Abe Unit 2 OrderNo.: 2004814

Dear Ashley Maxwell:

Hall Environmental Analysis Laboratory received 41 sample(s) on 4/17/2020 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

Andy Freeman

Laboratory Manager

4901 Hawkins NE

Albuquerque, NM 87109

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L1-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 8:42:00 AM

 Lab ID:
 2004814-001
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	3800	150		mg/Kg	50	4/22/2020 2:09:30 PM	52000
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS					Analyst	: TOM
Diesel Range Organics (DRO)	9900	450		mg/Kg	50	4/20/2020 4:25:41 PM	51939
Motor Oil Range Organics (MRO)	3500	2200		mg/Kg	50	4/20/2020 4:25:41 PM	51939
Surr: DNOP	0	55.1-146	S	%Rec	50	4/20/2020 4:25:41 PM	51939
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	530	25		mg/Kg	5	4/21/2020 3:14:18 AM	51914
Surr: BFB	740	66.6-105	S	%Rec	5	4/21/2020 3:14:18 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	0.19	0.12		mg/Kg	5	4/21/2020 3:14:18 AM	51914
Toluene	5.2	0.25		mg/Kg	5	4/21/2020 3:14:18 AM	51914
Ethylbenzene	6.9	0.25		mg/Kg	5	4/21/2020 3:14:18 AM	51914
Xylenes, Total	27	0.50		mg/Kg	5	4/21/2020 3:14:18 AM	51914
Surr: 4-Bromofluorobenzene	169	80-120	S	%Rec	5	4/21/2020 3:14:18 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 1 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L1-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 8:50:00 AM

 Lab ID:
 2004814-002
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	930	60		mg/Kg	20	4/21/2020 11:40:51 PM	52000
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst	: TOM
Diesel Range Organics (DRO)	15	8.8		mg/Kg	1	4/20/2020 4:50:28 PM	51939
Motor Oil Range Organics (MRO)	ND	44		mg/Kg	1	4/20/2020 4:50:28 PM	51939
Surr: DNOP	87.0	55.1-146		%Rec	1	4/20/2020 4:50:28 PM	51939
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	4/21/2020 3:38:09 AM	51914
Surr: BFB	106	66.6-105	S	%Rec	1	4/21/2020 3:38:09 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.025		mg/Kg	1	4/21/2020 3:38:09 AM	51914
Toluene	ND	0.049		mg/Kg	1	4/21/2020 3:38:09 AM	51914
Ethylbenzene	ND	0.049		mg/Kg	1	4/21/2020 3:38:09 AM	51914
Xylenes, Total	ND	0.098		mg/Kg	1	4/21/2020 3:38:09 AM	51914
Surr: 4-Bromofluorobenzene	103	80-120		%Rec	1	4/21/2020 3:38:09 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 2 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L1-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 8:53:00 AM

 Lab ID:
 2004814-003
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	73	60		mg/Kg	20	4/21/2020 11:53:16 PM	52000
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS					Analyst	: TOM
Diesel Range Organics (DRO)	130	10		mg/Kg	1	4/20/2020 5:15:24 PM	51939
Motor Oil Range Organics (MRO)	70	50		mg/Kg	1	4/20/2020 5:15:24 PM	51939
Surr: DNOP	89.4	55.1-146		%Rec	1	4/20/2020 5:15:24 PM	51939
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	4/21/2020 4:02:06 AM	51914
Surr: BFB	105	66.6-105	S	%Rec	1	4/21/2020 4:02:06 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	NSB
Benzene	ND	0.025		mg/Kg	1	4/21/2020 4:02:06 AM	51914
Toluene	ND	0.050		mg/Kg	1	4/21/2020 4:02:06 AM	51914
Ethylbenzene	ND	0.050		mg/Kg	1	4/21/2020 4:02:06 AM	51914
Xylenes, Total	ND	0.10		mg/Kg	1	4/21/2020 4:02:06 AM	51914
Surr: 4-Bromofluorobenzene	101	80-120		%Rec	1	4/21/2020 4:02:06 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 3 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L1-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 8:55:00 AM

 Lab ID:
 2004814-004
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	32	9.7	mg/Kg	1	4/20/2020 5:40:16 PM	51939
Motor Oil Range Organics (MRO)	ND	49	mg/Kg	1	4/20/2020 5:40:16 PM	51939
Surr: DNOP	81.3	55.1-146	%Rec	1	4/20/2020 5:40:16 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/21/2020 4:25:57 AM	51914
Surr: BFB	103	66.6-105	%Rec	1	4/21/2020 4:25:57 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	4/21/2020 4:25:57 AM	51914
Toluene	ND	0.049	mg/Kg	1	4/21/2020 4:25:57 AM	51914
Ethylbenzene	ND	0.049	mg/Kg	1	4/21/2020 4:25:57 AM	51914
Xylenes, Total	ND	0.098	mg/Kg	1	4/21/2020 4:25:57 AM	51914
Surr: 4-Bromofluorobenzene	101	80-120	%Rec	1	4/21/2020 4:25:57 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 4 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L1-4'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:00:00 AM

 Lab ID:
 2004814-005
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	14	9.7	mg/Kg	1	4/20/2020 6:05:18 PM	51939
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	4/20/2020 6:05:18 PM	51939
Surr: DNOP	78.9	55.1-146	%Rec	1	4/20/2020 6:05:18 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	4/21/2020 4:49:12 AM	51914
Surr: BFB	101	66.6-105	%Rec	1	4/21/2020 4:49:12 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.024	mg/Kg	1	4/21/2020 4:49:12 AM	51914
Toluene	ND	0.048	mg/Kg	1	4/21/2020 4:49:12 AM	51914
Ethylbenzene	ND	0.048	mg/Kg	1	4/21/2020 4:49:12 AM	51914
Xylenes, Total	ND	0.097	mg/Kg	1	4/21/2020 4:49:12 AM	51914
Surr: 4-Bromofluorobenzene	99.5	80-120	%Rec	1	4/21/2020 4:49:12 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 5 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L2-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:07:00 AM

 Lab ID:
 2004814-006
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	3600	150		mg/Kg	50	4/22/2020 2:21:55 PM	52000
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst	: BRM
Diesel Range Organics (DRO)	560	7.3		mg/Kg	1	4/21/2020 2:50:14 PM	51939
Motor Oil Range Organics (MRO)	290	36		mg/Kg	1	4/21/2020 2:50:14 PM	51939
Surr: DNOP	109	55.1-146		%Rec	1	4/21/2020 2:50:14 PM	51939
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 8:26:37 AM	51914
Surr: BFB	107	66.6-105	SD	%Rec	5	4/21/2020 8:26:37 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 8:26:37 AM	51914
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 8:26:37 AM	51914
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 8:26:37 AM	51914
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/21/2020 8:26:37 AM	51914
Surr: 4-Bromofluorobenzene	97.1	80-120	D	%Rec	5	4/21/2020 8:26:37 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 6 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L2-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:09:00 AM

 Lab ID:
 2004814-007
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	590	60	mg/Kg	20	4/22/2020 12:18:04 AM	52000
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	: TOM
Diesel Range Organics (DRO)	41	8.3	mg/Kg	1	4/20/2020 6:55:25 PM	51939
Motor Oil Range Organics (MRO)	ND	41	mg/Kg	1	4/20/2020 6:55:25 PM	51939
Surr: DNOP	87.5	55.1-146	%Rec	1	4/20/2020 6:55:25 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/21/2020 8:50:20 AM	51914
Surr: BFB	97.5	66.6-105	%Rec	1	4/21/2020 8:50:20 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 8:50:20 AM	51914
Toluene	ND	0.049	mg/Kg	1	4/21/2020 8:50:20 AM	51914
Ethylbenzene	ND	0.049	mg/Kg	1	4/21/2020 8:50:20 AM	51914
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 8:50:20 AM	51914
Surr: 4-Bromofluorobenzene	97.9	80-120	%Rec	1	4/21/2020 8:50:20 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 7 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L2-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:11:00 AM

 Lab ID:
 2004814-008
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL Qı	ual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	ND	60	mg/Kg	20	4/22/2020 1:20:07 AM	52001
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.6	mg/Kg	1	4/20/2020 7:20:09 PM	51939
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	4/20/2020 7:20:09 PM	51939
Surr: DNOP	86.3	55.1-146	%Rec	1	4/20/2020 7:20:09 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/21/2020 9:14:05 AM	51914
Surr: BFB	99.7	66.6-105	%Rec	1	4/21/2020 9:14:05 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 9:14:05 AM	51914
Toluene	ND	0.050	mg/Kg	1	4/21/2020 9:14:05 AM	51914
Ethylbenzene	ND	0.050	mg/Kg	1	4/21/2020 9:14:05 AM	51914
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 9:14:05 AM	51914
Surr: 4-Bromofluorobenzene	97.5	80-120	%Rec	1	4/21/2020 9:14:05 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 8 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L2-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:15:00 AM

 Lab ID:
 2004814-009
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	ND	8.6	mg/Kg	1	4/20/2020 7:45:09 PM	51939
Motor Oil Range Organics (MRO)	ND	43	mg/Kg	1	4/20/2020 7:45:09 PM	51939
Surr: DNOP	82.3	55.1-146	%Rec	1	4/20/2020 7:45:09 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/21/2020 9:37:42 AM	51914
Surr: BFB	99.8	66.6-105	%Rec	1	4/21/2020 9:37:42 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 9:37:42 AM	51914
Toluene	ND	0.050	mg/Kg	1	4/21/2020 9:37:42 AM	51914
Ethylbenzene	ND	0.050	mg/Kg	1	4/21/2020 9:37:42 AM	51914
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 9:37:42 AM	51914
Surr: 4-Bromofluorobenzene	98.1	80-120	%Rec	1	4/21/2020 9:37:42 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 9 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L3-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:40:00 AM

 Lab ID:
 2004814-010
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	510	60		mg/Kg	20	4/22/2020 1:57:21 AM	52001
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS					Analyst	: BRM
Diesel Range Organics (DRO)	1000	48		mg/Kg	5	4/21/2020 5:42:01 PM	51939
Motor Oil Range Organics (MRO)	440	240		mg/Kg	5	4/21/2020 5:42:01 PM	51939
Surr: DNOP	93.4	55.1-146		%Rec	5	4/21/2020 5:42:01 PM	51939
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 10:01:15 AM	51914
Surr: BFB	118	66.6-105	SD	%Rec	5	4/21/2020 10:01:15 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 10:01:15 AM	51914
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 10:01:15 AM	51914
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 10:01:15 AM	51914
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/21/2020 10:01:15 AM	51914
Surr: 4-Bromofluorobenzene	98.2	80-120	D	%Rec	5	4/21/2020 10:01:15 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 10 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L3-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:44:00 AM

 Lab ID:
 2004814-011
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	ND	9.2	mg/Kg	1	4/20/2020 8:34:41 PM	51939
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	4/20/2020 8:34:41 PM	51939
Surr: DNOP	85.3	55.1-146	%Rec	1	4/20/2020 8:34:41 PM	51939
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/21/2020 10:24:41 AM	51914
Surr: BFB	99.8	66.6-105	%Rec	1	4/21/2020 10:24:41 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 10:24:41 AM	51914
Toluene	ND	0.050	mg/Kg	1	4/21/2020 10:24:41 AM	51914
Ethylbenzene	ND	0.050	mg/Kg	1	4/21/2020 10:24:41 AM	51914
Xylenes, Total	ND	0.10	mg/Kg	1	4/21/2020 10:24:41 AM	51914
Surr: 4-Bromofluorobenzene	99.5	80-120	%Rec	1	4/21/2020 10:24:41 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 11 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L3-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:45:00 AM

 Lab ID:
 2004814-012
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL (Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	ND	59	mg/Kg	20	4/22/2020 2:34:36 AM	52001
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	4/20/2020 9:48:52 PM	51940
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	4/20/2020 9:48:52 PM	51940
Surr: DNOP	83.8	55.1-146	%Rec	1	4/20/2020 9:48:52 PM	51940
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/21/2020 10:48:07 AM	51914
Surr: BFB	103	66.6-105	%Rec	1	4/21/2020 10:48:07 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 10:48:07 AM	51914
Toluene	ND	0.050	mg/Kg	1	4/21/2020 10:48:07 AM	51914
Ethylbenzene	ND	0.050	mg/Kg	1	4/21/2020 10:48:07 AM	51914
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 10:48:07 AM	51914
Surr: 4-Bromofluorobenzene	102	80-120	%Rec	1	4/21/2020 10:48:07 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 12 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L3-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:47:00 AM

 Lab ID:
 2004814-013
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORG	SANICS				Analyst	: TOM
Diesel Range Organics (DRO)	ND	8.9	mg/Kg	1	4/20/2020 11:02:29 PM	51940
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	4/20/2020 11:02:29 PM	51940
Surr: DNOP	82.4	55.1-146	%Rec	1	4/20/2020 11:02:29 PM	51940
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/21/2020 11:11:29 AM	51914
Surr: BFB	102	66.6-105	%Rec	1	4/21/2020 11:11:29 AM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 11:11:29 AM	51914
Toluene	ND	0.049	mg/Kg	1	4/21/2020 11:11:29 AM	51914
Ethylbenzene	ND	0.049	mg/Kg	1	4/21/2020 11:11:29 AM	51914
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 11:11:29 AM	51914
Surr: 4-Bromofluorobenzene	102	80-120	%Rec	1	4/21/2020 11:11:29 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 13 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L4-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:55:00 AM

 Lab ID:
 2004814-014
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	1500	60		mg/Kg	20	4/22/2020 2:47:00 AM	52001
EPA METHOD 8015M/D: DIESEL RANGE ORG	ANICS					Analyst	BRM
Diesel Range Organics (DRO)	990	46		mg/Kg	5	4/21/2020 6:06:32 PM	51940
Motor Oil Range Organics (MRO)	490	230		mg/Kg	5	4/21/2020 6:06:32 PM	51940
Surr: DNOP	86.8	55.1-146		%Rec	5	4/21/2020 6:06:32 PM	51940
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 11:34:50 AM	51914
Surr: BFB	105	66.6-105	SD	%Rec	5	4/21/2020 11:34:50 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	NSB
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 11:34:50 AM	51914
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 11:34:50 AM	51914
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 11:34:50 AM	51914
Xylenes, Total	ND	0.49	D	mg/Kg	5	4/21/2020 11:34:50 AM	51914
Surr: 4-Bromofluorobenzene	101	80-120	D	%Rec	5	4/21/2020 11:34:50 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 14 of 51

Client Sample ID: L4-1'

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:57:00 AM

 Lab ID:
 2004814-015
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	73	60		mg/Kg	20	4/22/2020 2:59:25 AM	52001
EPA METHOD 8015M/D: DIESEL RANGE OR	GANICS					Analyst	: TOM
Diesel Range Organics (DRO)	120	10		mg/Kg	1	4/21/2020 12:15:47 AM	51940
Motor Oil Range Organics (MRO)	64	50		mg/Kg	1	4/21/2020 12:15:47 AM	51940
Surr: DNOP	107	55.1-146		%Rec	1	4/21/2020 12:15:47 AM	51940
EPA METHOD 8015D: GASOLINE RANGE						Analyst	: NSB
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 11:58:15 AM	51914
Surr: BFB	99.8	66.6-105	D	%Rec	5	4/21/2020 11:58:15 AM	51914
EPA METHOD 8021B: VOLATILES						Analyst	: NSB
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 11:58:15 AM	51914
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 11:58:15 AM	51914
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 11:58:15 AM	51914
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/21/2020 11:58:15 AM	51914
Surr: 4-Bromofluorobenzene	101	80-120	D	%Rec	5	4/21/2020 11:58:15 AM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 15 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L4-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 9:59:00 AM

 Lab ID:
 2004814-016
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015M/D: DIESEL RANGE ORGA	ANICS				Analyst	: TOM
Diesel Range Organics (DRO)	28	10	mg/Kg	1	4/21/2020 12:40:14 AM	51940
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/21/2020 12:40:14 AM	51940
Surr: DNOP	92.8	55.1-146	%Rec	1	4/21/2020 12:40:14 AM	51940
EPA METHOD 8015D: GASOLINE RANGE					Analyst	: NSB
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/21/2020 1:08:25 PM	51914
Surr: BFB	101	66.6-105	%Rec	1	4/21/2020 1:08:25 PM	51914
EPA METHOD 8021B: VOLATILES					Analyst	: NSB
Benzene	ND	0.025	mg/Kg	1	4/21/2020 1:08:25 PM	51914
Toluene	ND	0.049	mg/Kg	1	4/21/2020 1:08:25 PM	51914
Ethylbenzene	ND	0.049	mg/Kg	1	4/21/2020 1:08:25 PM	51914
Xylenes, Total	ND	0.098	mg/Kg	1	4/21/2020 1:08:25 PM	51914
Surr: 4-Bromofluorobenzene	97.5	80-120	%Rec	1	4/21/2020 1:08:25 PM	51914

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 16 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L4-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:02:00 AM

 Lab ID:
 2004814-017
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 8:48:15 PM	51923
Surr: BFB	99.5	70-130	D	%Rec	5	4/21/2020 8:48:15 PM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	130	9.6		mg/Kg	1	4/21/2020 1:04:35 AM	51940
Motor Oil Range Organics (MRO)	71	48		mg/Kg	1	4/21/2020 1:04:35 AM	51940
Surr: DNOP	92.7	55.1-146		%Rec	1	4/21/2020 1:04:35 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 8:48:15 PM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 8:48:15 PM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 8:48:15 PM	51923
Xylenes, Total	ND	0.49	D	mg/Kg	5	4/21/2020 8:48:15 PM	51923
Surr: 1,2-Dichloroethane-d4	97.9	70-130	D	%Rec	5	4/21/2020 8:48:15 PM	51923
Surr: 4-Bromofluorobenzene	96.8	70-130	D	%Rec	5	4/21/2020 8:48:15 PM	51923
Surr: Dibromofluoromethane	99.6	70-130	D	%Rec	5	4/21/2020 8:48:15 PM	51923
Surr: Toluene-d8	98.0	70-130	D	%Rec	5	4/21/2020 8:48:15 PM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 17 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L5-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:09:00 AM

 Lab ID:
 2004814-018
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	750	61		mg/Kg	20	4/22/2020 3:11:50 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	100	50		mg/Kg	10	4/21/2020 10:14:28 PM	51923
Surr: BFB	103	70-130		%Rec	10	4/21/2020 10:14:28 PM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	5800	87		mg/Kg	10	4/21/2020 1:29:03 AM	51940
Motor Oil Range Organics (MRO)	2500	440		mg/Kg	10	4/21/2020 1:29:03 AM	51940
Surr: DNOP	0	55.1-146	S	%Rec	10	4/21/2020 1:29:03 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.25	D	mg/Kg	10	4/21/2020 10:14:28 PM	51923
Toluene	ND	0.50	D	mg/Kg	10	4/21/2020 10:14:28 PM	51923
Ethylbenzene	ND	0.50	D	mg/Kg	10	4/21/2020 10:14:28 PM	51923
Xylenes, Total	1.7	0.99	D	mg/Kg	10	4/21/2020 10:14:28 PM	51923
Surr: 1,2-Dichloroethane-d4	97.5	70-130	D	%Rec	10	4/21/2020 10:14:28 PM	51923
Surr: 4-Bromofluorobenzene	73.1	70-130	D	%Rec	10	4/21/2020 10:14:28 PM	51923
Surr: Dibromofluoromethane	101	70-130	D	%Rec	10	4/21/2020 10:14:28 PM	51923
Surr: Toluene-d8	101	70-130	D	%Rec	10	4/21/2020 10:14:28 PM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 18 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L5-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:12:00 AM

 Lab ID:
 2004814-019
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	ND	59		mg/Kg	20	4/22/2020 3:49:04 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/21/2020 10:43:10 PM	51923
Surr: BFB	101	70-130	D	%Rec	5	4/21/2020 10:43:10 PM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	BRM
Diesel Range Organics (DRO)	190	10		mg/Kg	1	4/21/2020 3:39:12 PM	51940
Motor Oil Range Organics (MRO)	100	51		mg/Kg	1	4/21/2020 3:39:12 PM	51940
Surr: DNOP	94.4	55.1-146		%Rec	1	4/21/2020 3:39:12 PM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/21/2020 10:43:10 PM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/21/2020 10:43:10 PM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/21/2020 10:43:10 PM	51923
Xylenes, Total	ND	0.49	D	mg/Kg	5	4/21/2020 10:43:10 PM	51923
Surr: 1,2-Dichloroethane-d4	97.6	70-130	D	%Rec	5	4/21/2020 10:43:10 PM	51923
Surr: 4-Bromofluorobenzene	95.8	70-130	D	%Rec	5	4/21/2020 10:43:10 PM	51923
Surr: Dibromofluoromethane	100	70-130	D	%Rec	5	4/21/2020 10:43:10 PM	51923
Surr: Toluene-d8	103	70-130	D	%Rec	5	4/21/2020 10:43:10 PM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 19 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L5-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:13:00 AM

 Lab ID:
 2004814-020
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/21/2020 11:11:51 PM	51923
Surr: BFB	97.4	70-130	%Rec	1	4/21/2020 11:11:51 PM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	TOM
Diesel Range Organics (DRO)	28	8.7	mg/Kg	1	4/21/2020 2:17:45 AM	51940
Motor Oil Range Organics (MRO)	ND	44	mg/Kg	1	4/21/2020 2:17:45 AM	51940
Surr: DNOP	90.5	55.1-146	%Rec	1	4/21/2020 2:17:45 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	JMR
Benzene	ND	0.025	mg/Kg	1	4/21/2020 11:11:51 PM	51923
Toluene	ND	0.049	mg/Kg	1	4/21/2020 11:11:51 PM	51923
Ethylbenzene	ND	0.049	mg/Kg	1	4/21/2020 11:11:51 PM	51923
Xylenes, Total	ND	0.099	mg/Kg	1	4/21/2020 11:11:51 PM	51923
Surr: 1,2-Dichloroethane-d4	94.7	70-130	%Rec	1	4/21/2020 11:11:51 PM	51923
Surr: 4-Bromofluorobenzene	94.9	70-130	%Rec	1	4/21/2020 11:11:51 PM	51923
Surr: Dibromofluoromethane	101	70-130	%Rec	1	4/21/2020 11:11:51 PM	51923
Surr: Toluene-d8	99.4	70-130	%Rec	1	4/21/2020 11:11:51 PM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 20 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L5-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:15:00 AM

 Lab ID:
 2004814-021
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.8	mg/Kg	1	4/21/2020 11:40:29 PM	51923
Surr: BFB	97.9	70-130	%Rec	1	4/21/2020 11:40:29 PM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	44	10	mg/Kg	1	4/21/2020 2:42:02 AM	51940
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/21/2020 2:42:02 AM	51940
Surr: DNOP	90.6	55.1-146	%Rec	1	4/21/2020 2:42:02 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/21/2020 11:40:29 PM	51923
Toluene	ND	0.048	mg/Kg	1	4/21/2020 11:40:29 PM	51923
Ethylbenzene	ND	0.048	mg/Kg	1	4/21/2020 11:40:29 PM	51923
Xylenes, Total	ND	0.097	mg/Kg	1	4/21/2020 11:40:29 PM	51923
Surr: 1,2-Dichloroethane-d4	96.0	70-130	%Rec	1	4/21/2020 11:40:29 PM	51923
Surr: 4-Bromofluorobenzene	96.0	70-130	%Rec	1	4/21/2020 11:40:29 PM	51923
Surr: Dibromofluoromethane	100	70-130	%Rec	1	4/21/2020 11:40:29 PM	51923
Surr: Toluene-d8	98.6	70-130	%Rec	1	4/21/2020 11:40:29 PM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 21 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L6-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:26:00 AM

 Lab ID:
 2004814-022
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst:	JMT
Chloride	2700	150		mg/Kg	50	4/22/2020 2:59:09 PM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	JMR
Gasoline Range Organics (GRO)	ND	24	D	mg/Kg	5	4/22/2020 12:09:06 AM	51923
Surr: BFB	99.8	70-130	D	%Rec	5	4/22/2020 12:09:06 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	BRM
Diesel Range Organics (DRO)	830	19		mg/Kg	2	4/21/2020 6:31:19 PM	51940
Motor Oil Range Organics (MRO)	350	96		mg/Kg	2	4/21/2020 6:31:19 PM	51940
Surr: DNOP	92.1	55.1-146		%Rec	2	4/21/2020 6:31:19 PM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 12:09:06 AM	51923
Toluene	ND	0.24	D	mg/Kg	5	4/22/2020 12:09:06 AM	51923
Ethylbenzene	ND	0.24	D	mg/Kg	5	4/22/2020 12:09:06 AM	51923
Xylenes, Total	ND	0.48	D	mg/Kg	5	4/22/2020 12:09:06 AM	51923
Surr: 1,2-Dichloroethane-d4	100	70-130	D	%Rec	5	4/22/2020 12:09:06 AM	51923
Surr: 4-Bromofluorobenzene	85.9	70-130	D	%Rec	5	4/22/2020 12:09:06 AM	51923
Surr: Dibromofluoromethane	103	70-130	D	%Rec	5	4/22/2020 12:09:06 AM	51923
Surr: Toluene-d8	98.1	70-130	D	%Rec	5	4/22/2020 12:09:06 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 22 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L6-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:30:00 AM

 Lab ID:
 2004814-023
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst:	JMT
Chloride	88	60		mg/Kg	20	4/22/2020 4:13:53 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 12:37:51 AM	51923
Surr: BFB	101	70-130	D	%Rec	5	4/22/2020 12:37:51 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	TOM
Diesel Range Organics (DRO)	190	9.6		mg/Kg	1	4/21/2020 3:30:49 AM	51940
Motor Oil Range Organics (MRO)	96	48		mg/Kg	1	4/21/2020 3:30:49 AM	51940
Surr: DNOP	100	55.1-146		%Rec	1	4/21/2020 3:30:49 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 12:37:51 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 12:37:51 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 12:37:51 AM	51923
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/22/2020 12:37:51 AM	51923
Surr: 1,2-Dichloroethane-d4	96.5	70-130	D	%Rec	5	4/22/2020 12:37:51 AM	51923
Surr: 4-Bromofluorobenzene	97.7	70-130	D	%Rec	5	4/22/2020 12:37:51 AM	51923
Surr: Dibromofluoromethane	100	70-130	D	%Rec	5	4/22/2020 12:37:51 AM	51923
Surr: Toluene-d8	101	70-130	D	%Rec	5	4/22/2020 12:37:51 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 23 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L6-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:32:00 AM

 Lab ID:
 2004814-024
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 3:30:25 AM	51923
Surr: BFB	101	70-130	D	%Rec	5	4/22/2020 3:30:25 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	260	8.7		mg/Kg	1	4/21/2020 3:55:12 AM	51940
Motor Oil Range Organics (MRO)	140	43		mg/Kg	1	4/21/2020 3:55:12 AM	51940
Surr: DNOP	93.9	55.1-146		%Rec	1	4/21/2020 3:55:12 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 3:30:25 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 3:30:25 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 3:30:25 AM	51923
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/22/2020 3:30:25 AM	51923
Surr: 1,2-Dichloroethane-d4	97.0	70-130	D	%Rec	5	4/22/2020 3:30:25 AM	51923
Surr: 4-Bromofluorobenzene	92.3	70-130	D	%Rec	5	4/22/2020 3:30:25 AM	51923
Surr: Dibromofluoromethane	98.1	70-130	D	%Rec	5	4/22/2020 3:30:25 AM	51923
Surr: Toluene-d8	101	70-130	D	%Rec	5	4/22/2020 3:30:25 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 24 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L6-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:35:00 AM

 Lab ID:
 2004814-025
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/22/2020 3:59:07 AM	51923
Surr: BFB	97.9	70-130	%Rec	1	4/22/2020 3:59:07 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	38	9.0	mg/Kg	1	4/21/2020 4:19:30 AM	51940
Motor Oil Range Organics (MRO)	ND	45	mg/Kg	1	4/21/2020 4:19:30 AM	51940
Surr: DNOP	91.5	55.1-146	%Rec	1	4/21/2020 4:19:30 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 3:59:07 AM	51923
Toluene	ND	0.050	mg/Kg	1	4/22/2020 3:59:07 AM	51923
Ethylbenzene	ND	0.050	mg/Kg	1	4/22/2020 3:59:07 AM	51923
Xylenes, Total	ND	0.099	mg/Kg	1	4/22/2020 3:59:07 AM	51923
Surr: 1,2-Dichloroethane-d4	95.9	70-130	%Rec	1	4/22/2020 3:59:07 AM	51923
Surr: 4-Bromofluorobenzene	98.5	70-130	%Rec	1	4/22/2020 3:59:07 AM	51923
Surr: Dibromofluoromethane	101	70-130	%Rec	1	4/22/2020 3:59:07 AM	51923
Surr: Toluene-d8	97.8	70-130	%Rec	1	4/22/2020 3:59:07 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 25 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L6-4'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:37:00 AM

 Lab ID:
 2004814-026
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 4:27:53 AM	51923
Surr: BFB	97.0	70-130	%Rec	1	4/22/2020 4:27:53 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	12	9.2	mg/Kg	1	4/21/2020 4:43:58 AM	51940
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	4/21/2020 4:43:58 AM	51940
Surr: DNOP	90.4	55.1-146	%Rec	1	4/21/2020 4:43:58 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 4:27:53 AM	51923
Toluene	ND	0.049	mg/Kg	1	4/22/2020 4:27:53 AM	51923
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 4:27:53 AM	51923
Xylenes, Total	ND	0.099	mg/Kg	1	4/22/2020 4:27:53 AM	51923
Surr: 1,2-Dichloroethane-d4	94.4	70-130	%Rec	1	4/22/2020 4:27:53 AM	51923
Surr: 4-Bromofluorobenzene	97.5	70-130	%Rec	1	4/22/2020 4:27:53 AM	51923
Surr: Dibromofluoromethane	97.8	70-130	%Rec	1	4/22/2020 4:27:53 AM	51923
Surr: Toluene-d8	97.0	70-130	%Rec	1	4/22/2020 4:27:53 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 26 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L7-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:42:00 AM

 Lab ID:
 2004814-027
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	1100	60		mg/Kg	20	4/22/2020 4:26:18 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	160	50		mg/Kg	10	4/22/2020 4:56:17 AM	51923
Surr: BFB	108	70-130		%Rec	10	4/22/2020 4:56:17 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	3400	78		mg/Kg	10	4/21/2020 5:08:15 AM	51940
Motor Oil Range Organics (MRO)	1500	390		mg/Kg	10	4/21/2020 5:08:15 AM	51940
Surr: DNOP	0	55.1-146	S	%Rec	10	4/21/2020 5:08:15 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.25	D	mg/Kg	10	4/22/2020 4:56:17 AM	51923
Toluene	ND	0.50	D	mg/Kg	10	4/22/2020 4:56:17 AM	51923
Ethylbenzene	ND	0.50	D	mg/Kg	10	4/22/2020 4:56:17 AM	51923
Xylenes, Total	2.2	1.0	D	mg/Kg	10	4/22/2020 4:56:17 AM	51923
Surr: 1,2-Dichloroethane-d4	94.6	70-130	D	%Rec	10	4/22/2020 4:56:17 AM	51923
Surr: 4-Bromofluorobenzene	61.0	70-130	SD	%Rec	10	4/22/2020 4:56:17 AM	51923
Surr: Dibromofluoromethane	98.2	70-130	D	%Rec	10	4/22/2020 4:56:17 AM	51923
Surr: Toluene-d8	99.8	70-130	D	%Rec	10	4/22/2020 4:56:17 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 27 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L7-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:44:00 AM

 Lab ID:
 2004814-028
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	ND	59		mg/Kg	20	4/22/2020 4:38:42 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 5:24:51 AM	51923
Surr: BFB	99.6	70-130	D	%Rec	5	4/22/2020 5:24:51 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	180	9.3		mg/Kg	1	4/21/2020 5:32:43 AM	51940
Motor Oil Range Organics (MRO)	120	46		mg/Kg	1	4/21/2020 5:32:43 AM	51940
Surr: DNOP	98.2	55.1-146		%Rec	1	4/21/2020 5:32:43 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 5:24:51 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 5:24:51 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 5:24:51 AM	51923
Xylenes, Total	ND	0.49	D	mg/Kg	5	4/22/2020 5:24:51 AM	51923
Surr: 1,2-Dichloroethane-d4	97.2	70-130	D	%Rec	5	4/22/2020 5:24:51 AM	51923
Surr: 4-Bromofluorobenzene	100	70-130	D	%Rec	5	4/22/2020 5:24:51 AM	51923
Surr: Dibromofluoromethane	100	70-130	D	%Rec	5	4/22/2020 5:24:51 AM	51923
Surr: Toluene-d8	96.9	70-130	D	%Rec	5	4/22/2020 5:24:51 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 28 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L7-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:46:00 AM

 Lab ID:
 2004814-029
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 5:53:19 AM	51923
Surr: BFB	99.6	70-130	%Rec	1	4/22/2020 5:53:19 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	20	9.7	mg/Kg	1	4/21/2020 5:56:55 AM	51940
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	4/21/2020 5:56:55 AM	51940
Surr: DNOP	88.8	55.1-146	%Rec	1	4/21/2020 5:56:55 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 5:53:19 AM	51923
Toluene	ND	0.049	mg/Kg	1	4/22/2020 5:53:19 AM	51923
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 5:53:19 AM	51923
Xylenes, Total	ND	0.099	mg/Kg	1	4/22/2020 5:53:19 AM	51923
Surr: 1,2-Dichloroethane-d4	94.6	70-130	%Rec	1	4/22/2020 5:53:19 AM	51923
Surr: 4-Bromofluorobenzene	104	70-130	%Rec	1	4/22/2020 5:53:19 AM	51923
Surr: Dibromofluoromethane	97.0	70-130	%Rec	1	4/22/2020 5:53:19 AM	51923
Surr: Toluene-d8	97.5	70-130	%Rec	1	4/22/2020 5:53:19 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 29 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L7-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:48:00 AM

 Lab ID:
 2004814-030
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/22/2020 6:21:52 AM	51923
Surr: BFB	99.0	70-130	%Rec	1	4/22/2020 6:21:52 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	38	9.7	mg/Kg	1	4/21/2020 6:21:15 AM	51940
Motor Oil Range Organics (MRO)	ND	48	mg/Kg	1	4/21/2020 6:21:15 AM	51940
Surr: DNOP	90.2	55.1-146	%Rec	1	4/21/2020 6:21:15 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 6:21:52 AM	51923
Toluene	ND	0.050	mg/Kg	1	4/22/2020 6:21:52 AM	51923
Ethylbenzene	ND	0.050	mg/Kg	1	4/22/2020 6:21:52 AM	51923
Xylenes, Total	ND	0.10	mg/Kg	1	4/22/2020 6:21:52 AM	51923
Surr: 1,2-Dichloroethane-d4	93.4	70-130	%Rec	1	4/22/2020 6:21:52 AM	51923
Surr: 4-Bromofluorobenzene	99.7	70-130	%Rec	1	4/22/2020 6:21:52 AM	51923
Surr: Dibromofluoromethane	97.9	70-130	%Rec	1	4/22/2020 6:21:52 AM	51923
Surr: Toluene-d8	95.8	70-130	%Rec	1	4/22/2020 6:21:52 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 30 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L7-4'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:50:00 AM

 Lab ID:
 2004814-031
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 6:50:23 AM	51923
Surr: BFB	99.3	70-130	%Rec	1	4/22/2020 6:50:23 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	18	9.2	mg/Kg	1	4/21/2020 6:45:28 AM	51940
Motor Oil Range Organics (MRO)	ND	46	mg/Kg	1	4/21/2020 6:45:28 AM	51940
Surr: DNOP	89.3	55.1-146	%Rec	1	4/21/2020 6:45:28 AM	51940
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/22/2020 6:50:23 AM	51923
Toluene	ND	0.049	mg/Kg	1	4/22/2020 6:50:23 AM	51923
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 6:50:23 AM	51923
Xylenes, Total	ND	0.098	mg/Kg	1	4/22/2020 6:50:23 AM	51923
Surr: 1,2-Dichloroethane-d4	93.8	70-130	%Rec	1	4/22/2020 6:50:23 AM	51923
Surr: 4-Bromofluorobenzene	103	70-130	%Rec	1	4/22/2020 6:50:23 AM	51923
Surr: Dibromofluoromethane	97.9	70-130	%Rec	1	4/22/2020 6:50:23 AM	51923
Surr: Toluene-d8	97.0	70-130	%Rec	1	4/22/2020 6:50:23 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 31 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L8-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:10:00 AM

 Lab ID:
 2004814-032
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	1700	60		mg/Kg	20	4/22/2020 4:51:07 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	420	50		mg/Kg	10	4/22/2020 7:18:56 AM	51923
Surr: BFB	107	70-130		%Rec	10	4/22/2020 7:18:56 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	8000	90		mg/Kg	10	4/20/2020 9:52:54 PM	51945
Motor Oil Range Organics (MRO)	3800	450		mg/Kg	10	4/20/2020 9:52:54 PM	51945
Surr: DNOP	0	55.1-146	S	%Rec	10	4/20/2020 9:52:54 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.25	D	mg/Kg	10	4/22/2020 7:18:56 AM	51923
Toluene	0.72	0.50	D	mg/Kg	10	4/22/2020 7:18:56 AM	51923
Ethylbenzene	2.7	0.50	D	mg/Kg	10	4/22/2020 7:18:56 AM	51923
Xylenes, Total	12	0.99	D	mg/Kg	10	4/22/2020 7:18:56 AM	51923
Surr: 1,2-Dichloroethane-d4	95.2	70-130	D	%Rec	10	4/22/2020 7:18:56 AM	51923
Surr: 4-Bromofluorobenzene	59.5	70-130	SD	%Rec	10	4/22/2020 7:18:56 AM	51923
Surr: Dibromofluoromethane	102	70-130	D	%Rec	10	4/22/2020 7:18:56 AM	51923
Surr: Toluene-d8	95.7	70-130	D	%Rec	10	4/22/2020 7:18:56 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 32 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L8-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:12:00 AM

 Lab ID:
 2004814-033
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	: JMT
Chloride	ND	60		mg/Kg	20	4/22/2020 5:03:32 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 7:47:25 AM	51923
Surr: BFB	102	70-130	D	%Rec	5	4/22/2020 7:47:25 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	BRM
Diesel Range Organics (DRO)	190	9.7		mg/Kg	1	4/21/2020 4:28:18 PM	51945
Motor Oil Range Organics (MRO)	110	48		mg/Kg	1	4/21/2020 4:28:18 PM	51945
Surr: DNOP	110	55.1-146		%Rec	1	4/21/2020 4:28:18 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 7:47:25 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 7:47:25 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 7:47:25 AM	51923
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/22/2020 7:47:25 AM	51923
Surr: 1,2-Dichloroethane-d4	96.7	70-130	D	%Rec	5	4/22/2020 7:47:25 AM	51923
Surr: 4-Bromofluorobenzene	98.8	70-130	D	%Rec	5	4/22/2020 7:47:25 AM	51923
Surr: Dibromofluoromethane	98.4	70-130	D	%Rec	5	4/22/2020 7:47:25 AM	51923
Surr: Toluene-d8	99.7	70-130	D	%Rec	5	4/22/2020 7:47:25 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 33 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L8-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:15:00 AM

 Lab ID:
 2004814-034
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 8:15:55 AM	51923
Surr: BFB	101	70-130	D	%Rec	5	4/22/2020 8:15:55 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	270	9.2		mg/Kg	1	4/20/2020 11:05:31 PM	51945
Motor Oil Range Organics (MRO)	190	46		mg/Kg	1	4/20/2020 11:05:31 PM	51945
Surr: DNOP	97.5	55.1-146		%Rec	1	4/20/2020 11:05:31 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 8:15:55 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 8:15:55 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 8:15:55 AM	51923
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/22/2020 8:15:55 AM	51923
Surr: 1,2-Dichloroethane-d4	98.8	70-130	D	%Rec	5	4/22/2020 8:15:55 AM	51923
Surr: 4-Bromofluorobenzene	92.8	70-130	D	%Rec	5	4/22/2020 8:15:55 AM	51923
Surr: Dibromofluoromethane	101	70-130	D	%Rec	5	4/22/2020 8:15:55 AM	51923
Surr: Toluene-d8	97.5	70-130	D	%Rec	5	4/22/2020 8:15:55 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 34 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L8-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:17:00 AM

 Lab ID:
 2004814-035
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 8:44:34 AM	51923
Surr: BFB	98.4	70-130	%Rec	1	4/22/2020 8:44:34 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	24	9.3	mg/Kg	1	4/20/2020 11:29:52 PM	51945
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	4/20/2020 11:29:52 PM	51945
Surr: DNOP	91.1	55.1-146	%Rec	1	4/20/2020 11:29:52 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 8:44:34 AM	51923
Toluene	ND	0.049	mg/Kg	1	4/22/2020 8:44:34 AM	51923
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 8:44:34 AM	51923
Xylenes, Total	ND	0.098	mg/Kg	1	4/22/2020 8:44:34 AM	51923
Surr: 1,2-Dichloroethane-d4	96.1	70-130	%Rec	1	4/22/2020 8:44:34 AM	51923
Surr: 4-Bromofluorobenzene	102	70-130	%Rec	1	4/22/2020 8:44:34 AM	51923
Surr: Dibromofluoromethane	101	70-130	%Rec	1	4/22/2020 8:44:34 AM	51923
Surr: Toluene-d8	96.4	70-130	%Rec	1	4/22/2020 8:44:34 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- D Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 35 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L8-4'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:20:00 AM

 Lab ID:
 2004814-036
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result RL Qua		Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	: JMR
Gasoline Range Organics (GRO)	ND	25	D	mg/Kg	5	4/22/2020 9:13:13 AM	51923
Surr: BFB	99.9	70-130	D	%Rec	5	4/22/2020 9:13:13 AM	51923
EPA METHOD 8015M/D: DIESEL RANGE ORGAI	NICS					Analyst	: TOM
Diesel Range Organics (DRO)	140	9.3		mg/Kg	1	4/20/2020 11:53:58 PM	51945
Motor Oil Range Organics (MRO)	99	47		mg/Kg	1	4/20/2020 11:53:58 PM	51945
Surr: DNOP	91.0	55.1-146		%Rec	1	4/20/2020 11:53:58 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	: JMR
Benzene	ND	0.12	D	mg/Kg	5	4/22/2020 9:13:13 AM	51923
Toluene	ND	0.25	D	mg/Kg	5	4/22/2020 9:13:13 AM	51923
Ethylbenzene	ND	0.25	D	mg/Kg	5	4/22/2020 9:13:13 AM	51923
Xylenes, Total	ND	0.50	D	mg/Kg	5	4/22/2020 9:13:13 AM	51923
Surr: 1,2-Dichloroethane-d4	96.1	70-130	D	%Rec	5	4/22/2020 9:13:13 AM	51923
Surr: 4-Bromofluorobenzene	100	70-130	D	%Rec	5	4/22/2020 9:13:13 AM	51923
Surr: Dibromofluoromethane	98.5	70-130	D	%Rec	5	4/22/2020 9:13:13 AM	51923
Surr: Toluene-d8	95.7	70-130	D	%Rec	5	4/22/2020 9:13:13 AM	51923

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 36 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L9-0.5'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:52:00 AM

 Lab ID:
 2004814-037
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS						Analyst	JMT
Chloride	4000	150		mg/Kg	50	4/22/2020 3:11:33 PM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE						Analyst	JMR
Gasoline Range Organics (GRO)	1700	100		mg/Kg	20	4/22/2020 2:49:27 PM	51926
Surr: BFB	112	70-130		%Rec	20	4/22/2020 2:49:27 PM	51926
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS					Analyst	BRM
Diesel Range Organics (DRO)	15000	820		mg/Kg	100	4/21/2020 7:44:47 PM	51945
Motor Oil Range Organics (MRO)	5700	4100		mg/Kg	100	4/21/2020 7:44:47 PM	51945
Surr: DNOP	0	55.1-146	S	%Rec	100	4/21/2020 7:44:47 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST						Analyst	JMR
Benzene	0.50	0.50		mg/Kg	20	4/22/2020 2:49:27 PM	51926
Toluene	12	1.0		mg/Kg	20	4/22/2020 2:49:27 PM	51926
Ethylbenzene	13	1.0		mg/Kg	20	4/22/2020 2:49:27 PM	51926
Xylenes, Total	48	2.0		mg/Kg	20	4/22/2020 2:49:27 PM	51926
Surr: 1,2-Dichloroethane-d4	97.0	70-130		%Rec	20	4/22/2020 2:49:27 PM	51926
Surr: 4-Bromofluorobenzene	58.1	70-130	S	%Rec	20	4/22/2020 2:49:27 PM	51926
Surr: Dibromofluoromethane	99.7	70-130		%Rec	20	4/22/2020 2:49:27 PM	51926
Surr: Toluene-d8	97.8	70-130		%Rec	20	4/22/2020 2:49:27 PM	51926

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ID Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 37 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L9-1'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:54:00 AM

 Lab ID:
 2004814-038
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	: JMT
Chloride	5900	300	mg/Kg	100	0 4/22/2020 3:23:58 PM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	10	mg/Kg	2	4/23/2020 8:00:24 AM	51926
Surr: BFB	96.7	70-130	%Rec	2	4/23/2020 8:00:24 AM	51926
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	BRM
Diesel Range Organics (DRO)	110	9.8	mg/Kg	1	4/21/2020 4:52:48 PM	51945
Motor Oil Range Organics (MRO)	60	49	mg/Kg	1	4/21/2020 4:52:48 PM	51945
Surr: DNOP	99.1	55.1-146	%Rec	1	4/21/2020 4:52:48 PM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	JMR
Benzene	ND	0.050	mg/Kg	2	4/23/2020 8:00:24 AM	51926
Toluene	ND	0.10	mg/Kg	2	4/23/2020 8:00:24 AM	51926
Ethylbenzene	ND	0.10	mg/Kg	2	4/23/2020 8:00:24 AM	51926
Xylenes, Total	ND	0.20	mg/Kg	2	4/23/2020 8:00:24 AM	51926
Surr: 1,2-Dichloroethane-d4	92.8	70-130	%Rec	2	4/23/2020 8:00:24 AM	51926
Surr: 4-Bromofluorobenzene	97.2	70-130	%Rec	2	4/23/2020 8:00:24 AM	51926
Surr: Dibromofluoromethane	99.8	70-130	%Rec	2	4/23/2020 8:00:24 AM	51926
Surr: Toluene-d8	95.0	70-130	%Rec	2	4/23/2020 8:00:24 AM	51926

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 38 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L9-3'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:58:00 AM

 Lab ID:
 2004814-039
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 4:43:52 PM	51926
Surr: BFB	100	70-130	%Rec	1	4/22/2020 4:43:52 PM	51926
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	70	9.1	mg/Kg	1	4/21/2020 1:06:31 AM	51945
Motor Oil Range Organics (MRO)	62	46	mg/Kg	1	4/21/2020 1:06:31 AM	51945
Surr: DNOP	92.4	55.1-146	%Rec	1	4/21/2020 1:06:31 AM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 4:43:52 PM	51926
Toluene	ND	0.049	mg/Kg	1	4/22/2020 4:43:52 PM	51926
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 4:43:52 PM	51926
Xylenes, Total	ND	0.099	mg/Kg	1	4/22/2020 4:43:52 PM	51926
Surr: 1,2-Dichloroethane-d4	94.4	70-130	%Rec	1	4/22/2020 4:43:52 PM	51926
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	4/22/2020 4:43:52 PM	51926
Surr: Dibromofluoromethane	98.2	70-130	%Rec	1	4/22/2020 4:43:52 PM	51926
Surr: Toluene-d8	96.7	70-130	%Rec	1	4/22/2020 4:43:52 PM	51926

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 39 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L9-4'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 11:07:00 AM

 Lab ID:
 2004814-040
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	: JMR
Gasoline Range Organics (GRO)	ND	4.9	mg/Kg	1	4/22/2020 5:12:28 PM	51926
Surr: BFB	95.8	70-130	%Rec	1	4/22/2020 5:12:28 PM	51926
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	: TOM
Diesel Range Organics (DRO)	12	9.9	mg/Kg	1	4/21/2020 1:30:34 AM	51945
Motor Oil Range Organics (MRO)	ND	50	mg/Kg	1	4/21/2020 1:30:34 AM	51945
Surr: DNOP	98.3	55.1-146	%Rec	1	4/21/2020 1:30:34 AM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	: JMR
Benzene	ND	0.024	mg/Kg	1	4/22/2020 5:12:28 PM	51926
Toluene	ND	0.049	mg/Kg	1	4/22/2020 5:12:28 PM	51926
Ethylbenzene	ND	0.049	mg/Kg	1	4/22/2020 5:12:28 PM	51926
Xylenes, Total	ND	0.098	mg/Kg	1	4/22/2020 5:12:28 PM	51926
Surr: 1,2-Dichloroethane-d4	91.9	70-130	%Rec	1	4/22/2020 5:12:28 PM	51926
Surr: 4-Bromofluorobenzene	98.2	70-130	%Rec	1	4/22/2020 5:12:28 PM	51926
Surr: Dibromofluoromethane	100	70-130	%Rec	1	4/22/2020 5:12:28 PM	51926
Surr: Toluene-d8	96.4	70-130	%Rec	1	4/22/2020 5:12:28 PM	51926

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
 - E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 40 of 51

Date Reported: 4/24/2020

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Souder, Miller & Associates Client Sample ID: L9-2'

 Project:
 Abe Unit 2
 Collection Date: 4/16/2020 10:56:00 AM

 Lab ID:
 2004814-041
 Matrix: SOIL
 Received Date: 4/17/2020 8:45:00 AM

Analyses	Result	RL	Qual Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS					Analyst	JMT
Chloride	180	60	mg/Kg	20	4/22/2020 5:40:44 AM	52001
EPA METHOD 8015D MOD: GASOLINE RANGE					Analyst	JMR
Gasoline Range Organics (GRO)	ND	5.0	mg/Kg	1	4/22/2020 5:40:57 PM	51926
Surr: BFB	99.6	70-130	%Rec	1	4/22/2020 5:40:57 PM	51926
EPA METHOD 8015M/D: DIESEL RANGE ORGA	NICS				Analyst	TOM
Diesel Range Organics (DRO)	ND	9.5	mg/Kg	1	4/21/2020 1:54:45 AM	51945
Motor Oil Range Organics (MRO)	ND	47	mg/Kg	1	4/21/2020 1:54:45 AM	51945
Surr: DNOP	98.3	55.1-146	%Rec	1	4/21/2020 1:54:45 AM	51945
EPA METHOD 8260B: VOLATILES SHORT LIST					Analyst	JMR
Benzene	ND	0.025	mg/Kg	1	4/22/2020 5:40:57 PM	51926
Toluene	ND	0.050	mg/Kg	1	4/22/2020 5:40:57 PM	51926
Ethylbenzene	ND	0.050	mg/Kg	1	4/22/2020 5:40:57 PM	51926
Xylenes, Total	ND	0.10	mg/Kg	1	4/22/2020 5:40:57 PM	51926
Surr: 1,2-Dichloroethane-d4	93.4	70-130	%Rec	1	4/22/2020 5:40:57 PM	51926
Surr: 4-Bromofluorobenzene	100	70-130	%Rec	1	4/22/2020 5:40:57 PM	51926
Surr: Dibromofluoromethane	99.1	70-130	%Rec	1	4/22/2020 5:40:57 PM	51926
Surr: Toluene-d8	97.6	70-130	%Rec	1	4/22/2020 5:40:57 PM	51926

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 41 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004814 24-Apr-20

Client:

Souder, Miller & Associates

Project:

Prep Date:

Analyte

Chloride

Abe Unit 2

Sample ID: MB-52000

SampType: mblk

TestCode: EPA Method 300.0: Anions

Client ID: PBS

Batch ID: 52000

RunNo: 68314

4/21/2020

Analysis Date: 4/21/2020 **PQL**

SeqNo: 2363518

%REC LowLimit

Units: mg/Kg

RPDLimit Qual

Sample ID: LCS-52000

SampType: Ics

1.5

TestCode: EPA Method 300.0: Anions

HighLimit

Client ID: LCSS

Batch ID: 52000

ND

RunNo: 68314

%REC

Units: mg/Kg

Prep Date:

4/21/2020

Analysis Date: 4/21/2020

SeqNo: 2363519

LowLimit

HighLimit

RPDLimit

Qual

Analyte Chloride

Result **PQL**

14

Result

Result

15

ND

SPK value SPK Ref Val 15.00 0

SPK value SPK Ref Val

96.5

90

%RPD

%RPD

Sample ID: MB-52001

Prep Date: 4/21/2020

Client ID: PBS

SampType: mblk Batch ID: 52001

1.5

TestCode: EPA Method 300.0: Anions

RunNo: 68314

SPK value SPK Ref Val %REC LowLimit

SeqNo: 2363548

Units: mg/Kg

HighLimit

%RPD

RPDLimit Qual

Qual

Analyte Chloride

Batch ID: 52001

Analysis Date: 4/22/2020

Sample ID: LCS-52001 SampType: Ics TestCode: EPA Method 300.0: Anions

RunNo: 68314

%REC

HighLimit

110

Prep Date:

Client ID: LCSS

4/21/2020

Analysis Date: 4/22/2020

SeqNo: 2363549

LowLimit

Units: mg/Kg

%RPD

RPDLimit

Analyte Chloride

PQL 1.5

15.00

SPK value SPK Ref Val

96.7

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Limit

Page 42 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814 24-Apr-20**

Client: Souder, Miller & Associates

Project: Abe Unit 2

Sample ID: LCS-51945 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 51945 RunNo: 68265 Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361902 Units: mg/Kg Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 54 10 108 50.00 130

 Surr: DNOP
 3.7
 5.000
 73.6
 55.1
 146

 Sample ID: MB-51945
 SampType: MBLK
 TestCode: EPA Method 8015M/D: Dies

Sample ID: MB-51945 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: **PBS** Batch ID: **51945** RunNo: **68265**

Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361904 Units: mg/Kg

Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 7.4 10.00 74 4 55.1 146

Sample ID: 2004814-012AMS SampType: MS TestCode: EPA Method 8015M/D: Diesel Range Organics

Sample ID. 2004614-012AMS SampType. MS TestCode. EPA Method 6013M/D: Diesei Range Organics

Client ID: L3-2' Batch ID: 51940 RunNo: 68266

Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361938 Units: mg/Kg

%RPD **RPDLimit** Analyte **PQL** SPK value SPK Ref Val %REC HighLimit Qual Result LowLimit Diesel Range Organics (DRO) 47.4 47 9.8 48.88 96.5 136

Surr: DNOP 3.9 4.888 80.1 55.1 146

Sample ID: 2004814-012AMSD SampType: MSD TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: L3-2' Batch ID: 51940 RunNo: 68266

Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361939 Units: mg/Kg

5.000

Result SPK value SPK Ref Val %REC %RPD **RPDLimit PQL** LowLimit HighLimit Qual 45 Diesel Range Organics (DRO) 9.6 48.12 93.2 47.4 136 5.04 43.4 Surr: DNOP 78.9 3.8 4.812 55.1 146 0 0

Sample ID: LCS-51939 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics

Client ID: LCSS Batch ID: 51939 RunNo: 68266

3.9

Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361959 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 46 10 50.00 91.4 70 130

Qualifiers:

Surr: DNOP

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quanitative Limit

S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

77.4

55.1

146

E Value above quantitation range

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 43 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814 24-Apr-20**

Client:

Souder, Miller & Associates

SampType: MBLK

Project: Abe Unit 2

Sample ID: MB-51939

SampType: LCS Sample ID: LCS-51940 TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: LCSS Batch ID: 51940 RunNo: 68266 Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361960 Units: mg/Kg Analyte **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) 49 10 97.4 50.00 130 Surr: DNOP 4.0 5.000 80.0 55.1 146

Client ID: PBS Batch ID: 51939 RunNo: 68266 Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeaNo: 2361961 Units: mg/Kg Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 8.3 10.00 82.8 55.1 146

TestCode: EPA Method 8015M/D: Diesel Range Organics

Sample ID: MB-51940 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 51940 RunNo: 68266 Prep Date: 4/19/2020 Analysis Date: 4/20/2020 SeqNo: 2361962 Units: mg/Kg SPK value SPK Ref Val %REC LowLimit **PQL** HighLimit %RPD **RPDLimit** Qual Analyte Result Diesel Range Organics (DRO) ND 10 Motor Oil Range Organics (MRO) ND 50 Surr: DNOP 8.0 10.00 79.7 55.1 146

Sample ID: LCS-51992 SampType: LCS TestCode: EPA Method 8015M/D: Diesel Range Organics Batch ID: 51992 Client ID: LCSS RunNo: 68326 Prep Date: 4/21/2020 Analysis Date: 4/22/2020 SeqNo: 2364062 Units: %Rec Analyte Result **PQL** SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Surr: DNOP 5.000 5.3 106 55.1 146

Sample ID: MB-51992 SampType: MBLK TestCode: EPA Method 8015M/D: Diesel Range Organics Client ID: PBS Batch ID: 51992 RunNo: 68326 Prep Date: SeqNo: 2364067 4/21/2020 Analysis Date: 4/22/2020 Units: %Rec Analyte SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual 10.00 103 Surr: DNOP 10 55.1 146

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 44 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004814 24-Apr-20

Client:

Souder, Miller & Associates

Project:

Abe Unit 2

Sample ID: mb-51914

SampType: MBLK

TestCode: EPA Method 8015D: Gasoline Range

Client ID: PBS

Batch ID: 51914

ND

RunNo: 68276

Prep Date:

4/17/2020 Analysis Date: 4/21/2020

SeqNo: 2361707

Units: mg/Kg HighLimit

%RPD

Qual

Gasoline Range Organics (GRO)

PQL 5.0

SPK value SPK Ref Val %REC

66.6

LowLimit

LowLimit

RPDLimit

S

Surr: BFB

1000

1000

104

105

Sample ID: Ics-51914

Client ID: LCSS

SampType: LCS Batch ID: 51914 TestCode: EPA Method 8015D: Gasoline Range

RunNo: 68276

Prep Date: 4/17/2020

Analysis Date: 4/20/2020

SeqNo: 2361708

Units: mg/Kg

HighLimit Qual

Gasoline Range Organics (GRO)

Result PQL

SPK value SPK Ref Val %REC 25.00

84.6

80 66.6

120

%RPD **RPDLimit**

Surr: BFB

21 5.0 1100

1000

110

105

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix Н Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range Analyte detected below quantitation limits

Sample pH Not In Range Reporting Limit

Page 45 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814**

24-Apr-20

Client:

Souder, Miller & Associates

Project: Abe Unit 2

Sample ID: mb-51914 SampType: MBLK TestCode: EPA Method 8021B: Volatiles Client ID: PBS Batch ID: 51914 RunNo: 68276 Prep Date: 4/17/2020 Analysis Date: 4/21/2020 SeqNo: 2361753 Units: mg/Kg Analyte PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD **RPDLimit** Qual Methyl tert-butyl ether (MTBE) ND 0.10 Benzene ND 0.025 Toluene ND 0.050 Ethylbenzene ND 0.050 Xylenes, Total ND 0.10 Surr: 4-Bromofluorobenzene 1.0 1.000 102 80 120

Sample ID: LCS-51914	SampT	ype: LC	s	Tes	tCode: El	PA Method	8021B: Volatiles					
Client ID: LCSS	Batcl	n ID: 51 9	914	F	RunNo: 6	8276						
Prep Date: 4/17/2020	Analysis D	Date: 4/	20/2020	5	SeqNo: 2	361754	Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual		
Methyl tert-butyl ether (MTBE)	0.95	0.10	1.000	0	95.1	20.7	175					
Benzene	0.84	0.025	1.000	0	84.4	80	120					
Toluene	0.88	0.050	1.000	0	88.1	80	120					
Ethylbenzene	0.89	0.050	1.000	0	89.1	80	120					
Xylenes, Total	2.7	0.10	3.000	0	89.8	80	120					
Surr: 4-Bromofluorobenzene	1.0		1.000		101	80	120					

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 46 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004814

24-Apr-20

Client:

Souder, Miller & Associates

Project:

Abe Unit 2

Sample ID: 2004814-017ams

SampType: MS TestCode: EPA Method 8260B: Volatiles Short List

Client ID: L4-3' Batch ID: 51923 RunNo: 68325

Prep Date: 4/18/2020	Analysis D	oate: 4/ 2	21/2020	SeqNo: 2363882			Units: mg/K			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.12	0.9814	0	94.4	70	130			
Toluene	0.98	0.25	0.9814	0	99.5	70	130			
Ethylbenzene	1.0	0.25	0.9814	0	103	70	130			
Xylenes, Total	3.0	0.49	2.944	0	103	70	130			
Surr: 1,2-Dichloroethane-d4	2.4		2.453		99.2	70	130			
Surr: 4-Bromofluorobenzene	2.3		2.453		95.7	70	130			
Surr: Dibromofluoromethane	2.5		2.453		103	70	130			
Surr: Toluene-d8	2.4		2.453		99.7	70	130			

Sample ID: 2004814-017amsd SampType: MSD TestCode: EPA Method 8260B: Volatiles Short List

Client ID: L4-3' Batch ID: 51923 RunNo: 68325

Prep Date: 4/18/2020 Analysis Date: 4/21/2020 SeaNo: 2363883 Units: ma/Ka

Prep Date. 4/16/2020	Allalysis L	Jaie. 4/	21/2020	Seqino. 2303003			Office. Ing/r	.g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.12	0.9970	0	90.4	70	130	2.82	20	
Toluene	0.96	0.25	0.9970	0	96.3	70	130	1.76	20	
Ethylbenzene	1.0	0.25	0.9970	0	102	70	130	0.0819	0	
Xylenes, Total	3.0	0.50	2.991	0	101	70	130	0.647	0	
Surr: 1,2-Dichloroethane-d4	2.5		2.493		98.5	70	130	0	0	
Surr: 4-Bromofluorobenzene	2.5		2.493		99.4	70	130	0	0	
Surr: Dibromofluoromethane	2.5		2.493		101	70	130	0	0	
Surr: Toluene-d8	2.5		2.493		98.5	70	130	0	0	

Sample ID: Ics-51923	SampT	SampType: LCS TestCode: EPA Method 8						iles Short	List	
Client ID: LCSS	Batcl	h ID: 51 9	923	F	RunNo: 6	8325				
Prep Date: 4/18/2020	Analysis D	Date: 4/ 2	21/2020	SeqNo: 2363904			Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.94	0.025	1.000	0	93.6	70	130			
Toluene	1.0	0.050	1.000	0	102	70	130			
Ethylbenzene	1.1	0.050	1.000	0	106	70	130			
Xylenes, Total	3.2	0.10	3.000	0	105	70	130			
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		96.3	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		100	70	130			
Surr: Dibromofluoromethane	0.50		0.5000		100	70	130			
Surr: Toluene-d8	0.48		0.5000		96.2	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- Sample Diluted Due to Matrix
- Holding times for preparation or analysis exceeded
- Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- % Recovery outside of range due to dilution or matrix

- Analyte detected in the associated Method Blank
- Value above quantitation range
- Analyte detected below quantitation limits
- Sample pH Not In Range
- Reporting Limit

Page 47 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814**

24-Apr-20

Client:

Souder, Miller & Associates

Project: Abe Unit 2

Abe UI	III 2									
Sample ID: mb-51923	SampT	уре: МЕ	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: PBS	Batch	n ID: 51 9	923	F	tunNo: 6	8325				
Prep Date: 4/18/2020	Analysis D	ate: 4/	21/2020	S	SeqNo: 2	363906	Units: mg/K	g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.48		0.5000		96.2	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		98.7	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		97.8	70	130			
Surr: Toluene-d8	0.49		0.5000		97.5	70	130			
Sample ID: mb-51926	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: PBS	Batch	n ID: 51 9	926	F	tunNo: 6	8351				
Prep Date: 4/18/2020	Analysis D	ate: 4/	22/2020	5	SeqNo: 2	364735	Units: mg/K	.g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 1,2-Dichloroethane-d4	0.46		0.5000		92.8	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		99.9	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		97.4	70	130			
Surr: Toluene-d8	0.49		0.5000		98.1	70	130			
Sample ID: mb-51993	SampT	ype: ME	BLK	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: PBS	Batch	n ID: 51 9	993	F	tunNo: 6	8351				
Prep Date: 4/21/2020	Analysis D	ate: 4/	23/2020	8	SeqNo: 2	364736	Units: %Red	:		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.46		0.5000		91.5	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		100	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.6	70	130			
Surr: Toluene-d8	0.50		0.5000		100	70	130			
Sample ID: Ics-51926	SampT	ype: LC	s	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: LCSS	Batch	n ID: 51 !	926	F	lunNo: 6	8351				
Prep Date: 4/18/2020	Analysis D	ate: 4/	22/2020	9	SeqNo: 2	364760	Units: mg/K	g		
Analyte	Result	PQL		SPK Ref Val		LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.93	0.025	1.000	0	93.3	70	130			

Qualifiers:

Toluene

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

B Analyte detected in the associated Method Blank

106

70

130

- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

0

0.050

1.1

1.000

Page 48 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814**

24-Apr-20

Client: So

Souder, Miller & Associates

Project: Abe Unit 2

Sample ID: Ics-51926	SampT	ype: LC	s	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: LCSS	Batch	n ID: 51	926	F	RunNo: 6	8351				
Prep Date: 4/18/2020	Analysis D	ate: 4/	/22/2020	S	SeqNo: 2	364760	Units: mg/K	(g		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.47		0.5000		94.2	70	130			
Surr: 4-Bromofluorobenzene	0.50		0.5000		100	70	130			
Surr: Dibromofluoromethane	0.50		0.5000		99.8	70	130			
Surr: Toluene-d8	0.49		0.5000		97.7	70	130			

Sample ID: Ics-51993	SampT	ype: LC	s	Tes	tCode: El	PA Method	8260B: Volat	iles Short	List	
Client ID: LCSS	Batch	n ID: 51	993	F	RunNo: 6	8351				
Prep Date: 4/21/2020	Analysis D)ate: 4/	23/2020	S	SeqNo: 2	364761	Units: %Red	3		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 1,2-Dichloroethane-d4	0.46		0.5000		91.0	70	130			
Surr: 4-Bromofluorobenzene	0.49		0.5000		98.0	70	130			
Surr: Dibromofluoromethane	0.49		0.5000		98.9	70	130			
Surr: Toluene-d8	0.50		0.5000		100	70	130			

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 49 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: **2004814**

24-Apr-20

Client:

Souder, Miller & Associates

Project:

Abe Unit 2

Project: Abe Unit	i 2								
Sample ID: mb-51923	SampType: M	BLK	Test	tCode: EF	PA Method	8015D Mod:	Gasoline	Range	
Client ID: PBS	Batch ID: 5	1923	R	tunNo: 6	8325				
Prep Date: 4/18/2020	Analysis Date: 4	/21/2020	S	SeqNo: 2	363951	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND 5.0			00.0	70	120			
Surr: BFB	500	500.0		99.0	70	130			
Sample ID: Ics-51923	SampType: L	CS	Test	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: LCSS	Batch ID: 5	1923	R	tunNo: 68	8325				
Prep Date: 4/18/2020	Analysis Date: 4	/21/2020	S	SeqNo: 23	363974	Units: mg/K	(g		
Analyte	Result PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22 5.0		0	86.9	70 70	130			
Surr: BFB	470	500.0		94.8	70	130			
Sample ID: mb-51926	SampType: M	BLK	Test	tCode: Ef	PA Method	8015D Mod:	Gasoline	Range	
Client ID: PBS	Batch ID: 5	1926	R	tunNo: 6	8351				
Prep Date: 4/18/2020	Analysis Date: 4	/22/2020	S	SeqNo: 2	364764	Units: mg/K	(g		
Analyte	Result PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO) Surr: BFB	ND 5.0 480	500.0		97.0	70	130			
	400	300.0		37.0	70	130			
Sample ID: mb-51993	SampType: M	BLK	Test	tCode: Ef	PA Method	8015D Mod:	Gasoline	Range	
Client ID: PBS	Batch ID: 5			tunNo: 68					
Prep Date: 4/21/2020	Analysis Date: 4	/23/2020	S	SeqNo: 2	364765	Units: %Re	С		
Analyte	Result PQL		SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	510	500.0		101	70	130			
Sample ID: 2004814-038ams	SampType: M	s	Test	tCode: Ef	PA Method	8015D Mod:	Gasoline	Range	
Client ID: L9-1'	Batch ID: 5	1926	R	tunNo: 6	8351				
Prep Date: 4/18/2020	Analysis Date: 4	/22/2020	S	SeqNo: 2	364769	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23 9.9		0	91.4	70	130			
Surr: BFB	980	985.2		99.9	70	130			
Sample ID: 2004814-038amso	d SampType: M	SD	Test	tCode: El	PA Method	8015D Mod:	Gasoline	Range	
Client ID: L9-1'	Batch ID: 5	1926	R	tunNo: 6	8351				
Prep Date: 4/18/2020	Analysis Date: 4	/22/2020	S	SeqNo: 2	364770	Units: mg/K	(g		
Analyte	Result PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22 10	24.93	0	89.1	70	130	1.38	20	

Qualifiers:

- Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quanitative Limit
- S % Recovery outside of range due to dilution or matrix

- B Analyte detected in the associated Method Blank
- E Value above quantitation range
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

Page 50 of 51

Hall Environmental Analysis Laboratory, Inc.

WO#: 2004814

24-Apr-20

Client:

Souder, Miller & Associates

Project:

Abe Unit 2

Sample ID: 2004814-038amsd

SampType: MSD

TestCode: EPA Method 8015D Mod: Gasoline Range

Client ID: L9-1'

Batch ID: 51926

RunNo: 68351

Prep Date: 4/18/2020 Analysis Date: 4/22/2020

Result

1000

SeqNo: 2364770

Units: mg/Kg

Qual

Analyte Surr: BFB

SPK value SPK Ref Val

%REC LowLimit 101

HighLimit %RPD 130

RPDLimit

Sample ID: Ics-51926 Client ID: LCSS

SampType: LCS Batch ID: 51926 Analysis Date: 4/22/2020

RunNo: 68351

Units: mg/Kg

RPDLimit

Analyte Gasoline Range Organics (GRO) Surr: BFB

Prep Date:

4/21/2020

4/18/2020

Result PQL 24 5.0 SPK value SPK Ref Val 25.00 0

997.0

500.0

%REC LowLimit 95.4 98.8

SeqNo: 2364787

HighLimit 70 130 70 130

TestCode: EPA Method 8015D Mod: Gasoline Range

%RPD

Qual

Sample ID: Ics-51993

SampType: LCS

TestCode: EPA Method 8015D Mod: Gasoline Range

%RPD

Client ID: LCSS

Batch ID: 51993

490

490

RunNo: 68351

Units: %Rec

Analyte

Analysis Date: 4/23/2020

PQL

SeqNo: 2364788

LowLimit

HighLimit

RPDLimit Qual

Surr: BFB

Prep Date:

Result

500.0

SPK value SPK Ref Val %REC

98.7

70

Qualifiers:

Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix Holding times for preparation or analysis exceeded

Not Detected at the Reporting Limit PQL Practical Quanitative Limit

% Recovery outside of range due to dilution or matrix

Analyte detected in the associated Method Blank

Value above quantitation range

Analyte detected below quantitation limits

Sample pH Not In Range

Reporting Limit

Page 51 of 51



Hall Environmental Analysis Laboratory 4901 Hawkins NE Albuquerque, NM 87109

TEL: 505-345-3975 FAX: 505-345-4107 Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name:	SMA-CARLSBAD	Work Orde	er Number: 2	004814		RcptNo:	1
Received By:	Desiree Dominguez	4/17/2020	8:45		THE		
Completed By:	Desiree Dominguez	4/17/2020 8			1		
Reviewed By:	_T()	4/17/20	27.50 AW		173		
Neviewed By.		9/11/20					
Chain of Cus	stodv						
	ustody sufficiently complete	?	Y	es 🗸	No 🗌	Not Present	
2. How was the	sample delivered?		C	ourier			
l on la							
<u>Log In</u> 3. Was an atten	npt made to cool the sample	957	v	es 🗸	No 🗌	NA 🗆	
Trub all allon	the made to door the sample	.5:		cs <u>v</u>	NO	NA 🗆	
4. Were all sam	ples received at a temperati	ure of >0° C to 6.0)°C Y	es 🗸	No 🗌	NA 🗆	
5. Sample(s) in	proper container(s)?			es 🗸	No 🗆		
or campic(c) iii	proper container(s):			es <u>•</u>	110		
6. Sufficient san	nple volume for indicated tes	st(s)?	Ye	es 🗸	No 🗌		
7. Are samples	(except VOA and ONG) prop	perly preserved?	Ye	es 🗸	No 🗌		
8. Was preserva	tive added to bottles?		Ye	es 🗌	No 🗸	NA 🗌	
9. Received at le	east 1 vial with headspace <	1/4" for AQ VOA?	Ye	es 🗌	No 🗌	NA 🗸	
10. Were any sar	mple containers received br	oken?	Υ	es 🗆	No 🗸		
						# of preserved bottles checked	
	ork match bottle labels? ancies on chain of custody)		Ye	es 🗸	No 🗌	for pH:	>12 unless noted)
	correctly identified on Chain	of Custody?	Ye	es 🗸	No 🗆	Adjusted?	2 dilless floted)
	t analyses were requested?	107.0		es 🗸	No 🗆		, ,
	ng times able to be met?			es 🗸	No 🗌	Checked by: S	PA 4/17/2
(If no, notify c	ustomer for authorization.)						
Special Hand	ling (if applicable)						
15. Was client no	otified of all discrepancies w	ith this order?	Y	es 🗌	No 🗌	NA 🗸	
Person	Notified:	CHANGE TO THE PROPERTY OF	Date:	The state of the s			
By Who	om:		Via:	eMail [] Phone [] Fax	☐ In Person	
Regard	ling:	THE RESIDENCE OF THE PROPERTY		THE PERSON NAMED AND ADDRESS OF THE PERSON NAMED AND ADDRESS O			
Client I	nstructions:						
16. Additional re	marks:						
17. Cooler Info	rmation						
Cooler No			al No Sea	l Date	Signed By		
1	3.4 Good	Not Present					

O	hain	-of-C	Chain-of-Custody Record	Turn-Around Time:	Time: 5 olcul	no.			_				-		ĺ		Receive
Client:	S	14		☑ Standard	□ Rush		_ L						¥ _	HALL ENVIKONMENTAL ANALYSTS LABORATOR	A C	. >	ad hv
				Project Name:						WWW	haller		l them	www hallenvironmental com			OCI
Mailing	Mailing Address:			Ahe	C# tivo	6		4901	4901 Hawkins NE	N sui	į ,	lbuan	eraue	Albuqueraue, NM 87109		,	0.6/
				Project #:				Tel.	505-345-3975	15-39		Fax	505	505-345-4107			22/21
Phone #:	#:										Ana	Analysis	Request	iest			20 1
email or Fax#:	Fax#:			Project Manag	ger:		(1	(0			70	70		(th			7.10
QA/QC F	QA/QC Package:						805			SW	S (- (t-		psq		202	.28
⊈ Standard	dard		□ Level 4 (Full Validation)	Ashley	Moxivell) s,8			IS0	Эа			∀∖Ju		11/1	4 M
Accreditation:	tation:	□ Az Cc	mpliance	ان -	SOVILAR		3MT			728	ON	17	(iəsə.			
- 1	AC AC	□ Other			☑ Yes	oN □	13			10 (AC	1日)			
	EDD (Type)			# of Coolers:			38.			018) / -!	ım			
				Cooler Temp(including CF):	(including CF): 3 1	1-0.0=3.4 (°C)	TM		1000	8 K			imə	olilo			
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL NO.	BTEX	08:H9T 99 1808	EDB (W	d sHAq	RCRA 8	V) 0928	S) 07 <u>2</u> 8	O latoT			
Hibizo	8:42	Soil	LI-0.51	402	1000	100-	7	<i>)</i>			*						
	8:50		11-17			600-											
	8:53	-	12-17			- 003					-						Т
	8:55		11-31			h00-					1	2					Т-
	00=6		11-41			500-					-	70					_
	4:01		12-0.5'			900-											Т
	9:09		13-11			F00 -											Т-
	9:11		13-31			300 -											Т
	9:15		12-31			600-					1	3	0				Т
_	04:40	_	12-6.51			010-											_
1	वःसम		12-11			110-	_				1	Z	0				Т
7	9:45	4	13-21	4	7	210-	-	4		= =	\rightarrow						
Date: Time:	Time:	Relinquished by:	ed by:	Received by:	Via:	Date Time	Remarks:	arks:								1 48	Par
Date:	Time:	Refinquished by:	ed by:	Received by:	Via:	Date Time										,0 10	20 15
0/16	2	7	Value ye		courier i	4/17/20 B:45	2	\geq	Marethen	hor	(-)	mectiv	7			o oj	0 of
±	f necessary,	samples sub	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.	ontracted to other a	scredited laboratorie	es. This serves as notice of thi	s possibil	ity. Any	sub-cor	tracted	data will	be clear	ly notat	ed on the analytical r	eport.		101

Ö	hain	-of-Cu	Chain-of-Custody Record	Turn-Around Time:	Time: 5 okul	and				5				A FINE PAIN COLLAND	<u> </u>	E	Receive
Client:	2	14		☐ Standard	d 🗆 Rush	sh	J L		7 [ANAI YSTS I ABORATORY			
				Project Name:						WWW	haller	vironr	www.hallenvironmental.com	L CO			
Mailing Address:	Address	S:		Alpo	# +10()	#2		490	1 Haw	4901 Hawkins NE	,	pnanq	erdue.	Albuqueraue. NM 87109	109): 0/ ₂
				Project #:	1			Te	. 505-	Tel. 505-345-3975		Fax	505-34	Fax 505-345-4107			42/20
Phone #:	4.1										Ana	lysis	Analysis Request	st			20 /
email or Fax#:	Fax#:			Project Manager:	ager:		(1	(0	-		70		(ţu	(111			:49
QA/QC Package:	ackage:			s 18			805	AM.	s'a:	SW	SYC			loca.			:20 /
☑ Standard	dard		□ Level 4 (Full Validation)	Ashley	Maxwell	11) s,s	/ O?	ЪС	IS0)d			///			41 <i>M</i>
Accreditation:	ation:	□ Az Co	☐ Az Compliance	Sampler:	200	1	EMT	N DE			ON	N-905**		1000			
□ NELAC	ပ္စ	□ Other		On Ice:	™ Yes	ON 🗆	L / :	05						\			
□ EDD	EDD (Type)			# of Coolers:	_		400	(GF									
				Cooler Temp(including cF): 3	O(including CF): 3	.4-0.0= 3.4 ((S)	JSI						01110			
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL No.	BTEX	08:H9T	9081 P(N) BQ3	d sHA9	RCRA:	v) 09Z8	2) 0728 2 letoT	O lstoT	_	`	
7/16/10 G:47	Ch:b	Sil	13-3	1402	C001	-013	×	X			Α.	-			-		
	9:55	-	15-0-47			h10-	_										
	19:b		11-17			210-											
	9:59		16-47			910-					1	2	8				
	TO:01		16-47			F10-					1	-	D				
	60:01		15-0.51			310-											
	10:17		15-11			610-					-						
	61:01		15-21			020 -					1	N	10				
	10:15		15-31			-021	_				1	2	0				
	97:01		Lie-0.51			-025											
	10:30		11-97			-023											
-1	W:32	_)	16-31	7	-)	-024	T				X	2	0				
Date: 1	Time: 1427	Relinquished by:	ed by:	Received by:	War.	Date Time	Ren	Remarks:									Pag
Date: T	Time:	Relinquished by	ed by:	Received by:	Via:	Date Time	/2	2.	\leq	1 200	Š	(-		T			e 151 oj
	necessary	, samples sub	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.	ontracted to other	accredited laborate	ories. This serves as notice o	f this possi	bility. A	ny sub-co	UNI CN 1	data will	oe clearl	notated	on the and	alytical re	port.	194

							1								Ked	70 -
	hain	-of-Cu	Chain-of-Custody Record	Turn-Around	Time:	carl			2	1		1	CHIVIDORIMERITA			
Client:	S	MA		☑ Standard	□ Rush		Л				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2	MALL ENVIRONMENTAL ANALYSTS LABORATORY	ALVE	b	
				Project Name:	ä			a	>	d www) allenvir		www hallenvironmental com		_	OCI
Mailing	Mailing Address:	S:		Albo	101 #2	7		4901 Hawkins NF	, Jawkir	T L	- Albi		Albuquerque NM 87109		D: 6 /.	D. ()
				Project #:				Tel. 5	505-345-3975	3976		Fax 505	505-345-4107	Ī	22/2(22/2/
Phone #:	#:										Inal	is Re	Request		20	030
email c	email or Fax#:			Project Manag	ger:			(0			ÞО		(tr		7:49	7.40
QA/QC	QA/QC Package:		Ovel 4 (E.ill Melidation)		2					SWIS	S ԠO		nəsdA'		28 A	.20 4
7000	itotion.	7	maliano	2	IN COXONE					3043	ا ' ^۲ (диə		<u> </u>	L.C
D NELAC	ACCI EUIRAIIOII.		Inpliance	Sampler: On Ice:	30V/ LAP ▼ Yes	No No						(A				
	EDD (Type)			# of Coolers:		1252					103'					
				Cooler Temp(including CF):	(including CF): 3, L	++0.0=3.4 (°C)					۲, ۱		35000			
Date	Time	Matrix	Sample Name	Container Type and #	Preservative Type	HEAL NO.	ELEX	108:H9T 99 1808	EDB (W	РАНs b <u>у</u> 8 АЯЭЯ	G)F, B	V) 0928 82) 0728	oO lstoT			
Hillery	(0:35	Soil	L16-31	402	C_{CO}	520 -										T
	10:31		14-97			920 -					1		T I			1
	10:42		15-0-17			£20 -									-	T
	10:44		17-17			820-				-						T -
	10:46		17-27			620-					1	-	- {		-	_
	10:48		17-31			-030					+					T
	10:50		14-27			-031					1					1
_	11:10		18-0-87			-032										_
	11:12		1-8-1,			-033					_					T-
	11:15		L8-2'			hE0-					1		(_
-	11:17		18-31			520-					1					_
\rightarrow	11:20	+	14-87	7	7	-036	7	1			Y	2_				
Date:		Relinquished by:	Ja Ja	Received by:	Via:	Date Time	Remarks:	rks:							Po	T 70
4) 116/20 Date: /	Time:	Refinquished by	licen Choyce	Received by:	Via:	Date Time									age .	
T	(90)	7	al Sh	0	courier	3	a	7:11	2	7.00	2	C	W. H.J. av.		152 of	150 -
1	If necessary,	, samples sub	If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.	intracted to other ac	credited laboratories	s. This serves as notice of this	possibilit	y. Any su	ub-contra	cted dat	a will be cl	early not	ated on the analytica	al report.	194	Tro.

Received by OCI	D: 6/22	/2020	7:4	9:28 AM													Τ	Page	e 153 of	19
HALL ENVIRONMENTAL ANALYSIS LABORATORY	www.hallenvironmental.com 4901 Hawkins NE - Albuquerque, NM 87109		ysis kedu	SIMS PO ₄ , SO	10 ² ,	or 8 3, <i>N</i>	310 etal: NO:	8 M 8 m 3r, VOV	7) 0828 3) 0728	×				+					Miscellan Thought	early notated
	901 F	Tel. 5(W-750	100 M2 A2		Ⅰ 1808									(S:	2.0	Any su
	4		0.00	(1208) s OAM \ C						X				7				Remarks:	سليا	ssibility.
Turn-Around Time: 5 dowy Standard □ Rush Project Name:	Abe Unit #2	Project #:		Asher Markell	Sampler:	以 Yes	100	Cooler Lemp(including CF): S. 4 - 0 , 0 = 3, 4 (C)	Container Preservative HEAL No.	-637	~038	-039	040-	140- T T				Wisight Date Time 1432	Received by: Via: Date Time	ratories. This serves as r
Chain-of-Custody Record	Mailing Address:	77	email or Fax#:	QA/QC Package: Standard Level 4 (Full Validation)	n: 🗆 Az Cor	- 1	□ EDD (Type)		Date Time Matrix Sample Name	4/16/20 10:52 501 1589-0.51	11-657 15:01	10:58 159 21 30	T 11:07 T LS9-41	10:56 1 159-21				Date: Time: Relinquished by:	Date: Time: Refinquished by:	If necessary, samples submitted to Hall Environmental may be su

Analytical Report


Report Summary

Client: Souder Miller Associates - Carlsbad

Samples Received: 5/27/2020 Job Number: 19026-0001 Work Order: P005082

Project Name/Location: CL-20.00916/ Abe Unit #2

Report Reviewed By:	Walter Hinkman	Date:	5/29/20	
_				





Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.

Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.

Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.

Souder Miller Associates - Carlsbad Project Name: CL-20.00916/Abe Unit #2

201 S Halagueno St.Project Number:19026-0001Reported:Carlsbad NM, 88220Project Manager:Ashley Maxwell05/29/20 10:50

Analytical Report for Samples

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Pad Overspray CSL1- Surface	P005082-01A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pad Overspray CSL2- Surface	P005082-02A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pad Overspray CSL3- Surface	P005082-03A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL1- Surface	P005082-04A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL2- Surface	P005082-05A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL3- Surface	P005082-06A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL4- Surface	P005082-07A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL5- Surface	P005082-08A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL6- Surface	P005082-09A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL7- Surface	P005082-10A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL8- Surface	P005082-11A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Pasture Overspray CSL9-0.5'	P005082-12A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 1-2'	P005082-13A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 2-2'	P005082-14A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 3-2'	P005082-15A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 4-2'	P005082-16A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 5-2'	P005082-17A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 6-1'	P005082-18A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 7-1'	P005082-19A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
Concentrated area CSL 8-1'	P005082-20A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW1	P005082-21A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW2	P005082-22A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW3	P005082-23A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW4	P005082-24A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW5	P005082-25A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW6	P005082-26A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.
SW7	P005082-27A	Soil	05/22/20	05/27/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pad Overspray CSL1- Surface P005082-01 (Solid)

			02-01 (50	iiu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-	150	2022011	05/27/20	05/27/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		78.5 %	50-	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.7 %	50-	150	2022011	05/27/20	05/27/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pad Overspray CSL2- Surface P005082-02 (Solid)

		Reporting	02 02 (50						
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-	150	2022011	05/27/20	05/27/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	.0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		81.2 %	50-	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.8 %	50-	150	2022011	05/27/20	05/27/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pad Overspray CSL3- Surface P005082-03 (Solid)

		Reporting	02 05 (50)						
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-	150	2022011	05/27/20	05/27/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	.0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		78.2 %	50	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/27/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.5 %	50-	150	2022011	05/27/20	05/27/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL1- Surface P005082-04 (Solid)

			02-04 (501	iuj					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-1	150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		82.8 %	50-2	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.7 %	50-1	150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL2- Surface P005082-05 (Solid)

r 003062-03 (S0Hu)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/OI	RO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		83.3 %	50-	-200	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.6 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL3- Surface P005082-06 (Solid)

			02-00 (301	iu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/	ORO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		83.8 %	50-2	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.6 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL4- Surface P005082-07 (Solid)

r 003002-07 (S0Hu)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/Ol	RO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		80.4 %	50-	-200	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.6 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL5- Surface P005082-08 (Solid)

		Reporting	02 00 (501						
		reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-1	150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/Ol	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		90.2 %	50-2	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	_
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.0 %	50-1	150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL6- Surface P005082-09 (Solid)

P005082-09 (S0IId)												
		Reporting			·	·						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes			
Volatile Organics by EPA 8021												
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B				
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8021B				
Nonhalogenated Organics by 8015 - DRO	ORO											
Diesel Range Organics (C10-C28)	30.0	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D				
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D				
Surrogate: n-Nonane		86.0 %	50-2	00	2022005	05/27/20	05/27/20	EPA 8015D				
Nonhalogenated Organics by 8015 - GRO												
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D				
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.9 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8015D				
Anions by 300.0/9056A												
Chloride	28.7	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A				

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL7- Surface P005082-10 (Solid)

			02-10 (30	iiu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-	150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OF	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		85.9 %	50-	200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.9 %	50-	150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	22.2	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL8- Surface P005082-11 (Solid)

			02-11 (50	iiu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/Ol	RO								
Diesel Range Organics (C10-C28)	32.6	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		87.5 %	50-	-200	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.0 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	21.7	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Pasture Overspray CSL9-0.5' P005082-12 (Solid)

P005082-12 (S0IId)											
		Reporting	·		·						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/O	ORO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		73.4 %	50-2	00	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.9 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/27/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 1-2' P005082-13 (Solid)

			02-13 (SUII	u)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		80.9 %	50-2	00	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.8 %	50-1	50	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 2-2' P005082-14 (Solid)

			02-14 (SUII	uj					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-1.	50	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		79.8 %	50-20	00	2022005	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		88.4 %	50-1.	50	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 3-2' P005082-15 (Solid)

F005082-15 (S0Hd)											
		Reporting				·					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-15	50	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/6	ORO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		74.0 %	50-20	00	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.7 %	50-15	50	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 4-2' P005082-16 (Solid)

r 003002-10 (S0Hu)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/Ol	RO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		62.6 %	50-	-200	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.3 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 5-2' P005082-17 (Solid)

rv03062-17 (S0Hu)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		106 %	50-	150	2022011	05/27/20	05/28/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/Ol	RO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		79.2 %	50-	200	2022005	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.8 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 6-1' P005082-18 (Solid)

		Reporting	02 10 (50						
		Keporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		104 %	50-	-150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D	
Surrogate: n-Nonane		79.3 %	50-	-200	2022005	05/27/20	05/28/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.0 %	50-	150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

19026-0001

Ashley Maxwell

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: **Reported:** 05/29/20 10:50

Concentrated area CSL 7-1' P005082-19 (Solid)

			02-17 (30	iiu)					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-	150	2022011	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D	
Surrogate: n-Nonane		84.2 %	50-	200	2022005	05/27/20	05/28/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		86.8 %	50-	150	2022011	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Concentrated area CSL 8-1' P005082-20 (Solid)

F005082-20 (S0Hd)											
		Reporting	·			·					
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		104 %	50-1:	50	2022011	05/27/20	05/28/20	EPA 8021B	_		
Nonhalogenated Organics by 8015 - DRO/6	ORO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022005	05/27/20	05/28/20	EPA 8015D			
Surrogate: n-Nonane		81.5 %	50-20	00	2022005	05/27/20	05/28/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022011	05/27/20	05/28/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		87.9 %	50-1:	50	2022011	05/27/20	05/28/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022013	05/27/20	05/28/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: 19026-0001 Ashley Maxwell **Reported:** 05/29/20 10:50

SW1

P005082-21 (Solid)

100002 21 (0010)											
		Reporting									
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes		
Volatile Organics by EPA 8021											
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B			
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-1	150	2022012	05/27/20	05/27/20	EPA 8021B			
Nonhalogenated Organics by 8015 - DRO/O	RO										
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D			
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D			
Surrogate: n-Nonane		82.7 %	50-2	200	2022006	05/27/20	05/27/20	EPA 8015D			
Nonhalogenated Organics by 8015 - GRO											
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8015D			
Surrogate: 1-Chloro-4-fluorobenzene-FID		93.0 %	50-1	150	2022012	05/27/20	05/27/20	EPA 8015D			
Anions by 300.0/9056A											
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: 19026-0001 Ashley Maxwell **Reported:** 05/29/20 10:50

SW2 P005082-22 (Solid)

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-15	50	2022012	05/27/20	05/27/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		88.5 %	50-20	00	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.9 %	50-15	50	2022012	05/27/20	05/27/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

SW3 P005082-23 (Solid)

		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		105 %	50-1.	50	2022012	05/27/20	05/27/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	ORO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		87.2 %	50-20	00	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/27/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		91.4 %	50-1.	50	2022012	05/27/20	05/27/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

19026-0001

Ashley Maxwell

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: **Reported:** 05/29/20 10:50

SW4 P005082-24 (Solid)

		Reporting	02 24 (50						
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-	150	2022012	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/O	RO								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		87.6 %	50-	200	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		93.3 %	50-	150	2022012	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

19026-0001

Ashley Maxwell

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: **Reported:** 05/29/20 10:50

SW5 P005082-25 (Solid)

		Reporting	02 23 (50						
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		107 %	50-	150	2022012	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		82.6 %	50-	200	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		91.4 %	50-	150	2022012	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: 19026-0001 Ashley Maxwell **Reported:** 05/29/20 10:50

SW6 P005082-26 (Solid)

			02 20 (50						
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		108 %	50-	150	2022012	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		87.1 %	50-	-200	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		91.7 %	50-	150	2022012	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: Project Manager: 19026-0001 Ashley Maxwell Reported:

05/29/20 10:50

SW7 P005082-27 (Solid)

			02-27 (30	iiu,					
		Reporting							
Analyte	Result	Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Volatile Organics by EPA 8021									
Benzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Toluene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Ethylbenzene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
p,m-Xylene	ND	0.0500	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
o-Xylene	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Total Xylenes	ND	0.0250	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8021B	
Surrogate: 4-Bromochlorobenzene-PID		109 %	50-	150	2022012	05/27/20	05/28/20	EPA 8021B	
Nonhalogenated Organics by 8015 - DRO/OR	0								
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Oil Range Organics (C28-C40)	ND	50.0	mg/kg	1	2022006	05/27/20	05/27/20	EPA 8015D	
Surrogate: n-Nonane		84.6 %	50-	200	2022006	05/27/20	05/27/20	EPA 8015D	
Nonhalogenated Organics by 8015 - GRO									
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg	1	2022012	05/27/20	05/28/20	EPA 8015D	
Surrogate: 1-Chloro-4-fluorobenzene-FID		92.7 %	50-	-150	2022012	05/27/20	05/28/20	EPA 8015D	
Anions by 300.0/9056A									
Chloride	ND	20.0	mg/kg	1	2022014	05/27/20	05/28/20	EPA 300.0/9056A	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

CL-20.00916/ Abe Unit #2

19026-0001

Ashley Maxwell

201 S Halagueno St. Carlsbad NM, 88220

Project Number: Project Manager:

Reported: 05/29/20 10:50

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2022011 - Purge and Trap EPA 5030A										
Blank (2022011-BLK1)				Prepared &	Analyzed:	05/27/20 1	<u> </u>			
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
p,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.25		"	8.00		103	50-150			
LCS (2022011-BS1)				Prepared: ()5/27/20 1 A	Analyzed: 0	5/28/20 1			
Benzene	4.98	0.0250	mg/kg	5.00		99.6	70-130			
Toluene	5.07	0.0250	"	5.00		101	70-130			
Ethylbenzene	5.02	0.0250	"	5.00		100	70-130			
p,m-Xylene	9.99	0.0500	"	10.0		99.9	70-130			
o-Xylene	4.98	0.0250	"	5.00		99.7	70-130			
Total Xylenes	15.0	0.0250	"	15.0		99.9	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.40		"	8.00		105	50-150			
Matrix Spike (2022011-MS1)	Sou	rce: P005082-	01	Prepared: (05/27/20 1 A	Analyzed: (05/28/20 1			
Benzene	4.90	0.0250	mg/kg	5.00	ND	98.1	54.3-133			
Toluene	5.03	0.0250	"	5.00	ND	101	61.4-130			
Ethylbenzene	4.99	0.0250	"	5.00	ND	99.8	61.4-133			
p,m-Xylene	9.89	0.0500	"	10.0	ND	98.9	63.3-131			
o-Xylene	4.89	0.0250	"	5.00	ND	97.7	63.3-131			
Total Xylenes	14.8	0.0250	"	15.0	ND	98.5	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.40		"	8.00		105	50-150			
Matrix Spike Dup (2022011-MSD1)	Sou	rce: P005082-	01	Prepared: ()5/27/20 1 A	Analyzed: 0	05/28/20 1			
Benzene	5.12	0.0250	mg/kg	5.00	ND	102	54.3-133	4.28	20	
Toluene	5.27	0.0250	"	5.00	ND	105	61.4-130	4.58	20	
Ethylbenzene	5.21	0.0250	"	5.00	ND	104	61.4-133	4.32	20	
p,m-Xylene	10.3	0.0500	"	10.0	ND	103	63.3-131	4.53	20	
o-Xylene	5.13	0.0250	"	5.00	ND	103	63.3-131	4.88	20	
Total Xylenes	15.5	0.0250	"	15.0	ND	103	0-200	4.64	200	
Surrogate: 4-Bromochlorobenzene-PID	8.35		"	8.00		104	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Souder Miller Associates - Carlsbad Project Name: CL-20.00916/ Abe Unit #2

201 S Halagueno St. Project Number: 19026-0001 Reported: Carlsbad NM, 88220 Project Manager: Ashley Maxwell 05/29/20 10:50

Volatile Organics by EPA 8021 - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2022012 - Purge and Trap EPA 5030A										
Blank (2022012-BLK1)				Prepared &	Analyzed:	05/27/20 1				
Benzene	ND	0.0250	mg/kg							
Toluene	ND	0.0250	"							
Ethylbenzene	ND	0.0250	"							
o,m-Xylene	ND	0.0500	"							
o-Xylene	ND	0.0250	"							
Total Xylenes	ND	0.0250	"							
Surrogate: 4-Bromochlorobenzene-PID	8.23		"	8.00		103	50-150			
LCS (2022012-BS1)				Prepared &	Analyzed:	05/27/20 1				
Benzene	4.74	0.0250	mg/kg	5.00		94.7	70-130			
Toluene	4.74	0.0250	"	5.00		94.8	70-130			
Ethylbenzene	4.72	0.0250	"	5.00		94.3	70-130			
p,m-Xylene	9.46	0.0500	"	10.0		94.6	70-130			
o-Xylene	4.75	0.0250	"	5.00		95.1	70-130			
Total Xylenes	14.2	0.0250	"	15.0		94.8	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.48		"	8.00		106	50-150			
Matrix Spike (2022012-MS1)	Sour	ce: P005073-	01	Prepared: (05/27/20 1 A	Analyzed: 0	05/28/20 1			
Benzene	5.02	0.0250	mg/kg	5.00	ND	100	54.3-133			
Toluene	5.02	0.0250	"	5.00	ND	100	61.4-130			
Ethylbenzene	5.01	0.0250	"	5.00	ND	100	61.4-133			
p,m-Xylene	10.0	0.0500	"	10.0	ND	100	63.3-131			
o-Xylene	5.01	0.0250	"	5.00	ND	100	63.3-131			
Total Xylenes	15.0	0.0250	"	15.0	ND	100	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.32		"	8.00		104	50-150			
Matrix Spike Dup (2022012-MSD1)	Sour	ce: P005073-	01	Prepared: (05/27/20 1 A	Analyzed: 0	05/27/20 2			
Benzene	5.38	0.0250	mg/kg	5.00	ND	108	54.3-133	6.99	20	
Toluene	5.38	0.0250	"	5.00	ND	108	61.4-130	6.75	20	
Ethylbenzene	5.36	0.0250	"	5.00	ND	107	61.4-133	6.80	20	
o,m-Xylene	10.7	0.0500	"	10.0	ND	107	63.3-131	6.78	20	
p-Xylene	5.38	0.0250	"	5.00	ND	108	63.3-131	6.97	20	
Total Xylenes	16.1	0.0250	"	15.0	ND	107	0-200	6.84	200	
Surrogate: 4-Bromochlorobenzene-PID	8.49		"	8.00		106	50-150			-

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

envirotech-inc.com

Page 184 of 194

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

RPD	RPD Limit	Notes
2.01	20	
_	2.01	2.01 20

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

CL-20.00916/ Abe Unit #2

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Nonhalogenated Organics by 8015 - DRO/ORO - Quality Control

Envirotech Analytical Laboratory

		Reporting		Spike	Source		%REC		RPD	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2022006 - DRO Extraction EPA 3570										
Blank (2022006-BLK1)				Prepared &	Analyzed:	05/27/20 1				
Diesel Range Organics (C10-C28)	ND	25.0	mg/kg							
Oil Range Organics (C28-C40)	ND	50.0	"							
Surrogate: n-Nonane	46.6		"	50.0		93.2	50-200			
LCS (2022006-BS1)				Prepared &	Analyzed:	05/27/20 1				
Diesel Range Organics (C10-C28)	460	25.0	mg/kg	500		92.0	38-132			
Surrogate: n-Nonane	50.4		"	50.0		101	50-200			
Matrix Spike (2022006-MS1)	Sour	ce: P005082-	21	Prepared &	Analyzed:	05/27/20 1				
Diesel Range Organics (C10-C28)	444	25.0	mg/kg	500	ND	88.7	38-132			
Surrogate: n-Nonane	44.6		"	50.0		89.1	50-200			
Matrix Spike Dup (2022006-MSD1)	Sour	ce: P005082-	21	Prepared &	analyzed:	05/27/20 1				
Diesel Range Organics (C10-C28)	450	25.0	mg/kg	500	ND	90.1	38-132	1.50	20	
Surrogate: n-Nonane	46.0		"	50.0		91.9	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

Reporting

Limit

20.0

Result

51.9

7.15

CL-20.00916/ Abe Unit #2

Spike

Level

50.0

8.00

Source

Result

ND

%REC

201 S Halagueno St. Carlsbad NM, 88220

Gasoline Range Organics (C6-C10)

Surrogate: 1-Chloro-4-fluorobenzene-FID

Analyte

Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

RPD

Limit

20

Notes

%REC

Limits

70-130

50-150

89.4

RPD

5.09

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Units

Blank (2022011-BLK1)				Prepared &	Analyzed:	05/27/20 1	
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg				
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.07		"	8.00		88.4	50-150
LCS (2022011-BS2)				Prepared: 0	5/27/20 1 2	Analyzed: (5/27/20 2
Gasoline Range Organics (C6-C10)	43.4	20.0	mg/kg	50.0		86.8	70-130
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.22		"	8.00		90.2	50-150
Matrix Spike (2022011-MS2)	Source	e: P005082-	01	Prepared: 0	5/27/20 1 /	Analyzed: (05/28/20 1
Gasoline Range Organics (C6-C10)	49.3	20.0	mg/kg	50.0	ND	98.7	70-130
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.20		"	8.00		89.9	50-150
Matrix Spike Dup (2022011-MSD2)	Source	e: P005082-	01	Prepared: 0	5/27/20 1 /	Analyzed: (05/28/20 1

mg/kg

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Project Name:

Reporting

Limit

Result

7.51

CL-20.00916/ Abe Unit #2

Spike

Level

8.00

Source

Result

%REC

93.8

50-150

%REC

Limits

RPD

201 S Halagueno St. Carlsbad NM, 88220

Surrogate: 1-Chloro-4-fluorobenzene-FID

Analyte

Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

Notes

RPD

Limit

Nonhalogenated Organics by 8015 - GRO - Quality Control

Envirotech Analytical Laboratory

Units

Blank (2022012-BLK1)				Prepared &	Analyzed:	05/27/20 1				
Gasoline Range Organics (C6-C10)	ND	20.0	mg/kg							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.45		"	8.00		93.2	50-150			
LCS (2022012-BS2)				Prepared &	Analyzed:	05/27/20 1				
Gasoline Range Organics (C6-C10)	50.9	20.0	mg/kg	50.0		102	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.53		"	8.00		94.1	50-150			
Matrix Spike (2022012-MS2)	Source	: P005073-	01	Prepared: 0	5/27/20 1 /	Analyzed: 0	5/27/20 2			
Gasoline Range Organics (C6-C10)	46.8	20.0	mg/kg	50.0	ND	93.7	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.46		"	8.00		93.3	50-150			
Matrix Spike Dup (2022012-MSD2)	Source	: P005073-	01	Prepared: 0	5/27/20 1 /	Analyzed: 0	5/27/20 2			
Gasoline Range Organics (C6-C10)	49.5	20.0	mg/kg	50.0	ND	99.0	70-130	5.58	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Reporting

CL-20.00916/ Abe Unit #2

Spike

Source

%REC

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

RPD

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2022013 - Anion Extraction EPA 30	0.0/9056A									
Blank (2022013-BLK1)				Prepared &	Analyzed:	05/27/20 1				
Chloride	ND	20.0	mg/kg							
LCS (2022013-BS1)				Prepared &	Analyzed:	05/27/20 1				
Chloride	250	20.0	mg/kg	250		100	90-110			
Matrix Spike (2022013-MS1)	Source	: P005082-	01	Prepared &	k Analyzed:	05/27/20 1				
Chloride	253	20.0	mg/kg	250	ND	101	80-120			
Matrix Spike Dup (2022013-MSD1)	Source	: P005082-	01	Prepared &	Analyzed:	05/27/20 1				
Chloride	252	20.0	mg/kg	250	ND	101	80-120	0.365	20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865



Project Name:

Reporting

CL-20.00916/ Abe Unit #2

Spike

201 S Halagueno St. Carlsbad NM, 88220 Project Number: 19026-0001 Project Manager: Ashley Maxwell **Reported:** 05/29/20 10:50

RPD

%REC

Anions by 300.0/9056A - Quality Control

Envirotech Analytical Laboratory

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 2022014 - Anion Extraction EPA 30	0.0/9056A									
Blank (2022014-BLK1)				Prepared: (05/27/20 1 A	Analyzed: 0	5/28/20 0			
Chloride	ND	20.0	mg/kg							
LCS (2022014-BS1)				Prepared: (05/27/20 1 A	Analyzed: 0	5/28/20 0			
Chloride	252	20.0	mg/kg	250		101	90-110			
Matrix Spike (2022014-MS1)	Source	: P005080-	01	Prepared: (05/27/20 1 A	Analyzed: 0	5/28/20 0			
Chloride	265	20.0	mg/kg	250	ND	106	80-120			
Matrix Spike Dup (2022014-MSD1)	Source	: P005080-	01	Prepared: (05/27/20 1 A	Analyzed: 0	5/28/20 0			
Chloride	264	20.0	mg/kg	250	ND	105	80-120	0.541	20	

QC Summary Report

Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values my differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

Souder Miller Associates - Carlsbad Project Name: CL-20.00916/Abe Unit #2

201 S Halagueno St.Project Number:19026-0001Reported:Carlsbad NM, 88220Project Manager:Ashley Maxwell05/29/20 10:50

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

5796 Highway 64, Farmington, NM 87401

Ph (505) 632-0615 Fx (505) 632-1865

			ASSOCI			Report Attention		10/5		La	ab Us	e On	ly			TAT		EP	A Progra	am
				e Onil #2		eport due by:	· ·		WO#				Numbe		1D	30	RCI	RA	CWA	SDWA
			y Maku		Karrin ISOI	attention:		PC		308			Sis and					-	Cı	
			NIVIS		Table Code	City, State, Zip		10	I w			Anary	isis and	Meth	T	Т	Т		NM CO	ate UT AZ
	505)			0 0 22	And American	Phone:	*	801	8015	_		0.						H	INIVI CO	UT AZ
Email: 🍂	nley, M	axwell@	Soudern	niller.com	SCLIPSON .	mail:		(O by	to by	802.	8260	300		S N	×				X	
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID			Lab Number	DRO/ORO by 8015	GRO/DRO by	BTEX by 8021	VOC by 8260	Chloride 300.0		I CECL TOUS	BGDOC - TX				Rer	narks
945	5/22/20	Soil	402 Jus	Rad overson	ray (CSLI-Surface	1	X	X	X		χ								
947				Rad overspray	CSL	2-Sorbace 3-Sorbace SLI-Sorbace	2													
949				Rodnerspran	CSL	3-Surface	3											3		
1047				Restor Werson	all C	SLI-Surface	4													
1050						ay CSL2-Sorface	5									\perp				
1053				Pasture Di	lerspro	14 (SL3-Surface	0													
1055				Pastore C	verso	ray CSL4-Surface	7													
1058				Pushre Ou	erspr	my CSLS-Surface	8													
1100			$\perp \perp$	Pastore O	derson	ay CSL6-Surface	9									_				
1105	al Instruc		1	Pashire or	Lev So	ray CSL7-Surface	10	,	,	1		1								
Addition	ai instruc	tions:	100	3																
I, (field sample	er), attest to th	e validity and a	authenticity of	this sample. I am awar	e that tam	pering with or intentionally mislabelling the sample l													day they are s	7.00
Control of the Contro	A STATE OF THE PARTY OF THE PAR	ACTION OF THE PARTY OF THE PART		s for legal action, Samp		Lynn God						receive	d packed in	ce at an av					ubsequent day	rs.
home	ed by: (Sign	And		26-2020 0	115	Received by: (Signature)	5.26	202	Time	111.	5	Rec	eived o	n ice:		Lab	Use On N	ly		
Relipquish	ed by: (Sign	ature)	Toate	7 Time	600	Received by: (Signature)	Date S	ba	Time	:0	0	T1 AVG	Temp	°C	4 ^{T2}				T3	
				queous, O - Other _		- Comp Com Com	Containe													
						angements are made. Hazardous samples will the laboratory is limited to the amount paid for		lient o	r dispo	sed of	at the	client e	expense.	The rep	ort for	the an	alysis of th	ne abo	ve samples	
Only to thos						the laboratory is innited to the amount paid to	i on the report.													0
(=	3e	nvi	rot	ech	5796	US Highway 64, Farmington, NM 87401				F	Ph (505) 632-1	881 Fx (5	35) 632-1	865			envir	otech-inc.c	100
-	-	Anal	ytical L	aboratory	24 H	our Emergency Response Phone (800) 362-1879											labadm	in@er	virolech-in	c.com

Project In	formatio	n			Chain of Cu	ıstody										Р	age 2	of 3
Client:					Report Attention		ALE ALE	XIII (S.Y	La	ab Us	e Onl	V	E/D/19	T	AT	E	PA Progra	m E
Project:					Report due by:		Lab	WO#				umber		1D		RCRA	CWA	SDWA
Project N	lanager:				Attention:			205				2000	m					
Address:					Address:							is and M			-		Sta	te
City, Stat	e, Zip				City, State, Zip		15	15					Г	П			NM CO	
Phone:					Phone:	1	, 80	803	н		o.							J. 7.2
Email:					Email:		O by	O by	802	3260	300	05	Σ	×			X	
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID		Lab Number	DRO/ORO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	TCEQ 1005	BGDOC - NM	BGDOC - TX			Rem	arks
110	5b2/20	Soil	4077015	Pasture D	verspray (SL8-Sortace	11	X	X	X		χ							0 4
1113			1	Pasture C	versoray CSL9 - 0.5'	12		-										
1122					d area est 1-21	13												
1125				Concentrale	darea CSL2-2'	14												
1128				Concentral	ed aven CSL3-2'	15												
1135				Concentral	ed area CSL4-2'	10												
1135				Concentrate	ed area CSL5-2'	1.1												
1140				Concentral	ed area CSL6-1	18												
1143				1	ed area CSL7-1'	19												
1145	•	J	Į Į	Concentrate	ed area CSL8-1'	20	1	}))							
Addition	al Instruc	tions:	204	3														
I, (field sample	er), attest to th	e validity and			that tampering with or intentionally mislabelling the sample lo	cation, date or					Samples	equiring thern	nal prese	rvation i	must be re	eceived on ice ti	ne day they are sar	npled or
time of collec	tion is consider	red fraud and	may be ground:	for legal action. Sampl	ed by: Lynn Acos	ta					received	oacked in ice a	t an avg	temp ab	ove 0 but	less than 6 °C o	n subsequent days	
Relinquish	ed by: (Sign	ature)	Date 5	. 26-20 Time	Received by: (Signature)	Date 5.26.	202	Time	111-	5	Rece	ived on	ice:		ab Us	se Only		1 - 1 - NO
Relinquishe	ed by: (Sign	ature)	Date 5.		Received by: (Signature)	Date Sport	20	Time	;OC	5	T1	Temp °C	_,	<u>T2</u>			<u>T3</u>	
Sample Mat	rix: S - Soil, So	d - Solid, Sg -		queous, O - Other _	- Company Mar Color	Containe	r Type	e: g - g	glass.	p - p				er gla	ISS. V -	VOA		ver video ligh
Note: Sampl	es are discar	ded 30 days	after results a	are reported unless o	ther arrangements are made. Hazardous samples will lability of the laboratory is limited to the amount paid fo	oe returned to c											ove samples is	applicable
(=	3e	nvi	rot	ech	5796 US Highway 64, Farmington, NM 87401 24 Hour Emergency Response Phone (800) 362-1879	1			F	Ph (505) 632-18	31 Fx (505)	632-18	65			virotech-inc.co	m 3

Project Information	Chain of Custo	ody										Р	age 3	_of_3
Client: Project: Project Manager: Address:			Lab Use Only Lab WO# Job Number PCCSCO 1900 1D 3D Analysis and Method								RCRA	PA Progra	SDWA	
City, State, Zip Phone: Email:	City, State, Zip Phone: Email:		DRO/ORO by 8015	GRO/DRO by 8015	8021								NM CO	
Time Date Sampled Matrix No Containers Sample ID	1	Lab Number		GRO/DR	BTEX by 8021	VOC by 8260	Chloride 300.0	000	BGDOC - NM	BGDOC - TX			Ren	narks
1320 5/24/20 Soil 407 Swl		21	X	X	X		X							
1322 502		aa												1
1325 Sw3		23												
1328 Sw 4		24												
1330 Sw5		25												
1334 Sw6		26												
1338 5607		45]									
Additional Instructions: 3 of 3														
I, (field sampler), attest to the validity and authenticity of this sample. I am aware time of collection is considered fraud and may be grounds for legal action. Sample	1	n, date or		1									ne day they are sa n subsequent day	
Relinquished by: (Signature) Date Time Received by: (Signature) Date Date Date Date Date Time Received by: (Signature) Date Date Date Date												Jse Only N <u>T3</u>		
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other	ner arrangements are made. Hazardous samples will be ret	Container turned to cl											ove samples i	is applicable

envirotech

5795 US Highway 64, Farmington, NM 87401

Ph (505) 632-1881 Fx (505) 632-1865

envirotech-inc.com labadmin@envirotech-inc.com

24 Hour Emergency Response Phone (800) 362-1879