District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

)

Incident ID	NAPP2105548725
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Longitude

Latitude	

Site Name	Site Type
Date Release Discovered	API# (if applicable)

(NAD 83 in decimal degrees to 5 decimal places)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	Yes No
Condensate	Volume Released (bbls)	Volume Recovered (bbls)
Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Page 2

State of New Mexico Oil Conservation Division

Incident ID	NAPP2105548725
District RP	
Facility ID	
Application ID	

_

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

The source of the release has been stopped.

The impacted area has been secured to protect human health and the environment.

Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.

All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name	Title:
Signature:	Date:
email:	Telephone:
OCD Only	
Received by: Ramona Marcus	Date: <u>3/3/2021</u>

							NAPP210)5548725	
				VOLU	IME CALCULATIO				
Locati	ion of spill:	Huckleberry 22 State	e Com N CTB		Date of Spill:	8-Feb-20	21		
					n equipment , i.e wellhead pump, or storage tank place				
				Input	Data:	OIL:	WATER:		
If spill vo	lumes from n	neasurement, i.e. meterir	ng, tank volumes, etc	c. are kno	wn enter the volumes here:	0.0 BBL	0.0 BBL		
lf "known"	spill volum	es are given, input data	for the following "	Area Ca	culations" is optional. The	e above will overrid	e the calculated vo	lumes.	
	Total Are	ea Calculations				Standing Liqui	d Calculations		
Total Surface Area	width	length	wet soil depth	oil (%)	Standing Liquid Area	width	length	liquid depth	oil (%
Rectangle Area #1	0 ft	0 ft X	0.00 in	0%	Rectangle Area #1	20 X	20 ft X	1.75 in	0
Rectangle Area #2		X Oft X		0%	Rectangle Area #2	Oft X		0 in	0
Rectangle Area #3 Rectangle Area #4		X Oft X X Oft X		0% 0%	Rectangle Area #3 Rectangle Area #4	0 ft X 0 ft X	0 ft X 0 ft X	0 in 0 in	0
Rectangle Area #5		X Oft X		0%	Rectangle Area #5	0 ft X	0 ft X	0 in	Ċ
Rectangle Area #6		X 0 ft X		0%	Rectangle Area #6	0 ft X	0 ft X	0 in	Č
Rectangle Area #7		X 0 ft X		0%	Rectangle Area #7	0 ft X	0 ft X	00	C
Rectangle Area #8	0 ft 2	X <mark>0</mark> ft X	0 in	0%	Rectangle Area #8	0 ft X	0 ft X	0 in	0
		EDDOD Star	din a Linuid Ana a la		Total Area, Daview Date	Immund			
				-	n Total Area, Review Data DUCTION DATA REQUIRE				
Average Daily Production:	Oil 0 I			(MCFD)	DUCTION DATA REQUIRE	U			
Average Daily Production.					Total Hydrocarbon C	ontent in gas: 0%	(percentage)		
· · · · · · · · · · · · · · · · · · ·					-				
id leak occur before the sepa	rator?:	YES	/A (place an "X")		H2S Content in P H2S Content in		PPM PPM		
Amount of Free Liquid Recovered:	0 BBL	oka	ау		Percentage of Oil	in Free Liquid Recovered: 0%	(percentage)		
Liquid holding factor *:	0.00 gal p	er gal <u>Use the fo</u>	llowing when the spill we	ts the grain	s of the soil.	Use the following when t	he liquid completely fills t	he pore space of the s	soil:
		* Sand = (.08 gallon (gal.) liquid pe	or gol volu					
		Saliu = C		ei gai. voiu	me of soil.	Occurs when the spill so	aked soil is contained by		ot).
		* Gravelly	(caliche) loam = 0.14 gal	I. liquid per	gal. volume of soil.	Occurs when the spill so * Clay loam = 0.20 gal. li	quid per gal. volume of so	oil.	ot).
		* Gravelly * Sandy cla	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lio	l. liquid per quid per ga	gal. volume of soil. . volume of soil.	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam	quid per gal. volume of so = 0.25 gal. liquid per gal.	oil. . volume of soil.	ot).
Total Solid/Liquid Volume:	sq. ft	* Gravelly * Sandy cla * Clay loar	(caliche) loam = 0.14 gal	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil.	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s	oil. . volume of soil.	
	sq. f	* Gravelly * Sandy cla * Clay loar	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lio n = 0.16 gal. liquid per ga	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume:	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft.	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s	oil. . volume of soil. :oil.	
Estimated Volumes	-	* Gravelly * Sandy cla * Clay loar	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lio n = 0.16 gal. liquid per ga	l. liquid per quid per ga al. volume (gal. volume of soil. I. volume of soil. of soil.	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s	oil. . volume of soil. :oil.	ft.
Estimated Volumes Liquid Free	Spilled	* Gravelly * Sandy cl: * Clay loar t. cu. ft. <u>H2O</u>	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lic n = 0.16 gal. liquid per ga cu. ft	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled: ce Damage	quid per gal. volume of sc = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u>	bil. . volume of soil. .oil. cu. <u>OIL</u>	ft.
Estimated Volumes Liquid Free	Spilled in Soil: Liquid: Totals:	* Gravelly * Sandy ci: * Clay loar t. cu. ft. <u>H20</u> 0.0 BBL <u>10.4 BBL</u>	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal liq n = 0.16 gal. liquid per gr cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled:	quid per gal. volume of sc = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u>	bil. . volume of soil. .oil. cu. <u>OIL</u>	ft.
Estimated Volumes Liquid Free	Spilled in Soil: Liquid: Totals: Liquid:	* Gravelly * Sandy cla * Clay loar t. cu. ft. <u>H20</u> 0.0 BBL <u>10.4 BBL</u> 10.4 BBL	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal liq n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u> Surface Area:	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre	quid per gal. volume of sc = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u>	bil. . volume of soil. .oil. cu. <u>OIL</u>	ft.
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u>	Spilled in Soil: Liquid: Totals: Liquid: nes	* Gravelly * Sandy cli * Clay loar t. cu. ft. 0.0 BBL 10.4 BBL 10.4 BBL 10.4 BBL	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Produ <u>Estimated Surfac</u> Surface Area: Surface Area: Estimated Weights,	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H2O</u> 0.0 BBL	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered:	Spilled in Soil: Liquid: Totals: Liquid: nes BBL	* Gravelly * Sandy cl: * Clay Ioan t. cu. ft. <u>H20</u> 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Produ <u>Estimated Surface Area:</u> Surface Area: Surface Area: Surface Area: Surface Area:	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u>	Spilled in Soil: Liquid: Totals: Liquid: nes	* Gravelly * Sandy cl: * Clay Ioan t. cu. ft. <u>H20</u> 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Produ <u>Estimated Surfac</u> Surface Area: Surface Area: Estimated Weights,	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. h Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H2O</u> 0.0 BBL	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered:	Spilled in Soil: Liquid: Totals: Liquid: Mes BBL BBL	* Gravelly * Sandy cl: * Clay Ioan t. cu. ft. <u>H20</u> 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface</u> Surface Area: Surface Area: <u>Estimated Weights.</u> Saturated Soil = Total Liquid =	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. 1 400 sq. ft. n Volumes Lost uction Spilled: <u>ce Damage</u> 400 sq. ft. .0092 acre <u>and Volumes</u> lbs 10 BBL	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volun</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flow</u>	Spilled in Soil: Liquid: Totals: Liquid: mes BBL BBL	* Gravelly * Sandy cl * Clay loar t. cu. ft. 0.0 BBL 10.4 BBL 10.4 BBL 10.4 BBL check - check -	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	l. liquid per quid per ga al. volume (gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: Estimated Production Estimated Produ <u>Estimated Surface Area:</u> Surface Area: Surface Area: Surface Area: Surface Area:	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes 10 BBL ng Requirements:	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H2O</u> 0.0 BBL cu. ft. 436 gallon	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowl</u> Volume of oil spill:	Spilled in Soil: Liquid: Totals: Liquid: mes BBL BBL line leaks: BBL	* Gravelly * Sandy cli * Clay loar t. cu. ft. H20 0.0 BBL 10.4 BBL 10.4 BBL 10.4 BBL 10.4 BBL check -	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	I. liquid per ga quid per ga al. volume e	gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface Area:</u> Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: <u>Estimated Weights.</u> Saturated Soil = Total Liquid =	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. 1 400 sq. ft. h Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs 10 BBL ng Requirements: New Mexico	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL cu. ft. 436 gallon <u>Texas</u>	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Mir Emission from flowI Volume of oil spill: Separator gas calculated:	Spilled in Soil: Liquid: Totals: Liquid: mes BBL BBL line leaks: - BBL - MCF	• Gravelly • Sandy cli • Clay loar t. cu. ft. H20 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL 10.4 BBL 10.4 Check •	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	I. liquid per ga quid per ga al. volume e	gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u> Surface Area: Surface Area: <u>Estimated Weights</u> , Saturated Soil = Total Liquid = <u>Air Emission of Reporti</u> HC gas release reportable?	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs 10 BBL ng Requirements: New Mexico NO	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H2O</u> 0.0 BBL cu. ft. 436 gallon	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flowl</u> Volume of oil spill:	Spilled in Soil: Liquid: Totals: Liquid: mes BBL BBL line leaks: BBL	• Gravelly • Sandy cli • Clay loar t. cu. ft. H20 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL 10.4 BBL 10.4 Check •	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	I. liquid per ga quid per ga al. volume e	gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surface Area:</u> Surface Area: Surface Area: Surface Area: Surface Area: Surface Area: <u>Estimated Weights.</u> Saturated Soil = Total Liquid =	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs 10 BBL ng Requirements: New Mexico NO	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL cu. ft. 436 gallon <u>Texas</u> NO	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: Mir Emission from flow Volume of oil spill: Separator gas calculated: Separator gas released:	Spilled in Soil: Liquid: Totals: Liquid: Mes BBL BBL Iline leaks: BBL BBL MCF - MCF	• Gravelly • Sandy cli • Clay loar t. cu. ft. H2O 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL 10.4 BBL 10.4 Check •	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	I. liquid per ga quid per ga al. volume e	gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u> Surface Area: Surface Area: <u>Estimated Weights</u> , Saturated Soil = Total Liquid = <u>Air Emission of Reporti</u> HC gas release reportable?	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs 10 BBL ng Requirements: New Mexico NO	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL cu. ft. 436 gallon <u>Texas</u> NO	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -
Estimated Volumes Liquid Free Total Liquid Spill <u>Recovered Volum</u> Estimated oil recovered: Estimated water recovered: <u>Air Emission from flow</u> Volume of oil spill: Separator gas calculated: Separator gas released: Gas released from oil:	Spilled in Soil: Liquid: Totals: Liquid: MBBL BBL BBL BBL BBL - MCF - MCF - NCF	• Gravelly • Sandy cli • Clay loar t. cu. ft. H2O 0.0 BBL <u>10.4 BBL</u> 10.4 BBL 10.4 BBL 10.4 BBL 10.4 BBL 10.4 Check •	(caliche) loam = 0.14 gal ay loam soil = 0.14 gal lia n = 0.16 gal. liquid per ga cu. ft <u>OIL</u> 0.0 BBL 0.0 BBL 0.0 BBL 0.00 BBL	I. liquid per ga quid per ga al. volume e	gal. volume of soil. . volume of soil. of soil. Total Free Liquid Volume: <u>Estimated Production</u> Estimated Produ <u>Estimated Surfac</u> Surface Area: Surface Area: <u>Estimated Weights</u> , Saturated Soil = Total Liquid = <u>Air Emission of Reporti</u> HC gas release reportable?	Occurs when the spill so * Clay loam = 0.20 gal. li * Gravelly (caliche) loam * Sandy loam = 0.5 gal. l 400 sq. ft. n Volumes Lost uction Spilled: ce Damage 400 sq. ft. .0092 acre and Volumes lbs 10 BBL ng Requirements: New Mexico NO	quid per gal. volume of so = 0.25 gal. liquid per gal. iquid per gal. volume of s 58 cu. ft. <u>H20</u> 0.0 BBL cu. ft. 436 gallon <u>Texas</u> NO	oil. volume of soil. oil. Cu. <u>OIL</u> 0.0 BBI	ft. -