

On Feb 21, 2021, at around 5:30 P.M.

We had a leak at the MORRIS BOYD STATE COM #005H battery, on the circulating pump. **NOT ACCEPTED** The bleeder valve was close to far causing the valve to leak and releasing fluid.

Pressure Services picked up standing fluid (25 barrels)

32 bbls Oil, 0 bbls Wtr, Total-32 bbls, Recovered-25 bbls

We will have Talon Environmental Company coming out to evaluate this. And filing any paper work on this spill.

If you have any question please give me a call.

MORRIS BOYD STATE COM #005H

Sec. N-23-19S-25E 555 FSL 1600 FWL

Lat/Long: 32.640573,-104.458892 NAD83

API 30-015-44748

<b>Spill Volume(Bbls) Calculator</b>		
<i>Inputs in blue, Outputs in red</i>		
Length(Ft)	Width(Ft)	Depth(In)
<u>120.000</u>	<u>15.000</u>	<u>8.000</u>
Cubic Feet Impacted		<u>1200.000</u>
Barrels		<u>213.71</u>
Soil Type		<u>Clay/Sand</u>
Bbls Assuming 100% Saturation		<u>32.06</u>
Saturation	Fluid present with shovel/backhoe	
Estimated Barrels Released		<u>32.10000</u>

Thanks,

Kenny Kidd

Assistant Production Superintendent



Office 575-616-5400 Cell 575-390-9254

**Disclaimer** The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited