

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. <b>30-025-26884</b>
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Brine		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator <b>Basic Energy Services</b>		6. State Oil & Gas Lease No.
3. Address of Operator <b>P.O. Box 1375 Artesia, NM 88211</b>		7. Lease Name or Unit Agreement Name <b>Eunice</b>
4. Well Location Unit Letter <b>O</b> : <b>630</b> feet from the <b>South</b> line and <b>2427</b> feet from the <b>East</b> line Section <b>34</b> Township <b>21 S</b> Range <b>37 E</b> NMPM County <b>Lea</b>		8. Well Number <b>001</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number <b>246368</b>
		10. Pool name or Wildcat <b>Salado</b>

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<b>NOTICE OF INTENTION TO:</b>		<b>SUBSEQUENT REPORT OF:</b>	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU, POOH w/ Prod. Tbg
2. RIH WL - Set CIBP at 1,325'. Circ hole w/ MLF. Pressure test casing. Spot 25sx cmt to 1,205'. WOC-Tag
3. Spot 40sx cmt @ 700' - 300'. WOC-Tag
4. Spot 10sx cmt @ 60' - 3'
5. RDMO. Cut off WH & anchors - Install dry hole marker

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Agent DATE 7/21/20

Type or print name Greg Bryant E-mail address: Greg.Bryant@basicenergyservices.com PHONE: (432) 563-3355  
**For State Use Only**

APPROVED BY:  TITLE Environmental Engineer DATE 7/30/2020  
Conditions of Approval (if any):

The casing between plugs must be filled with 9.5 lb/ft3 brine.

# Exhibit VII

Basic Energy Services LP  
 Eunice Brine # 001 Bw-002  
 630' FSL, 2427' FEL, Unit (O), Sec 34, T21S, R37E  
 API # 30-025-26884

CURRENT  
 1/22/2014

2 7/8"

Surface Hole  
 Bit Size N/A

Inter. Hole  
 Bit Size N/A

Cement Data:

Lead - \_\_\_\_\_  
 Tail - \_\_\_\_\_  
 Note - \_\_\_\_\_

Bit size 8 3/4"

Tree Connection 2 7/8 J-55 PC TBG.

Production 2 7/8" J-55 PC TBG

Setting Depth 1544'

Surface Casing: NONE

Setting Depth @ N/A

Interm. Casing: NONE

Setting Depth: NONE

Liner Casing 5.5 15.5# FJ  
102sx "C" 20sx excess cir surf.

Setting Depth 1375'

Production Csg.: 7" 24# / 20#

700SX CIR. SURF

Setting Depth @ 1450'

PBTD: NO PBTD

OPEN HOLE yes

DEPTH OH 1800'

TD @ 1818'

# Exhibit VII

Basic Energy Services LP  
Eunice Brine #001 Bw-002  
630' FSL, 2427' FEL, Unit (O), Sec 34, T21S, R37E  
API # 30-025-26884

CURRENT  
1/22/2014

<p>Surface Hole Bit Size <u>N/A</u></p> <p>Inter. Hole Bit Size <u>N/A</u></p> <p>Cement Data: <u>Set C1BP @ 1325'</u> <u>4/255x cmt - Tag</u></p> <p>Lead - _____</p> <p>Tail - _____</p> <p>Note - _____</p> <p>Bit size <u>8 3/4"</u></p>	<p>TD @ 1818'</p>	<p>Tree Connection <u>2 7/8 J-55 PC TBG.</u></p> <p>Production <u>2 7/8" J-55 PC TBG</u></p> <p>Setting Depth <u>1544'</u></p> <p>Surface Casing: <u>NONE</u></p> <p>Setting Depth @ <u>N/A</u></p> <p>Interm. Casing: <u>NONE</u></p> <p>Setting Depth: <u>NONE</u></p> <p>Liner Casing <u>5.5 15.5# FJ</u> <u>102sx "C" 20sx excess cir surf.</u></p> <p>Setting Depth <u>1375'</u></p> <p>Production Csg.: <u>7" 24# / 20#</u> <u>700SX CIR. SURF</u></p> <p>Setting Depth @ <u>1450'</u></p> <p>PBTD: <u>NO PBTD</u></p> <p>OPEN HOLE <u>yes</u></p> <p>DEPTH OH <u>1800'</u></p>
--	-------------------	--