

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):					38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.		NAME	TOP MEAS. DEPTH	TRUE VERT. DEPTH
Red Bed Sand/Shale Sandstone Granite Wash	0' 703' 2410' 2930'	703' 2410' 2930' 2980'			Santa Rosa San Andres Glorieta Yeso Cimarron Tubb Granite Wash	940' 1220' 1430' 1660' 2390' 2410' 2930'	

INCLINATION REPORT

Amoco Production Co.
P.O. Box 68
Hobbs, New Mexico 88240

Lease: BDCDGU 1735 201G

Location: 2310' fNL 2310' fEL

Section 20-17N-35E

<u>Depth</u> <u>(Feet)</u>	<u>Inclination</u> <u>(Degrees)</u>	<u>Depth</u> <u>(Feet)</u>	<u>Inclination</u> <u>(Degrees)</u>
448'	3/4 ⁰		
703'	3/4 ⁰		
1224'	1 ⁰		
2096'	1/2 ⁰		
2670'	1-1/2 ⁰		
2972'	1-1/2 ⁰		

I hereby certify that the above data as set forth is true and correct to the best of my knowledge.

MURFIN DRILLING COMPANY

Stephen E. Johnson

Stephen E. Johnson, Drilling Engineer
Title

Subscribed and sworn to before me this 22nd day of November, 1985.

My commission expires 11-18-87

Notary Public

