

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in  
accordance with 19.15.29 NMAC.

## Release Notification and Corrective Action

### OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	Frontier Field Services, LLC	Contact	John Prentiss
Address	65 Mercado Street, Suite 250, Durango, CO 81301	Telephone No.	575-676-3528
Facility Name	Devon Sharpshooter	Facility Type	Gas/Condensate transport line
Surface Owner	Frontier Field Services, LLC	Mineral Owner	
		API No.	N/A

### LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
F	1	18S	32E					Lea

Latitude 32.776950 N Longitude -103.721487 W

### NATURE OF RELEASE

Type of Release	LOPC of heavy condensate from buried pipeline	Volume of Release	Estimated 9bbl.	Volume Recovered:	~3bbl recovered from surface. Pipeline Repair Underway.
Source of Release	Pinhole leak discovered in buried heavy condensate pipeline	Date and Hour of Occurrence	Unknown	Date and Hour of Discovery	02/03/2017 @ 09:30 hrs.
Was Immediate Notice Given?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	Alivia Yu - NMOCD olivia.yu		
By Whom?	Harley Everhart - EHS Technician III	Date and Hour	02/03/2017 @ ~13:45 hrs.		
Was a Watercourse Reached?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.			

**RECEIVED**

By Olivia Yu at 1:04 pm, Feb 16, 2017

If a Watercourse was Impacted, Describe Fully.\*  
N/A

Describe Cause of Problem and Remedial Action Taken.\*

On 02/03/2017, Frontier received a call from an Aka Energy Pipeline employee about a possible leak located at Lat: 32.776950N, Long: -103.721487W. Frontier identified the pipeline in question and immediately blocked in the Devon Sharpshooter Pipeline. Frontier dispatched field personnel to positively identify the leak and upon arriving on site identified a puddle of condensate/oil mix gathered on the surface above a known underground gas pipeline. Notifications were made internally to the Environmental Group ~ 10:00 hours.



On 02/03/2017 Frontier estimated the release to exceed 9bbl and made prompt notifications to NMOCD.

On 02/03/2017 Frontier recovered ~3bbl free liquid from the surface with a hydrovac truck. All free liquid recovered will be disposed at an OCD approved facility. Excavation will commence to delineate and remove contaminated soils and to restore the integrity of the pipeline.

Describe Area Affected and Cleanup Action Taken.\* OCD Pre-Approved Remediation Plan:

The cause and conditions of the leak was identified and alleviated by repairing a section of the Devon Sharpshooter Pipeline. Recommended Remediation Action Level (RRAL) for soil contaminants may be based upon its potential to impact fresh waters, public health, and the environment. If the remediation area does not have an impact on fresh waters, public health, or the environment, and the geological formation is found to be a very hard caliche barrier and further remediation beyond existing depth is infeasible. Frontiers past pre-approval remediation plan is to place a 10-mil liner along the entire remediation area and backfilled with clean soil, followed by a final report with supporting documentation upon completion. All impacted soils will be transported to an OCD approved facility for disposal.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Harley Everhart	Approved by Environmental Specialist: 	
Title: EHS Technician III	Approval Date: 2/16/2017	Expiration Date:
E-mail Address: heverhart@akaenergy.com	Conditions of Approval: see attached directive	Attached <input checked="" type="checkbox"/>
Date: 02/10/2017	Phone: 575-513-4922	

\* Attach Additional Sheets If Necessary

1RP-4613

nOY1704747768

fOY1704747560

pOY1704748125

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 2/16/2017 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 1R-4613 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

*The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]*

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 1 office in Hobbs on or before 3/16/2017. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

**Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.**

**Jim Griswold**

OCD Environmental Bureau Chief  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505  
505-476-3465  
jim.griswold@state.nm.us