District 1 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

> Oil Conservation Division 1220 South St. Francis Dr.

Form C-141 Revised August 8, 2011

Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

			Rele	ase Notific	cation	n and Co	rrective A	ction				
						OPERATOR			🛛 Initial Report 🗌 Final Report			
Name of Company: COG Operating LLC						Contact: Robert McNeil			1			
Address: 600 West Illinois Avenue, Midland TX 79701						Telephone N		432-683-7443				
Facility Name: VAST STATE #002H						Facility Type: Tank Battery						
Surface Owner: State Mineral Owner						API No. 30-025-42942					-42942	
				LOCA	TIO	N OF REI	LEASE					
Unit Letter P	Section 17	Township 26S	Range 33E	Feet from the 210'		/South Line South	Feet from the 350'	East/We East		County Lea		
Latitude 32.03682817 Longitude 103.5868833												
NATURE OF RELEASE												
Type of Relea	ise:				Volume of Release: Volume Rec							
Oil						70bbls			15bbls Date and Hour of Discovery:			
Source of Release: Transport Hauler						Date and Hour of Occurrence: Date a 10/23/2016 5:00 pm				10/23/2016 5:00 pm		
Was Immedia	te Notice C				If YES, To Whom?							
		\boxtimes	Yes 🗌	No 🗌 Not R	equired		Kristen Lyncl	h - NMOC	D/Ambe	r Groves - SI	.0	
By Whom? Robert Grubbs Jr.						Date and Hour: Mon 10/24/2016 3:07 PM						
Was a Watercourse Reached?						If YES, Volume Impacting the Watercourse.						
If a Watercou	rse was Im	nacted Descr	ihe Fully *				*:					
ii a watereou	136 Wd3 111	paeree, beser	ibe i uliy.									
Describe Cau	se of Probl	em and Reme	dial Action	Taken.*								
This release	was located	d on the pad.	The release	was caused by t	hird part	ty loading from	n the battery and	failed to o	pen the ve	ent valve caus	sing the transport	
						and blow out						
Describe Area	a Affected	and Cleanup	Action Tak	en.*								
		-										
This release v	vas contain										id we will present	
		a remed	lation work	plan to the NM		r approval pri	or to any significa	nt remedia	ation work			
I hereby certi	fy that the	information g	iven above	is true and comp	plete to t	he best of my	knowledge and u	nderstand	that pursu	ant to NMOC	D rules and	
							nd perform correct					
public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health												
							on that pose a thr e the operator of i					
federal, state,					Teport a		e die operator or	opension			i dity biller	
						OIL CONSERVATION DIVISION						
Signature: The f												
Printed Name: Robert Grubbs Jr.						Approved by Environmental Specialist:						
Title:	S	enior Environ	imental Co	ordinator		Approval Dat	e: 11/3/2016	Ex	piration D	ate: 1/3/2	017	
E-mail Addre		rambhad	0concho.co	m								
E-man Addre	35.	rgrudds(6	econeno.co	<u>111</u>		Conditions of Approval: Please see attached NMOCD Directive						
	ober 28, 20		Phone:	432-683-7443						1RP	4489	
Attach Addi	tional She	ets If Necess	sary							nKL	1630853155	
											1630853417	
										r		

REVIEWED By Kristen Lynch at 2:54 pm, Nov 03, 2016 Operator/Responsible Party,

The OCD has received the form C-141 you provided on 10/28/2016 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 1RP 4489 has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District I office in Hobbs on or before 1/3/2017. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 600 mg/kg. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized to the following concentrations: benzene 10 mg/kg, total BTEX 50 mg/kg, TPH (GRO+DRO+MRO; C₆ thru C₃₆) 100 mg/kg, chloride 250 mg/kg. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

• No inference should be made concerning the minimum characterization concentrations expressed above as to the ultimate remediation levels which might be approved. Nominal detection limits for field and laboratory analyses must be provided.

• Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us