

REVIEWED

By Olivia Yu at 9:09 am, May 02, 2017

From: [Yu, Olivia, EMNRD](#)
To: ["Daniel Dominguez"](#)
Cc: [Oberding, Tomas, EMNRD](#)
Subject: RE: Reports needing review and approval
Date: Tuesday, February 7, 2017 4:35:00 PM

Dear David:

I am not sure if Tomáš already informed you. I hope the below points that you requested clarification from our meeting on Feb 3 will address some of your concerns.

- 1) Depth to groundwater: As I mentioned and I think we agreed upon, workplans optimally should include data from the Chevron Trend Map and OSE data. Use the more conservative depth to groundwater for planning delineation.
- 2) While it is not a mandatory requirement to analyze the 'surface' sample, NMOCD highly recommend that surface samples are taken and analyzed despite apparent contamination as important baseline points of reference.
- 3) Hill Battery (1RP-4450): The work on the pad that was done prior to your involvement has been referred to Santa Fe. The consensus is that delineation samples are still required from within the berm, despite the cleanup. Are you still involved as a consultant for the incident? In other words, will you be able to obtain the necessary samples from within the bermed area that you were not initially responsible for?

From: Yu, Olivia, EMNRD
Sent: Monday, January 30, 2017 5:00 PM
To: Daniel Dominguez <ddominguezepi@gmail.com>
Subject: RE: Reports needing review and approval

Dear Mr. Dominguez:

I have concerns regarding the reports. They are listed below. Please address them. You are welcome to contact me if you have questions or need clarification.

FYI. The standard procedure is to submit an initial C-141, followed by a work plan with details on delineation/release characterization to NMOCD for approval. Then, depending on the conditions of approval (COAs), NMOCD will respond accordingly. Only afterwards, should a final remediation report and final C-141 be submitted.

Thanks,
Olivia

Hill Battery: 1RP-4450

I do not agree with your Request for No Further Action. A work plan to delineate/characterize release is required especially since there was a fire. Is this site already back in operation?

1. Did you test the soil samples for BTEX and TPH? If not, why?
2. Check the NM Office of State Engineer (OSE) for depth to groundwater.
3. A lined facility does not mean exemption from NMOCD regulations.

From: Chuck Johnston
To: [Yu, Olivia, EMNRD](#)
Subject: FW: Hill Tank Battery Samples 1RP 4450
Date: Monday, March 20, 2017 7:03:43 AM
Attachments: [image001.png](#)
[image004.png](#)
[H700327 EPI.pdf](#)
[sundance 1.pdf](#)
[sundance 2.pdf](#)

Olivia, as requested please see the attached files for the Hill Central Battery and where I sent to Dr. Oberding below.

Thanks,

Chuck Johnston
EHS / Operations Specialist
432-202-4771 Cell
432-248-8154 Office



From: Chuck Johnston
Sent: Tuesday, February 21, 2017 1:09 PM
To: 'Oberding, Tomas, EMNRD'
Subject: FW: Hill Tank Battery Samples 1RP 4450

Dr. Oberding, please find attached the sample map and results of the containment area of the Hill Central Battery. I have also attached the soil disposal tickets to Sundance for the Hill battery as well. Let me know if you need anything else.

Chuck Johnston
EHS / Operations Specialist
432-202-4771 Cell
432-248-8154 Office



From: Daniel Dominguez [<mailto:ddominguezepi@gmail.com>]
Sent: Tuesday, February 21, 2017 9:47 AM
To: Yu, Olivia, EMNRD; Chuck Johnston; brandon boone
Subject: Hill Tank Battery Samples

EXTERNAL - This is an EXTERNAL email. Exercise caution. DO NOT open attachments or

Ms. Yu,

Attached are the sample results for the Hill Tank Battery. The samples were collected from inside the bermed area.

--

Sincerely,
ENVIRONMENTAL PLUS, INC.

Daniel Dominguez
Environmental Consultant/Safety Director

Environmental Plus, Inc.
P.O. Box 1558
2100 Avenue 'O'
Eunice, NM 88231
(575) 631-0401 (Cell)
(575) 394-3481 (Office)
(575) 394-2601 (fax)



Hill Battery
SP 5

- Legend
- SP 5
 - SP 6
 - SP 7
 - SP 8
 - SP 9



February 14, 2017

Daniel Dominguez

Environmental Plus, Inc.

P.O. Box 1558

Eunice, NM 88231

RE: HILL TANK BATTERY

Enclosed are the results of analyses for samples received by the laboratory on 02/08/17 15:42.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 02/08/2017
Reported: 02/14/2017
Project Name: HILL TANK BATTERY
Project Number: NONE GIVEN
Project Location: UL- SEC. 4, T21S, R37E

Sampling Date: 02/07/2017
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 5 (6") (H700327-01)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/11/2017	ND	1.68	83.8	2.00	0.0733	
Toluene*	<0.050	0.050	02/11/2017	ND	1.65	82.3	2.00	0.0907	
Ethylbenzene*	<0.050	0.050	02/11/2017	ND	1.65	82.6	2.00	0.0214	
Total Xylenes*	<0.150	0.150	02/11/2017	ND	4.69	78.1	6.00	0.153	
Total BTX	<0.300	0.300	02/11/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 84.5 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/14/2017	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/10/2017	ND	179	89.6	200	1.53	
DRO >C10-C28	<10.0	10.0	02/10/2017	ND	187	93.7	200	1.91	

Surrogate: 1-Chlorooctane 77.5 % 35-147

Surrogate: 1-Chlorooctadecane 84.5 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 02/08/2017
Reported: 02/14/2017
Project Name: HILL TANK BATTERY
Project Number: NONE GIVEN
Project Location: UL- SEC. 4, T21S, R37E

Sampling Date: 02/07/2017
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 6 (6") (H700327-02)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/11/2017	ND	1.68	83.8	2.00	0.0733	
Toluene*	<0.050	0.050	02/11/2017	ND	1.65	82.3	2.00	0.0907	
Ethylbenzene*	<0.050	0.050	02/11/2017	ND	1.65	82.6	2.00	0.0214	
Total Xylenes*	<0.150	0.150	02/11/2017	ND	4.69	78.1	6.00	0.153	
Total BTX	<0.300	0.300	02/11/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 83.8 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	02/14/2017	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/10/2017	ND	179	89.6	200	1.53	
DRO >C10-C28	36.6	10.0	02/10/2017	ND	187	93.7	200	1.91	

Surrogate: 1-Chlorooctane 71.2 % 35-147

Surrogate: 1-Chlorooctadecane 83.7 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 02/08/2017
Reported: 02/14/2017
Project Name: HILL TANK BATTERY
Project Number: NONE GIVEN
Project Location: UL- SEC. 4, T21S, R37E

Sampling Date: 02/07/2017
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 7 (6") (H700327-03)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/11/2017	ND	1.68	83.8	2.00	0.0733	
Toluene*	<0.050	0.050	02/11/2017	ND	1.65	82.3	2.00	0.0907	
Ethylbenzene*	<0.050	0.050	02/11/2017	ND	1.65	82.6	2.00	0.0214	
Total Xylenes*	<0.150	0.150	02/11/2017	ND	4.69	78.1	6.00	0.153	
Total BTX	<0.300	0.300	02/11/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 83.7 % 73.6-140

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	02/14/2017	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/10/2017	ND	179	89.6	200	1.53	
DRO >C10-C28	<10.0	10.0	02/10/2017	ND	187	93.7	200	1.91	

Surrogate: 1-Chlorooctane 86.1 % 35-147

Surrogate: 1-Chlorooctadecane 89.8 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 02/08/2017
Reported: 02/14/2017
Project Name: HILL TANK BATTERY
Project Number: NONE GIVEN
Project Location: UL- SEC. 4, T21S, R37E

Sampling Date: 02/07/2017
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 8 (6") (H700327-04)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/11/2017	ND	1.68	83.8	2.00	0.0733	
Toluene*	<0.050	0.050	02/11/2017	ND	1.65	82.3	2.00	0.0907	
Ethylbenzene*	<0.050	0.050	02/11/2017	ND	1.65	82.6	2.00	0.0214	
Total Xylenes*	<0.150	0.150	02/11/2017	ND	4.69	78.1	6.00	0.153	
Total BTX	<0.300	0.300	02/11/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 82.6 % 73.6-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	02/14/2017	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/10/2017	ND	179	89.6	200	1.53	
DRO >C10-C28	20.5	10.0	02/10/2017	ND	187	93.7	200	1.91	

Surrogate: 1-Chlorooctane 78.1 % 35-147

Surrogate: 1-Chlorooctadecane 88.1 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

Environmental Plus, Inc.
Daniel Dominguez
P.O. Box 1558
Eunice NM, 88231
Fax To: (505) 394-2601

Received: 02/08/2017
Reported: 02/14/2017
Project Name: HILL TANK BATTERY
Project Number: NONE GIVEN
Project Location: UL- SEC. 4, T21S, R37E

Sampling Date: 02/07/2017
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: SP 9 (6") (H700327-05)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/11/2017	ND	1.68	83.8	2.00	0.0733	
Toluene*	<0.050	0.050	02/11/2017	ND	1.65	82.3	2.00	0.0907	
Ethylbenzene*	<0.050	0.050	02/11/2017	ND	1.65	82.6	2.00	0.0214	
Total Xylenes*	<0.150	0.150	02/11/2017	ND	4.69	78.1	6.00	0.153	
Total BTX	<0.300	0.300	02/11/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 81.5 % 73.6-140

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/14/2017	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	02/10/2017	ND	179	89.6	200	1.53	
DRO >C10-C28	<10.0	10.0	02/10/2017	ND	187	93.7	200	1.91	

Surrogate: 1-Chlorooctane 77.7 % 35-147

Surrogate: 1-Chlorooctadecane 87.8 % 28-171

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Page 8 of 8



HILL BATTERY
UNIT 10, SEC. 4-21S-37E
LEA COUNTY, NEW MEXICO













PROPERTIES	TEST METHOD	DURA•SKRIM R20WW	
		English	Metric
APPEARANCE		White/White	
THICKNESS, NOMINAL		20 mil	0.51 mm
WEIGHT PER MSF		105 lbs.	48 kg
CONSTRUCTION		Extrusion laminated with scrim reinforcement	
*1" TENSILE STRENGTH	ASTM D751	75 lbf.	334 N
ELONGATION AT PEAK STRENGTH (90 LBS)	ASTM D751	25%	25%
ELONGATION AT BREAK	ASTM D751	900%	900%
*GRAB TENSILE	ASTM D751	150 lbf.	668 N
TENSILE STRENGTH AT YIELD	ASTM D882	94 lbf.	419 N
PUNCTURE STRENGTH	ASTM D4833	39 lbf.	174 N
*TRAPEZOID TEAR	ASTM D4533	95 lbf.	423 N
HYDROSTATIC RESISTANCE	ASTM D751	150 psi	1034 kPa
MAXIMUM USE TEMPERATURE		180°F	82°C
MINIMUM USE TEMPERATURE		-70°F	-57°C
PERMEABILITY			
WVTR	ASTM E96 **Method A	0.010 g/100in ² /day	0.155 g/m ² /day
PERM RATING	ASTM E96 **Method A	0.022 U.S. Perms	0.015 Metric Perms

*Tests are an average of diagonal directions.

**All testing was performed at 73°F and 50% relative humidity.



DURA•SKRIM R20WW is a white four layer reinforced extrusion laminate. The outer layers consist of high-strength, virgin, linear low density polyethylene film. The white layers contain U.V. and thermal stabilizers. DURA•SKRIM R20WW is reinforced with a ply of a 1000 denier polyester scrim laid in a diagonal pattern spaced 3/8" apart with an additional machine direction scrim every 3" across the width. The individual plies are laminated together with black molten polyethylene.

Note: To the best of our knowledge, these are typical property values and are intended as guides only, not as specification limits. RAVEN INDUSTRIES MAKES NO WARRANTIES AS TO THE FITNESS FOR A SPECIFIC USE OR MERCHANTABILITY OF PRODUCTS REFERRED TO, no guarantee of satisfactory results from reliance upon contained information or recommendations and disclaims all liability for resulting loss or damage.

RAVEN
INDUSTRIES
Flexible Films Department

PLANT LOCATIONS

Sioux Falls, South Dakota
Springfield, Ohio

www.dura-skrim.com

SALES OFFICE

P.O. Box 5107
Sioux Falls, SD 57117-5107
(605) 335-0174
(605) 331-0333 - FAX
800-635-3456

Sundance Services, Inc.

P. O. Box 1737
Eunice, NM 88231

Invoice

DATE	INVOICE #
9/30/2016	101815

BILL TO
Vanguard Permain 4001 Penbrook St Suite 201 Odessa, TX 79762

PROJECT	TERMS
HILL BATTE...	

QUANTITY	DESCRIPTION	RATE	AMOUNT
60	Contaminated Soils - Exempt	25.00	1,500.00T
25	Fiberglass tank	27.00	675.00T
	HILL BATTERY #1		
	Sales Tax	7.3125%	159.05
Phone #		E-mail	
575-394-2511		acarrillo@sundanceservices.com	
Total			\$2,334.05



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 396387

LEASE OPERATOR/SHIPPER/COMPANY: Vanguard Lea

LEASE NAME: Hill Battery #1

TRANSPORTER COMPANY: Collier Backhoe

TIME 10:31 AM/PM

DATE: 9-29-16 VEHICLE NO: 1

GENERATOR COMPANY
MAN'S NAME: Bryan Haspard

CHARGE TO: Vanguard

RIG NAME
AND NUMBER 575-602-1788

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☐ Tank Bottoms

☒ Contaminated Soil

☐ Jet Out

☐ Solids

☐ BS&W Content:

☐ Call Out

Description: 0/D

RRC or API #

30-025-06394

C-133#

VOLUME OF MATERIAL

☐ BBLs.

☒ YARD 12

☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 396397

LEASE OPERATOR/SHIPPER/COMPANY:

Vanguard

Lea

LEASE NAME:

Hill Battery #1

TRANSPORTER COMPANY:

Collier Backhoe

TIME 12:03 PM

DATE:

9-29-16

VEHICLE NO:

1

GENERATOR COMPANY
MAN'S NAME:

Bryan Haspelt

CHARGE TO:

Vanguard

RIG NAME
AND NUMBER

575-602-1788

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☐ Tank Bottoms

☒ Contaminated Soil

☐ Jet Out

☐ Solids

☐ BS&W Content:

☐ Call Out

Description:

O/D

RRC or API #

30-025-06394

C-133#

VOLUME OF MATERIAL

☐ BBLs.

☒ YARD 12

☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2519

TICKET No. 396415

LEASE OPERATOR/SHIPPER/COMPANY: Vanguard

LEASE NAME: Hill Battery #1

TRANSPORTER COMPANY: Collier Backhoe

DATE: 9-29-16

VEHICLE NO: 1

GENERATOR COMPANY
MAN'S NAME: Bryan Haspard

TIME 1:32 AM/PM

CHARGE TO: Vanguard

TYPE OF MATERIAL

☐ Production Water

☐ Tank Bottoms

☐ Solids

☐ Drilling Fluids

☒ Contaminated Soil

☐ BS&W Content:

☐ Rinsate

☐ Jet Out

☐ Call Out

Description: U/D

RRC or API # 36-125-66394

C-133#

VOLUME OF MATERIAL

☐ BBLs.

☒ YARD 12

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER: [Signature]

(SIGNATURE)

FACILITY REPRESENTATIVE: [Signature]

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 396475

LEASE OPERATOR/SHIPPER/COMPANY: Vanguard
LEASE NAME: Hill Battery #1
TRANSPORTER COMPANY: Collier Backhoe TIME 10:49 AM/PM
DATE: 9-30-16 VEHICLE NO: 1 GENERATOR COMPANY MAN'S NAME: Bryan Haspard
CHARGE TO: Vanguard RIG NAME AND NUMBER

TYPE OF MATERIAL

☐ Production Water
☐ Tank Bottoms
☐ Solids

☐ Drilling Fluids
☒ Contaminated Soil
☐ BS&W Content:

☐ Rinsate
☐ Jet Out
☐ Call Out

Description: Oil

RRC or API #

30-025-06394

C-133#

VOLUME OF MATERIAL

☐ BBLs.

☒ YARD 12

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 396484

LEASE OPERATOR/SHIPPER/COMPANY: Vanguard

LEASE NAME: Hill Battery #1

TRANSPORTER COMPANY: Collier Backhoe

DATE: 9-30-16

VEHICLE NO: 1

GENERATOR COMPANY
MAN'S NAME: Bryan Hays

TIME 12:30 AM PM

CHARGE TO: Vanguard

RIG NAME
AND NUMBER

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☒ Tank Bottoms

☒ Contaminated Soil

Solids

☐ BS&W Content:

☐ Call Out

Description: 0/D

RRC or API #

30-025-06394

C-133#

VOLUME OF MATERIAL

BBLS.

☒ YARD 12

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 396496

LEASE OPERATOR/SHIPPER/COMPANY:

Vanguard

LEASE NAME:

Hill Battery #1

TRANSPORTER COMPANY:

Blalderama Rustabrut

TIME 2:36 AM/PM

DATE:

9-30-16

VEHICLE NO:

2

GENERATOR COMPANY
MAN'S NAME:

Bryan Haspard

CHARGE TO:

Vanguard

RIG NAME
AND NUMBER

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☐ Tank Bottoms

☒ Contaminated Soil

☐ Jet Out

☐ Solids

☐ BS&W Content:

☐ Call Out

Description:

500 bbl. Fiberglass Tank

RRC or API #

C-133#

VOLUME OF MATERIAL

☐ BBLs.

☒ YARD 25

☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com

Sundance Services, Inc.

P. O. Box 1737
Eunice, NM 88231


Invoice

DATE	INVOICE #
9/30/2016	101814

BILL TO
Vanguard Permain 4001 Penbrook St Suite 201 Odessa, TX 79762

PROJECT	TERMS
HILL BATTE...	

QUANTITY	DESCRIPTION	RATE	AMOUNT
240	BS&W Tank Bottoms	6.00	1,440.00T
35	Solids	6.00	210.00T
2	Trailer Jetout	100.00	200.00T
	HILL BATTERY	7.3125%	135.28
	Sales Tax		
Phone #		E-mail	
575-394-2511		acarrillo@sundanceservices.com	
Total			\$1,985.2



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. **395511**

LEASE OPERATOR/SHIPPER/COMPANY:

Vanguard Permian

LEASE NAME:

Hill Battery

TRANSPORTER COMPANY:

Parker Energy

TIME 9:03 AM/PM

DATE:

9/19/11

VEHICLE NO:

23

GENERATOR COMPANY
MAN'S NAME:

JT Terry

CHARGE TO:

Vanguard Permian

RIG NAME
AND NUMBER

575-390-66612

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☐ Tank Bottoms

☐ Contaminated Soil

☐ Jet Out

☐ Solids

☒ BS&W Content:

☐ Call Out

Description:

B/S

RRC or API #

C-133#

VOLUME OF MATERIAL

☒ BBLS. 120 :

☐ YARD :

☐ :

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

Diego Corcoran

FACILITY REPRESENTATIVE:

(SIGNATURE)


Stephanie Bahena

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. **395553**

LEASE OPERATOR/SHIPPER/COMPANY:

Vanguard

LEASE NAME:

Hill Battery

TRANSPORTER COMPANY:

Parker

TIME 4:06 AM ☒ PM

DATE:

9-19-16

VEHICLE NO:

23

GENERATOR COMPANY
MAN'S NAME:

J.T. Terry

CHARGE TO:

Vanguard

RIG NAME
AND NUMBER

SJS-390-6612

TYPE OF MATERIAL

☐ Production Water

☐ Drilling Fluids

☐ Rinsate

☐ Tank Bottoms

☐ Contaminated Soil

☒ Jet Out

☐ Solids

☒ BS&W Content:

☐ Call Out

Description:

BS

RRC or API #

C-133#

Lea

VOLUME OF MATERIAL

☒ BBLs. 120

☐ YARD

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER:

Piero Corrales
(SIGNATURE)

FACILITY REPRESENTATIVE:


Raquel Aguirre
(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Re-order from: TOTALLY SHARP ADVERTISING • 432-586-5401 • www.PromoSupermarket.com



SUNDANCE SERVICES, Inc.

P.O. Box 1737 Eunice, New Mexico 88231
(575) 394-2511

TICKET No. 395610

LEASE OPERATOR/SHIPPER/COMPANY: Vanguard Permian	
LEASE NAME: Hill Battery	
TRANSPORTER COMPANY: Parker Energy	TIME: 12:05 AM/PM
DATE: 9-20-16	VEHICLE NO: 23
GENERATOR COMPANY MAN'S NAME: J.T. Terry	
CHARGE TO: Vanguard Permian	RIG NAME AND NUMBER: 575-390-6612

TYPE OF MATERIAL

- | | | |
|--|--|---|
| <input type="checkbox"/> Production Water | <input type="checkbox"/> Drilling Fluids | <input type="checkbox"/> Rinsate |
| <input type="checkbox"/> Tank Bottoms | <input type="checkbox"/> Contaminated Soil | <input checked="" type="checkbox"/> Jet Out |
| <input checked="" type="checkbox"/> Solids | <input type="checkbox"/> BS&W Content: | <input type="checkbox"/> Call Out |

Description: Solids

RRC or API # L02 C-133#

VOLUME OF MATERIAL ☒ BBLs. 35 : ☐ YARD : ☐

AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HERewith IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY.

ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL.

THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident.

DRIVER: [Signature]

FACILITY REPRESENTATIVE: [Signature]

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter