District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New MexicoHOBBS OCD

Form C-141 Revised April 3, 2017

Oil Conservation Division N 2 3 2017 1220 South St. Francis Dr. Santa Fe. NM 8750

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

e, INIM 8/500	CENT
10	

Name of C	ompany I	a al alife O				<b>OPERA</b>			Initi	ial Report		Final Re
Name of Company: Rockcliff Operating New Mexico, LLC Address: 1301 McKinney St. Suite 1300					LC	Contact: Nicholas Koch						1 mai Re
Houston,	ГХ 77010					Telephone	No: (713)351-0	549				
Facility Name: Annapurna 20 1H						Facility Type: Well						
Surface Ov	vner:			Minoral							-	
Surface Owner: Mineral Owner									API No: 30-041-20969			
Init Letter	Castian	T 11	1.5	LOC	ATIO	N OF RE	LEASE					
	Section 17	Township 8S	Range 34E	Feet from the 170	North/ SOUT	/South Line	Feet from the 355	East/West Line EAST		County Roosevelt		
						ngitude: -1( OF REL)	)3.479567 NAI	083				
ype of Release: Oil/Produced Water					CILL	Volume of Release: 100bbls Volume Recovered: 100bbls						
Source of Release: Separator				Date and H	our of Occurrenc		Date and	Hour of Disc	OVerv			
Was Immediate Notice Given?					6/15/17 @ 2:00am 6/15/17 @ 10:30am							
			Yes 🔲	No 🗌 Not Re	equired	If YES, To Olivia Yu	Whom?				1	
By Whom? Mike Martin					Date and Hour: 6/15/17 @ 11:27am							
Was a Watercourse Reached?					If YES, Volume Impacting the Watercourse. N/A							
/A		pacted, Descri					<b>CEIVED</b> Olivia Yu a	at 11:	56 am	, Jun 20	6, 20	)17
ater dump of	on the produ	m and Remed ction separato at-in and clear ll in.	r cut out a	nd spilled annual	imately ckcliff is	100 bbls of o s currently ev	il/produced water aluating containn	onto loc nent meth	ation and od to plac	to the East si e around wa	de of ti ter dun	he locatio
ell was imm mediately to	ediately shu	nd Cleanup Ad tt-in and clear f the location. ntal will be ha	up procee	huras hagen C-1	ll was ma I all free nediation	ainly containe fluid was rec n.	ed on the location overed, affected of	with a si dirt was g	nall portic gathered ar	on affecting t nd taken to p	he area	ı lisposal
reby certif	y that the in	formation give	en above i	true and sevents	ete to the	best of my k	nowledge and und perform correcting	derstand ve action	that pursus s for relea	ant to NMOO ses which m	CD rule ay enda	s and anger

should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations OIL CONSERVATION DIVISION Signature: Approved by Environmental Specialist: Printed Name: Nicholas Koch Title: Vice President - Operations Approval Date: 6/26/2017 Expiration Date: E-mail Address: nkoch@rockcliffenergy.com Conditions of Approval: Attached Date: 06/19/2017 Phone: (713)351-0549 see attached directive \* Attach Additional Sheets If Necessary

1RP-4737

nOY1717743266

pOY1717743561

Operator/Responsible Party,

The OCD has received the form C-141 you provided on \_6/23/2017\_ regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number \_1RP-4737\_ has been assigned. Please refer to this case number in all future correspondence.

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete <u>division-approved corrective action</u> for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District \_1\_ office in \_\_Hobbs\_\_\_\_ on or before \_7/26/2017\_. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

• Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.

• Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.

• Nominal detection limits for field and laboratory analyses must be provided.

• Composite sampling is not generally allowed.

• Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

•Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

• If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

• Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold OCD Environmental Bureau Chief 1220 South St. Francis Drive Santa Fe, New Mexico 87505 505-476-3465 jim.griswold@state.nm.us