

From: Bob Asher
To: [Yu, Olivia, EMNRD](#)
Cc: [Chase Settle](#); [Katie Parker](#)
Subject: RE: Form C-141 Final Report (Vince BGH #1, 5/5/2017)
Date: Monday, June 5, 2017 4:02:56 PM
Attachments: image001.png
RE Vince BGH #1.msg

Ms. Yu,

Based on the attached email from Mr. Oberding, EOG Resources, Inc. is requesting closure of 1RP-3449 so the excavation can be backfilled and seeded. EOG has met the conditions including Delineation to 250mg/kg of ~Cl and the consideration of a liner.

Thank you,

Robert C. "Bob" Asher

Environmental Supervisor

Safety & Environmental Department

EOG Resources, Inc.

Artesia Division

EOG Safety Begins With YOUR Safety



From: Yu, Olivia, EMNRD [mailto:Olivia.Yu@state.nm.us]
Sent: Thursday, May 18, 2017 12:35 PM
To: Bob Asher <Bob_Asher@eogresources.com>
Cc: Chase Settle <Chase_Settle@eogresources.com>
Subject: RE: Form C-141 Final Report (Vince BGH #1, 5/5/2017)

****External email. Use caution.****

Dear Mr. Asher:

Do you have the email from Tomáš, dated March 15, 2015, stipulating excavation depth and placement of the liner?

Thanks,
Olivia

From: Bob Asher [mailto:Bob_Asher@eogresources.com]
Sent: Friday, May 5, 2017 10:51 AM
To: Yu, Olivia, EMNRD <Olivia.Yu@state.nm.us>
Cc: Chase Settle <Chase_Settle@eogresources.com>
Subject: Form C-141 Final Report (Vince BGH #1, 5/5/2017)

Thank you,

Robert C. “Bob” Asher

Environmental Supervisor

Safety & Environmental Department

EOG Resources, Inc.

Artesia Division

Artesia, NM 88210

575-748-4217 (Office)

575-365-4021 (Cell)

EOG Safety Begins With YOUR Safety



From: Oberding, Tomas, EMNRD
To: [Bob Asher](#)
Subject: RE: Vince BGH #1
Date: Tuesday, December 16, 2014 10:53:09 AM

Aloha Bob,

As this is an active site, OCD conditionally approves temporary closure of this event.

Conditions include-

Delineation to 250mg/kg of ~Cl

Consideration of a liner.

Mahalo for your diligence.

-Doc

Tomáš 'Doc' Oberding, PhD
Senior Environmental Specialist
New Mexico Oil Conservation Division, District 1
Energy, Minerals and Natural Resources Department
(575) 393-6161 ext 111
E-Mail: tomas.oberding@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

From: Bob Asher [mailto:BobA@yatespetroleum.com]
Sent: Wednesday, December 10, 2014 3:53 PM
To: Oberding, Tomas, EMNRD
Subject: Vince BGH #1

Doc,

I am re-submitting the Form C-141 Initial Report (5/4/2012) and the Form C-141 Final Report and supporting documentation (6/6/2012) for the above release. Based on analytical results that then showed after impacted soils to a depth of three (3) feet, chlorides at 1900 ppm. The depth to ground water is greater than 100' (approximately 135' per the ChevronTexaco Trend Map) and Yates would like to request closure and propose backfilling the entire excavation (approximately 20' X 20') with packed caliche to serve as a clay liner. I did not find the Initial and or the Final C-141 scanned in the OCD Online system.

Call me if there are any questions.

Thank you.

Robert Asher

NM Environmental Regulatory Supervisor

Yates Petroleum Corporation

105 S. 4th Street

Artesia, NM 88210

575-748-4217 (Office)

575-365-4021 (Cell)

This message may contain confidential information and is intended for the named recipient only. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. If verification is required please request a hard-copy version.
