		SIT	TE INFORM	SITE INFORMATION										
	R	Report Typ	e: Work P	an 1	RP-4812									
General Site Information:														
Site:		Gunner 16 S												
Company:		COG Operati			<b>.</b>									
•	ship and Range	_	Sec. 16	T 26S	R 34E									
County:		Lea County	00 0 10 70 000 N		1	400 40000000 W								
<mark>GPS:</mark> Surface Owne		State/Federal	32.0497322º N			103.4822998° W								
Surrace Owne Mineral Owne		State/Federal				_								
Directions:		Turn south onto	From the intersection of Hwy 285 and Whites City Rd, go west on Whites City Rd for 3 miles. Turn south onto unmarked lease road and drive 2 miles. Turn east onto unmarked lease road and drive 0.10 miles to location.											
Release Data: Date Released	,	9/15/2017												
Type Releaseu Type Release:	·		Dil and Produced Water											
Source of Cont	tamination:	Lighting Strike												
Fluid Released			ter and 20 bbls o	oil										
Fluids Recover	red:	200 bbls water	er and 5 bbls oil											
Official Comm	unication:													
	Dalasit Maklail				п. т									
Name:	Robert McNeil				Ike Tavarez	<u> </u>								
	COG Operating, LI	_C			Tetra Tech	2								
Company:														
Company:	COG Operating, LI	er			Tetra Tech									
Company: Address:	COG Operating, LI One Concho Cente	er			Tetra Tech 4000 N. Big	g Spring								
Company: Address: City:	COG Operating, LL One Concho Cente 600 W. Illinois Ave Midland Texas, 79	er			Tetra Tech 4000 N. Big Ste 401	g Spring exas								
Name: Company: Address: City: Phone number Fax:	COG Operating, LL One Concho Cente 600 W. Illinois Ave Midland Texas, 79	er			Tetra Tech 4000 N. Big Ste 401 Midland, Te	g Spring exas								

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	125'
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:	0	1
	-	<u>-</u>
Acc	ceptable Soil RRAL (ı	mg/kg)
Benze	ene Total BTEX	TPH
10	50	5,000



### **APPROVED**

By Olivia Yu at 1:38 pm, Mar 30, 2018

March 2, 2018

Ms. Olivia Yu Environmental Engineer Specialist Oil Conservation Division, District 1 1625 North French Drive Hobbs, New Mexico 88240 NMOCD approves of the delineation completed for 1RP-4812 and proposed remediation with these conditions:

- 1) Confirmation chloride analyses of bottom and sidewalls samples, no greater than 75 ft. apart. At least 1 sample location at the border between the area represented by BH1 & BH2/3 and 1 between BH 2/3 & BH 5/6.
- Demarcate confirmation sample locations on a scaled map with GPS coordinates.
   Follow-up on impacted area in EOG ROW.
- nner 16 State SWD #1 Unit D. Section

Re: Work Plan for the COG Operating LLC., Gunner 16 State SWD #1, Unit D, Section 16, Township 26 South, Range 34 East, Lea County, New Mexico. 1RP-4812.

Ms. Yu:

Tetra Tech, Inc. (Tetra Tech) was contacted by COG Operating LLC., (COG) to assess and evaluate a release that occurred at Gunner 16 State SWD #1, Unit D, Section 16, Township 26 South, Range 34 East, Lea County, New Mexico (Site). The spill site coordinates are N 32.0497322°, W 103.4822998°. The site location is shown on Figures 1 and 2.

### Background

According to the State of New Mexico C-141 Initial Report, the release was discovered on September 15, 2017, and released approximately 1,000 barrels of produced water and 20 barrels of oil, due to a lightning strike. The facility and equipment at the site were a total loss. Once the fire was extinguished, vacuum trucks were dispatched to remove all of the freestanding fluids, recovering approximately 200 barrels of produced water and 5 barrels of oil. The release impacted an area on the pad area measuring approximately 140' x 280' and migrated into the pasture impacting areas measuring approximately 65' x 150', 10'x10', and 15' x 20'. Additionally, the release migrated along an existing pipeline right-of-way and migrated into Section 17, measuring approximately 40' x 125'. Prior to the soil assessment, COG obtained a Right-of-Entry Permit (Permit No. RE-3481) from the New Mexico State Land Office. A copy of the Right-of-Entry permit is included in Appendix C. The Initial C-141 Form is included in Appendix A.

#### Groundwater

No wells are listed within Sections 16 or 17 in the New Mexico Office of the State Engineers database, the USGS National Water Information System, or the Geology and Groundwater Conditions in Southern Lea County, NM (Report 6). However, the State Engineers database reported a well in Section 06, approximately 2.5 miles northwest of the site, with a reported depth to water of 160' below surface, respectively. According to the Chevron Texaco Groundwater Trend map, the average depth to groundwater in the area is approximately 125' below surface. The groundwater data is shown in Appendix B.



### Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

### Soil Assessment and Analytical Results

On December 18-19, 2017, Tetra Tech personnel were onsite to evaluate and sample the release area. A total of six (6) boreholes were installed in the impacted areas. Three (3) boreholes (BH-1, BH-2 and BH-3) were installed on the pad area and three (3) boreholes (BH-4, BH-5 and BH-6) were installed in the pasture area using an air rotary rig in order to define the extents. Due to safety concerns, a portion along the pipeline right-of-way was not sampled. Additionally, surface flowlines restricted access to the area southwest of the pad corner as well as the area southwest of the pipeline right-of-way. Selected samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of the laboratory analysis and chain-of-custody documentation are included in Appendix D. The sampling results are summarized in Table 1. The borehole locations are shown in Figure 3.

### Pad Area

Referring to Table 1, the areas of boreholes (BH-2 and BH-3) did not show any benzene, total BTEX, or TPH concentrations above the laboratory reporting limits. However, the area of borehole (BH-1) showed total BTEX concentrations below the RRALs, with concentrations of 0.179 mg/kg (0-1') and 0.740 mg/kg (2-3'). Additionally, elevated TPH concentrations were detected at borehole (BH-1) with a TPH high of 11,400 mg/kg at 2-3', which declined with depth to below the laboratory reporting limits at 4-5' below surface.

The areas of boreholes (BH-1, BH-2, and BH-3) showed chloride concentrations above the 600 mg/kg threshold in the shallow soils. The area of borehole (BH-1) showed chlorides that increased with depth to 7,120 mg/kg at 4-5', before declining with depth to 1,610 mg/kg at 6-7.0' and 29.0 mg/kg at 9-10' below surface. The areas of boreholes (BH-2 and BH-3) showed chloride highs of 891 mg/kg and 5,060 mg/kg at 2-3', before declining with depth to 466 mg/kg and 113 mg/kg at 4-5.0' below surface, respectively.

#### Pasture Area

Referring to Table 1, none of the samples analyzed from boreholes (BH-4, BH-5, and BH-6) showed benzene, total BTEX, or TPH concentrations above the RRALs or the laboratory reporting limits. However, the areas of boreholes (BH-5 and BH-6) showed elevated chloride concentrations in the shallow soils. The chloride concentrations increased with depth to 6,380 mg/kg at 2-3' (BH-5) and 3,890 mg/kg at 4-5' (BH-6). The chloride concentrations then declined to <4.99 mg/kg (BH-5) and 5.52 mg/kg (BH-6) at 6-7' below surface. The area of



borehole (BH-4) showed insignificant chloride concentrations at 0-1' and 2-3', however a chloride spike of 813 mg/kg at 4-5' below surface was detected. The deeper samples in the area of borehole (BH-4) showed chloride concentrations of 5.60 mg/kg at 6-7', 43.4 mg/kg at 9.0-10' and 69.3 mg/kg at 14-15' below surface.

#### Work Plan

Based on the laboratory results, COG proposes to remove the impacted soils as shown on Figure 4 and highlighted (green) on Table 1. The area of borehole (BH-1) will be excavated to 6-7', the areas of boreholes (BH-5 and BH-6) will be excavated to 4-5', and the areas of boreholes (BH-2 and BH-3) will be excavated to 2-3' below surface. For the impacted area west of BH-6 along the pipeline ROW, EOG will be contacted to determine if any of the impacted soils can either be assessed or removed from the ROW. The excavated areas will then be backfilled with clean material to surface grade. All of the excavated material will be transported offsite for proper disposal.

The proposed excavation depths may not be reached due to wall cave ins and safety concerns for onsite personnel. In addition, impacted soil around oil and gas equipment, structures or lines may not be feasible or practicable to be removed due to safely concerns for onsite personnel. As such, COG will excavate the impacted soils to the maximum extent practicable.

#### Conclusion


Upon completion, a final report detailing the remediation activities will be submitted to the NMOCD. If you have any questions or comments concerning the assessment or the proposed remediation activities for this site, please call at (432) 682-4559.


Respectfully submitted, TETRA TECH


Clair Gonzales, Project Manager Ike Tavarez, Senior Project Manager, P.G.


cc: Robert McNeill – COG Dakota Neel – COG Rebecca Haskell – COG Shelly Tucker - BLM Mark Naranjo - SLO

### Figures









### **Tables**

#### Table 1 COG Operating LLC. Gunner 16 State SWD #1 Lea County, New Mexico

Sample		Sample	Soil	Status		TPH (	mg/kg)		Benzene	Toluene	Ethlybenzene	Xylene	Total BTEX	Chloride
Sample ID	Date	Depth (ft)	In-Situ	Removed	C6-C10	C10-C28		Total	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Pad Area		l	III-Oitu	Removed	00 010	010 020	020 000	rotar				l .		l
BH-1	12/18/2017	0-1	Х		608	6,970	1,900	9,480	<0.00199	0.0101	0.0183	0.150	0.179	1,270
	"	2-3	Х		553	8,340	2,460	11,400	<0.00201	0.00937	0.0214	0.143	0.740	3,500
	"	4-5	Х		<15.0	<15.0	<15.0	<15.0	-	-	-	-	-	7,120
	"	6-7	Х		-	-	-	-	-	-	-	-	-	1,610
	"	9-10	Х		-	-	-	-		-	-	-	-	29.0
	"	14-15	Х		-	-	-	-	-	-	-	-	-	168
	"	19-20	Χ		-	-	-	-	-	-	-	-	-	102
	"	24-25	Х		-	-	-	-	-	-	-	-	-	116
BH-2	12/18/2017	0-1	Х		<15.0	<15.0	<15.0	<15.0	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	866
	"	2-3	Х		<15.0	<15.0	<15.0	<15.0	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	891
	"	4-5	Х		-	-	-	-		-	-	-	-	466
	"	6-7	Х		-	-	-	-	-	-	-	-	-	335
	"	9-10	Χ		-	-	-	-	-	-	-	-	-	8.96
	"	14-15	Х		-	-	-	-	-	-	-	-	-	45.1
BH-3	12/18/2017	0-1	Х		<15.0	<15.0	<15.0	<15.0	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	4,500
	"	2-3	Х		-	-	-	-	-	-	-	-	-	5,060
	"	4-5	Х		-	-	-	-	-	-	-	-	-	113
	"	6-7	Х		-	-	-	-		-	-	-	-	22.5
	"	9-10	Χ		-	-	-	-	-	-	-	-	-	16.6
	"	14-15	Χ		-	-	-	-	-	-	-	-	-	186
Pasture Area														
BH-4	12/19/2017	0-1	Х		<15.0	<15.0	<15.0	<15.0	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	10.0
	"	2-3	Χ		<14.9	<14.9	<14.9	<14.9	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	40.2
	"	4-5	Χ		-	-	-	-	-	-	-	-	-	813
	"	6-7	Χ		-	-	-	-	-	-	-	-	-	5.60
	"	9-10	Х		-	-	-	-	-	-	-	-	-	43.4
	"	14-15	Х		-	-	-	-	-	-	-	-	-	69.3
BH-5	12/19/2017	0-1	Х		<15.0	<15.0	<15.0	<15.0	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	2,850
	"	2-3	Χ		<15.0	<15.0	<15.0	<15.0	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	6,380
	"	4-5	Χ		-	-	-	-	-	-	-	-	-	864
	"	6-7	Χ		-	-	-	-	•	-	-	-	-	<4.99
	"	9-10	Χ		-	-	-	-		-	-	-	-	8.35
	"	14-15	Χ		-	-	-	-	-	-	-	-	-	67.1
BH-6	12/19/2017	0-1	Х		<15.0	<15.0	<15.0	<15.0	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	39.2
	"	2-3	Х		<15.0	<15.0	<15.0	<15.0	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	3,390
	"	4-5	Х		-	-	-	-	-	-	-	-	-	3,890
	"	6-7	Х		-	-	-	-	-	-	-	-	-	5.52
	"	9-10	Х		-	-	-	-		-	-	-	-	85.6
		14-15	Х	i	-	-	-	-		-	_	-	-	209

(-) Not Analyzed

Proposed Excavation Depths

### **Photos**

### COG Operating LLC Gunner 16 State SWD #1 Lea County, New Mexico





View South - Area of BH-1



View East - Area of BH-2

### COG Operating LLC Gunner 16 State SWD #1 Lea County, New Mexico





View East - Area of BH-3



View North - Area of BH-4

### COG Operating LLC Gunner 16 State SWD #1 Lea County, New Mexico





View West – Area of BH-5



View North - Area of BH-6

### Appendix A

District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

\* Attach Additional Sheets If Necessary

### State of New Mexico **Energy Minerals and Natural Resources**

Revised August 8, 2011

Form C-141

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Submit 1 Copy to appropriate District Office in accordance with 19.15,29 NMAC.

			Rel	ease Notifi	catio	n and Co	orrective A	Action				
						OPERA'	ГOR		Initia	al Report		Final Report
				[OGRID] 2291:	37		bert McNeill					15
				nd TX 79701			No. 432-230-00	077				
Facility Nar	ne: Gunne	r to State Sy	WD#1			Facility Typ	ie: SWD					<del>-</del>
Surface Ow	ner: State/	Federal		Mineral (	Owner:	State			API No	. 30-025-4	0890	
				LOC	ATIO	N OF RE	LEASE					
Unit Letter D	Section 16	Township 26S	Range 34E	Feet from the 330'	North	/South Line North	Feet from the 330'		Vest Line Vest		Cour	-
				Latitude 32.	049732	2 Longitude	-103.4822998	3		1		-
				NAT	ΓURE	OF REL	EASE					
Type of Rele						Volume of	Release:		Volume F	Recovered:		
	Oil & Produced Water						pw; 20 bbls of			pw; 5 bbls		
Source of Re Lightning Str						Date and F 9-15-2017	Iour of Occurren	ice:		Hour of Dis 7 05:00 am	covery	*
Was Immedia		iiven?				If YES, To			9-13-201	/ 05:00 am		
			Yes [	No Not R	equired		- NMOCD, Aml	ber Grove	s-NMSLO			
By Whom?	Rebecca H						lour: 9-15-2017			-		
Was a Water	course Reac		Yes D	7 No		If YES, Volume Impacting the Watercourse.						
If a Watercou				_								
Describe Cau		m and Remed		n Taken.*								
Describe Are				ken *								
The facility a was extinguis pipeline ROV	nd equipme shed, vacuur V.	nt were a tota n trucks were	l loss. Th dispatch	e flow lines comi ed to recover all s	tanding	fluid. The rela	ease impacted the	e location	as well as	the adjacen	t pastu	re and
regulations al public health should their o	I operators a or the envir operations ha nment. In ac	are required to onment. The ave failed to a ddition, NMO	report a acceptandequately CD accep	e is true and comp nd/or file certain in ce of a C-141 repay investigate and in otance of a C-141	release n ort by th remediat	otifications ar e NMOCD m e contaminati	nd perform corre arked as "Final I on that pose a th	ctive acti Report" de reat to gre	ons for rele oes not reli ound water	eases which eve the oper s, surface wa	may en rator of iter, hu	ndanger Fliability man health
Signature:	1	10	_				OIL CON	ISERV.	ATION	DIVISIO	<u>N</u>	
Printed Name	: Dakota N	eel				Approved by	Environmental S	Specialist				
Title: Enviror	nmental Coc	ordinator				Approval Dat	e:	E	xpiration I	Date:		
E-mail Addre	ss: dneel2@	concho.com			_	Conditions of	Approval:			Attached		
Date: Septe	ember 18, 20	DI7 Pho	ne: 575-	746-2010								

### Appendix B

## Water Well Data Average Depth to Groundwater (ft) COG - Gunner 16 SWD #1 Lea County, New Mexico

	25 Sc	outh	33	East	
6	5	4	3 172	2	1
7	8	9	10	11 140	12
18	17	16	15	140	200 13
10	17	10	15	14	13
19	20	21	22	23	24
	200	120			
30	29	28	27	26	25
			125		
31	32	33	34	35	36
257					

	25 Sc	outh	34	East	
6	5	4	3	2	1
					260
7	8	9	10	11	12
18	17	16	15	14	13
			135		
19	20	21	22	23	24
					300
30	29	28	27	26	25
	50				
31	32	33	34	35	36

	25 S	outh	35 East					
6	5	4	3 108	2	1			
	165							
7	8	9	10	11	12			
18	17	16	15	14	13			
230								
19	20	21	22	23	24			
		218						
30	29	28	27	26	25			
80								
31	32	33	34	35	36			

	26 S	outh	3	3 East	
6	5	4	3	2	1
			175		
7	8	9	10	11	12
				145	200
18	17	16	15	14	13
				135	
19	20	21	22	23	24
		120			
30	29	28	27	26	25
			125		
31	32	33	34	35	36

	26 Sc	outh	34	East	
6 <b>160</b>	5	4	3	2	1
175					
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

	26 Sc	uth	35	East	
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13 <b>230</b>
19	20	21	22	23	24 <b>250</b>
30	29	28	27	26	25
31	32	33	34	35	36

- 88 New Mexico State Engineers Well Reports
- 105 USGS Well Reports
- 90 Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6) Geology and Groundwater Resources of Eddy County, NM (Report 3)
- 34 NMOCD Groundwater Data
- 123 Tetra Tech installed temporary wells and field water level
- 143 NMOCD Groundwater map well location



### New Mexico Office of the State Engineer

### Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.) (R=POD has been replaced, O=orphaned, C=the file is

closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

		POD											
		Sub-		Q (	Q Q	)						V	Vater
POD Number	Code	basin	County	64 1	6 4	Sec	Tws	Rng	X	Y	DepthWellDepth\	Water Co	lumn
<u>C 02291</u>		CUB	LE	1	1 2	06	26S	34E	640825	3550140*	220	160	60
C 02292 POD1		C	LE	4	1 2	06	26S	34E	640992	3549987	200	140	60
C 03441 POD1		C	LE	4	1 2	06	26S	34E	640971	3550039	250		
C 03442 POD1		C	LE	4	1 2	06	26S	34E	641056	3550028	251		

Average Depth to Water: 150 feet

Minimum Depth: 140 feet

Maximum Depth: 160 feet

Record Count: 4

PLSS Search:

Township: 26S Range: 34E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

2/20/18 9:39 AM

WATER COLUMN/ AVERAGE DEPTH TO WATER

### Appendix C



Aubrey Dunn COMMISSIONER

### State of New Mexico Commissioner of Public Lands

310 OLD SANTA FE TRAIL P.O. BOX 1148 SANTA FE, NEW MEXICO 87504-1148 COMMISSIONER'S OFFICE

Phone (505) 827-5760 Fax (505) 827-5766 www.nmstatelands.org

November 29, 2017

COG Operating LLC 600 West Illinois Ave. Midland, Texas 79701

Attn: Sheldon Hitchock

Re: Right-of-Entry Permit No.: RE-3481 (Gunner 16 SWD #1)

Dear Mr. Hitchock:

Enclosed is the completed captioned Right-of-Entry permit. If any corrections are necessary, please let us know and we will retype or amend this permit as necessary.

If you have any questions, or if we may be of further assistance, please do not hesitate to contact Anthony Vigil at 505-827-5710.

Sincerely

Commissioner of Public Lands

AD/av

Enclosures



# NEW MEXICO STATE LAND OFFICE Commissioner of Public Lands Aubrey Dunn New Mexico State Land Office Building P.O. Box 1148, Santa Fe, NM 87504-1148

### RIGHT OF ENTRY PERMIT CONTRACT NO. RE - 3481

#### 1. RIGHT OF ENTRY PERMIT

This permit is issued under the authority of NMSA 1978, Section 19-1-2. Therefore, and in consideration of and subject to the terms, covenants, conditions, agreements, obligations and reservations contained in the permit and all other existing rights, the Commissioner of Public Lands, New Mexico State Land Office, State Of New Mexico, hereinafter called "COMMISSIONER," grants to **COG OPERATING LLC**. State of Incorporation (if applicable), whose address is **ONE CONCHO CENTER**, 600 W. ILLINOIS AVE, MIDLAND, TX, 79701 called "PERMITTEE," authorized use of a specific tract(s) of State Trust Land only for the term, and only for the permitted use, described in this permit.

### 2. TERM AND LAND DESCRIPTION

Right of entry is granted for a term of 180 days, commencing on the execution date of this document by the Commissioner of Public Lands, to the following State Trust Lands.

Section	Township	Range	Subdivision	County
16	26S	34E	NW4NW4	Lea
		į.		

### 3. APPLICATION and PROCESSING FEE

\$ 50.00 Application Fee

\$ 500.00 Permit Fee

\$ 550.00 Total Fee

### 4. PERMITTED USE, PERSONNEL, EQUIPMENT AND MATERIALS

Permitted use is for the purpose of: conduct soil sampling, delineation and remediation of an oil produced water release (Please note that this permit does not allow for any off road traffic)

Personnel present on State Trust Land: COG and contract personnel

Equipment & Materials present on State Trust Land: excavator, backhoe, loader and air rotary drill rig

Prior to execution of project company must contact the Surface Lessees.

The granting of this permit does not allow access across private lands.

### 5. IMPROVEMENTS

No improvements shall be placed on the premises without the prior written consent of the Commissioner.

### 6. RESERVATIONS

Commissioner reserves the right to execute leases, rights of way, easements, permits, exchange agreements, sale agreements, permits and other lawful rights on or across the land covered by this permit, including but not limited to any such rights for mining purposes and for the extraction of oil, gas, salt, geothermal resources, and other mineral deposits there from and the right to go upon, explore for, mine, remove and sell same.

### 7. COMPLIANCE WITH LAWS

Permittee shall at its own expense comply fully with and be subject to all applicable regulations, rules, ordinances, and requirements of law or of the Commissioner, including but not limited to the regulations of the State Land Office; Chapter 19 NMSA governing State Trust Lands; federal and state environmental laws and regulations; and the New Mexico Cultural Properties Act, NMSA 1978 Sections 18-6-1 through 18-6-23. It is illegal for any person or his agent to appropriate, excavate, injure, or destroy any historic, or prehistoric ruin or monument, or any object of historical, archaeological, architectural, or scientific value situated on lands owned or controlled by the State Land Office without a valid permit issued by the Cultural Properties Review Committee and approved by the Commissioner of Public Lands.

### 8. HOLD HARMLESS AND IMDEMNIFICATION

Permittee shall save, hold harmless, indemnify and defend Commissioner, the State Land Office, the State of New Mexico, and any of their officers, employees or agents, in their official and individual capacities, of and from any and all liability, claims, losses, damages, costs, and fees arising out of or alleged to arise out of, or directly or indirectly connected with, the operations of Permittee under this permit on or off State Trust Lands or arising out of the presence on State Trust Lands of any equipment, material, agent, invitee, contractor or subcontractor of Permittee. This Hold Harmless and Indemnification clause covers any claim, including any brought in any court or before any administrative agency, of any loss or alleged loss, and any damages or alleged damages asserted with respect to any violation or alleged violation of any state, federal or local law or regulation, including but not limited to any environmental law or regulation, any cultural properties law (including the New Mexico Cultural Properties Act, cited above) or regulation, and any alleged damage to the property, rights or interests of any State Land Office lessee, right-of-way holder, or other permittee.

#### 9. AMENDMENT

This permit shall not be altered, changed, or amended except by an instrument in writing executed by Commissioner and Permittee.

#### 10. WITHDRAWAL

Commissioner reserves the right to withdraw any or all of the land authorized for use under this permit. If applicable, Permittee shall vacate the acreage specified within 30 days after receipt of written notification of withdrawal from the Commissioner.

### 11. CANCELLATION

The violation by Permittee of any of the terms, conditions, or covenants of this permit or the nonpayment by Permittee of the fees due under this permit shall at the option of the Commissioner be considered a default and shall cause the cancellation of this permit 30 days after Permittee has been sent written notice of such.

### 12. PRESERVE AND PROTECT

The Permittee agrees to preserve and protect the natural environmental conditions of the land encompassed in this permit, and to take those reclamation or corrective actions that are accepted soil and water conservation practices and that are deemed necessary by the Commissioner to protect the land from pollution, erosion, or other environmental degradation. The Permittee further agrees not to injure the property of, or interfere with the operations or rights of, any State Land Office lessee, right-of-way holder, easement holder or other permittee who has rights to use the State Trust Land subject to this permit.

### 13. PIPELINE IDENTIFICATION AND SPACING REQUIREMENTS

The Permittee shall label each aboveground pipeline crossing State Trust Lands with the Permittee's name, and contact information. Such information shall be placed at both the inlet and outlet of the pipeline, and every 2,500 feet between the two points. Pipelines must be spaced a minimum of 12" apart from existing surface pipelines to allow for livestock to cross. If the minimum line spacing cannot be met to allow livestock to cross, berms 3 feet in width must be placed in areas where established cattle trails exist, but no less than every tenth of a mile.

### 14. RECLAMATION, REMOVAL OF EQUIPMENT, MATERIALS, AND WASTE

The Permittee agrees to reclaim those areas that may be damaged by activities conducted thereon.

The Permittee agrees to remove from the State Trust Lands, no later than the end of the term of this permit, all equipment, and materials it has placed or brought upon the land and to clean up and remove from the land any trash, waste, effluent, or other products used or brought upon the land in connection with this permit.

### 15. SPECIAL INSTRUCTIONS AND/OR RESTRICTIONS

- 1. No off road traffic allowed.
- 2. No wood collection or tree cutting allowed.
- 3. Disturbing, dislodging, damaging, defacing, destroying or removing historical archaeological, paleontological or cultural sites or artifacts in a manner inconsistent with the provisions of the granted permit is prohibited.
- 4. Disturbing, dislodging, damaging, defacing, destroying any improvement, fixture, item, object or thing placed or located in, under or upon the land is prohibited.
- 5. This permit does not grant a right to enter State Trust Lands to which there is no public access.
- 6. Any uses or activities not within the scope of this permit are not allowed unless prior written approval from the Commissioner of Public Lands is granted.
- 7. Line pressure not to exceed 125 psi.

PERMITTEE: COG Operating, LLC

By: Clay Bateman, Vice-President of New Mexico

### ACKNOWLEDGMENT

COUNTY OF MIDLAND	) ss. )	efore me this <u>27th</u> day of <u>November</u>	. 20 17 . 1
the tolegoing manament	was acknowledged b	note the this 27th day of November	
Clay Bateman	of	COG Operating LLC	
Delaware LLC		corporation, on behalf of said corp	oration.
My Commission Expires:			
1-29-2021		Agna Asebedo NOTARY PUBLIC	
Jana Asebe			
Notary Public, State Notary ID 10751 My Commission Exp. 0	01-9		
1			
	STATE OF 1	NEW MEXICO	
		// 0 /)	
	ву:	and Dung	
· · · · · · · · · · · · · · · · · · ·	BY:	AUBREY DUNN COMMISSIONER OF PUBLIC LANDS	
CR OF PUSHIN	ву:	AUBREY DUNN COMMISSIONER OF PUBLIC LANDS	
ROF PUSITION	BY:		

RE - 3481







### **Surface Lessee Contact Information**

Please notify all lessee's provided below prior to the start of your project.

GT-2459- Dinwiddie Cattle Company, LLC
 P.O. Box 374, Roswell, New Mexico 88202-0374

### Appendix D

### **Analytical Report 571798**

### for Tetra Tech- Midland

Project Manager: Ike Tavarez
COG-Gunner 16 SWD #1 (Pad Area)

29-DEC-17

Collected By: Client





### 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco-Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)





29-DEC-17

Project Manager: **Ike Tavarez Tetra Tech- Midland**4000 N. Big Spring Suite 401
Midland, TX 79705

Reference: XENCO Report No(s): 571798

COG-Gunner 16 SWD #1 (Pad Area)
Project Address: Lea County NM

#### Ike Tavarez:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 571798. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 571798 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Knus Hoah

Project Manager

 $Recipient\ of\ the\ Prestigious\ Small\ Business\ Administration\ Award\ of\ Excellence\ in\ 1994.$ 

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



### **Sample Cross Reference 571798**



### Tetra Tech- Midland, Midland, TX

COG-Gunner 16 SWD #1 (Pad Area)

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
BH-1 0-1	S	12-18-17 00:00	0 - 1	571798-001
BH-1 2-3	S	12-18-17 00:00	2 - 3	571798-002
BH-1 4-5	S	12-18-17 00:00	4 - 5	571798-003
BH-1 6-7	S	12-18-17 00:00	6 - 7	571798-004
BH-1 9-10	S	12-18-17 00:00	9 - 10	571798-005
BH-1 14-15	S	12-18-17 00:00	14 - 15	571798-006
BH-1 19-20	S	12-18-17 00:00	19 - 20	571798-007
BH-1 24-25	S	12-18-17 00:00	24 - 25	571798-008
BH-2 0-1	S	12-18-17 00:00	0 - 1	571798-009
BH-2 2-3	S	12-18-17 00:00	2 - 3	571798-010
BH-2 4-5	S	12-18-17 00:00	4 - 5	571798-011
BH-2 6-7	S	12-18-17 00:00	6 - 7	571798-012
BH-2 9-10	S	12-18-17 00:00	9 - 10	571798-013
BH-2 14-15	S	12-18-17 00:00	14 - 15	571798-014
BH-3 0-1	S	12-18-17 00:00	0 - 1	571798-015
BH-3 2-3	S	12-18-17 00:00	2 - 3	571798-016
BH-3 4-5	S	12-18-17 00:00	4 - 5	571798-017
BH-3 6-7	S	12-18-17 00:00	6 - 7	571798-018
BH-3 9-10	S	12-18-17 00:00	9 - 10	571798-019
BH-3 14-15	S	12-18-17 00:00	14 - 15	571798-020



### CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: COG-Gunner 16 SWD #1 (Pad Area)

Project ID: Report Date: 29-DEC-17 Work Order Number(s): 571798 Date Received: 12/19/2017

### Sample receipt non conformances and comments:

### Sample receipt non conformances and comments per sample:

None

#### **Analytical non conformances and comments:**

Batch: LBA-3036624 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3036675 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030. Lab Sample ID 571798-009 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). o-Xylene recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 571798-002, -009, -010, -015. The Laboratory Control Sample for o-Xylene is within laboratory Control Limits, therefore the data was accepted.



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 



Project Id: Contact:

Ike Tavarez

**Project Location:** Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 29-DEC-17

**Project Manager:** Kelsey Brooks

	Lab Id:	571798-0	001	571798-0	002	571798-0	03	571798-0	004	571798-0	05	571798-0	006
Analysis Requested	Field Id:	BH-1 0	-1	BH-1 2	-3	BH-1 4-	5	BH-1 6-	7	BH-1 9-1	10	BH-1 14-	-15
Analysis Requesieu	Depth:	0-1		2-3		4-5		6-7		BH-1 9-10 9-10 SOIL Dec-18-17 00:00 Dec-26-17 12:06 Dec-27-17 10:38 mg/kg RL		14-15	
	Matrix:	SOIL	,	SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Dec-18-17	00:00	Dec-18-17	00:00	Dec-18-17 (	00:00	Dec-18-17	00:00	Dec-18-17 (	00:00	Dec-18-17 (	00:00
BTEX by EPA 8021B	Extracted:	Dec-21-17	13:00	Dec-21-17	17:00								
	Analyzed:	Dec-21-17	23:12	Dec-22-17	05:10								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Benzene		< 0.00199	0.00199	< 0.00201	0.00201								
Toluene		0.0101	0.00199	0.00937	0.00201								
Ethylbenzene		0.0183	0.00199	0.0214	0.00201								
m,p-Xylenes		0.0874	0.00398	0.0821	0.00402								
o-Xylene		0.0628	0.00199	0.0611	0.00201								
Total Xylenes		0.150	0.00199	0.143	0.00201								
Total BTEX		0.179	0.00199	0.174	0.00201								
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	10:30	Dec-26-17	10:30	Dec-26-17 1	0:30	Dec-26-17	10:30	Dec-26-17	12:06	Dec-26-17	12:06
	Analyzed:	Dec-26-17	19:15	Dec-26-17	19:22	Dec-26-17 1	9:29	Dec-26-17	19:36	Dec-27-17	10:38	Dec-27-17	10:59
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		1270	24.9	3500	24.9	7120	49.1	1610	24.8	29.0	4.99	168	4.97
TPH By SW8015 Mod	Extracted:	Dec-21-17	07:00	Dec-21-17	07:00	Dec-28-17 1	0:00						
	Analyzed:	Dec-21-17	23:25	Dec-21-17	23:44	Dec-28-17 1	3:17						
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL						
Gasoline Range Hydrocarbons (GRO)	'	608	74.8	553	74.9	<15.0	15.0						
Diesel Range Organics (DRO)		6970	74.8	8340	74.9	<15.0	15.0						
Oil Range Hydrocarbons (ORO)		1900	74.8	2460	74.9	<15.0	15.0						
Total TPH		9480	74.8	11400	74.9	<15.0	15.0						

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 



Project Id: Contact:

**Project Location:** 

Ike Tavarez

Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 29-DEC-17

Project Manager: Kelsey Brooks

								551500	040				
	Lab Id:	571798-0		571798-0		571798-0		571798-		571798-0		571798-0	
Analysis Requested	Field Id:	BH-1 19-	-20	BH-1 24-	25	BH-2 0-	-1	BH-2 2	-3	BH-2 4-5 4-5 SOIL Dec-18-17 00:00  0 0 0 0 0 Dec-26-17 12:06 Dec-27-17 11:48 mg/kg RL 3 466 4.93	BH-2 6-	-7	
Thatysis Requesica	Depth:	19-20		24-25		0-1		2-3		4-5		6-7	
	Matrix:	SOIL		SOIL		SOIL		SOIL	,	SOIL		SOIL	
	Sampled:	Dec-18-17 (	00:00	Dec-18-17 (	00:00	Dec-18-17	00:00	Dec-18-17	00:00	Dec-18-17 (	00:00	Dec-18-17 (	00:00
BTEX by EPA 8021B	Extracted:					Dec-21-17	17:00	Dec-21-17	17:00				
	Analyzed:					Dec-22-17	02:22	Dec-22-17	02:40				
	Units/RL:					mg/kg	RL	mg/kg	RL				
Benzene						< 0.00199	0.00199	< 0.00200	0.00200				
Toluene						< 0.00199	0.00199	< 0.00200	0.00200				
Ethylbenzene						< 0.00199	0.00199	< 0.00200	0.00200				
m,p-Xylenes						< 0.00398	0.00398	< 0.00399	0.00399				
o-Xylene						< 0.00199	0.00199	< 0.00200	0.00200				
Total Xylenes						< 0.00199	0.00199	< 0.00200	0.00200				
Total BTEX						< 0.00199	0.00199	< 0.00200	0.00200				
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:06	Dec-26-17 1	12:06	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17	12:06
	Analyzed:	Dec-27-17	11:06	Dec-27-17 1	11:13	Dec-27-17	11:20	Dec-27-17	11:41	Dec-27-17	11:48	Dec-27-17	11:55
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		102	4.93	116	4.93	866	4.96	891	4.93	466	4.93	335	4.99
TPH By SW8015 Mod	Extracted:					Dec-21-17	07:00	Dec-21-17	07:00				
	Analyzed:					Dec-22-17 (	00:07	Dec-22-17	00:27				
	Units/RL:					mg/kg	RL	mg/kg	RL				
Gasoline Range Hydrocarbons (GRO)						<15.0	15.0	<15.0	15.0				
Diesel Range Organics (DRO)	rganics (DRO) <15.0 15.0 15.0												
Oil Range Hydrocarbons (ORO)						<15.0	15.0	<15.0	15.0				
Total TPH						<15.0	15.0	<15.0	15.0				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 



Project Id: Contact:

**Project Location:** 

Ike Tavarez

Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 29-DEC-17

**Project Manager:** Kelsey Brooks

	7 7 7 7	571700.0	112	571700.0	114	571700.0	1.5	571700 (	11.6	571700.0	17	571700.0	1.0
	Lab Id:	571798-0		571798-0		571798-0		571798-0		571798-0		571798-0	
Analysis Requested	Field Id:	BH-2 9-	10	BH-2 14-	-15	BH-3 0-	·1	BH-3 2-	-3	BH-3 4-5 4-5 SOIL Dec-18-17 00:00  Dec-26-17 12:06 Dec-27-17 12:44 L mg/kg RL	5	BH-3 6-	7
Timulysis Requesion	Depth:	9-10		14-15		0-1		2-3	12:06 Dec-26-17 12:06 12:37 RL mg/kg RL		6-7		
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Dec-18-17 (	00:00	Dec-18-17 (	00:00	Dec-18-17 (	00:00	Dec-18-17	00:00	Dec-18-17 (	00:00	Dec-18-17 (	00:00
BTEX by EPA 8021B	Extracted:					Dec-21-17	17:00						
	Analyzed:					Dec-22-17 (	02:59						
	Units/RL:					mg/kg	RL						
Benzene						< 0.00202	0.00202						
Toluene						< 0.00202	0.00202						
Ethylbenzene						< 0.00202	0.00202						
m,p-Xylenes						< 0.00403	0.00403						
o-Xylene							0.00202						
Total Xylenes							0.00202						
Total BTEX						< 0.00202	0.00202						
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17 1	2:06
	Analyzed:	Dec-27-17	12:02	Dec-27-17	12:16	Dec-27-17	12:09	Dec-27-17	12:37	Dec-27-17	12:44	Dec-27-17 1	3:05
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		8.96	4.98	45.1	4.90	4500	24.8	5060	49.4	113	4.96	22.5	4.94
TPH By SW8015 Mod	Extracted:					Dec-21-17 (	07:00						
	Analyzed:					Dec-22-17 (	00:47						
	Units/RL:					mg/kg	RL						
Gasoline Range Hydrocarbons (GRO)						<15.0	15.0						
Diesel Range Organics (DRO)						<15.0 15.0							
Oil Range Hydrocarbons (ORO)	<15.0 15.0												
Total TPH						<15.0	15.0						

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi



Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 



Project Id: Contact:

**Project Location:** 

Ike Tavarez

Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

**Report Date:** 29-DEC-17

**Project Manager:** Kelsey Brooks

	Lab Id:	571798-0	19	571798-0	)20		
Analysis Requested	Field Id:	BH-3 9-1	10	BH-3 14	-15		
Anaiysis Kequesieu	Depth:	9-10		14-15			
	Matrix:	SOIL		SOIL			
	Sampled:	Dec-18-17 (	00:00	Dec-18-17	00:00		
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:06	Dec-26-17	12:06		
	Analyzed:	Dec-27-17	13:12	Dec-27-17	13:19		
	Units/RL:	mg/kg	RL	mg/kg	RL		
Chloride		16.6	4.92	186	4.96		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi



### **Flagging Criteria**



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- BRL Below Reporting Limit.
- **RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

 Phone
 Fax

 4147 Greenbriar Dr, Stafford, TX 77477
 (281) 240-4200
 (281) 240-4280

 9701 Harry Hines Blvd , Dallas, TX 75220
 (214) 902 0300
 (214) 351-9139

 5332 Blackberry Drive, San Antonio TX 78238
 (210) 509-3334
 (210) 509-3335

 1211 W Florida Ave, Midland, TX 79701
 (432) 563-1800
 (432) 563-1713

 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282
 (602) 437-0330



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders: 571798,
 Project ID:

 Lab Batch #: 3036624
 Sample: 571798-001 / SMP
 Batch: 1 Matrix: Soil

Units: mg/kg Date Analyzed: 12/21/17	23:12	SURROGATE R	ECOVERY S	STUDY	
BTEX by EPA 8021B	Amour Found [A]		Recovery %R	Control Limits %R	Flags
Analytes			[D]		
1,4-Difluorobenzene	0.0251	0.0300	84	80-120	
4-Bromofluorobenzene	0.0310	0.0300	103	80-120	

**Date Analyzed:** 12/21/17 23:25 **Units:** mg/kg SURROGATE RECOVERY STUDY **Amount** True Control TPH By SW8015 Mod Found Limits Amount Recovery Flags [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 97.5 99.7 98 70-135 o-Terphenyl 43.4 49.9 70-135 87

Units: mg/kg Date Analyzed: 12/21/17 23:44 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	95.7	99.8	96	70-135	
o-Terphenyl	44.1	49.9	88	70-135	

**Lab Batch #:** 3036672 **Sample:** 571798-009 / SMP **Batch:** 1 **Matrix:** Soil

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 00:07	SURROGATE RECOVERY STUDY									
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags					
1-Chlorooct	ane		81.8	99.9	82	70-135						
o-Terphenyl	[		42.8	50.0	86	70-135						

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 00:27	SURROGATE RECOVERY STUDY							
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooct	ane		85.6	100	86	70-135				
o-Terphenyl			43.9	50.0	88	70-135				

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders: 571798,
 Project ID:

 Lab Batch #: 3036672
 Sample: 571798-015 / SMP
 Batch: 1 Matrix: Soil

Units:	Units: mg/kg Date Analyzed: 12/22/17 00:47 SURROGATE RECOVERY STUDY									
	TPH 1	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
		Analytes			[2]					
1-Chloroocta	ane		86.9	99.7	87	70-135				
o-Terphenyl			44.4	49.9	89	70-135				

Lab Batch #: 3036675Sample: 571798-009 / SMPBatch: 1Matrix: Soil

**Units:** mg/kg **Date Analyzed:** 12/22/17 02:22 SURROGATE RECOVERY STUDY **Amount** True Control BTEX by EPA 8021B Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1,4-Difluorobenzene 0.0282 0.0300 94 80-120 4-Bromofluorobenzene 0.0265 0.0300 80-120 88

**Lab Batch #:** 3036675 **Sample:** 571798-010 / SMP **Batch:** 1 **Matrix:** Soil

Units: mg/kg Date Analyzed: 12/22/17 02:40 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0288	0.0300	96	80-120	
4-Bromofluorobenzene	0.0262	0.0300	87	80-120	

Units:	its: mg/kg Date Analyzed: 12/22/17 02:59 SURROGATE RECOVERY STUDY									
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1,4-Difluoro	benzene	•	0.0277	0.0300	92	80-120				
4-Bromoflu	orobenzene		0.0275	0.0300	92	80-120				

Units:	BTEX by EPA 8021B  Analytes  fluorobenzene	<b>Date Analyzed:</b> 12/22/17 05:10	SURROGATE RECOVERY STUDY						
	BTEX	K by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
		Analytes			[D]				
1,4-Difluorol	benzene		0.0297	0.0300	99	80-120			
4-Bromofluo	robenzene		0.0347	0.0300	116	80-120			

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders: 571798,
 Project ID:

 Lab Batch #: 3037188
 Sample: 571798-003 / SMP
 Batch: 1 Matrix: Soil

Units:	mg/kg <b>Date Analyzed:</b> 12/28/17 13	7 13:17 SURROGATE RECOVERY STUDY							
	TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
	Analytes								
1-Chloroocta	ane	82.0	100	82	70-135				
o-Terphenyl		42.4	50.0	85	70-135				

Lab Batch #: 3036624 Sample: 7636429-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/21/17 16:12 SURROGATE RECOVERY STUDY							
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluoro	benzene		0.0278	0.0300	93	80-120	
4-Bromofluo	orobenzene		0.0248	0.0300	83	80-120	

Lab Batch #: 3036672 Sample: 7636449-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/21/17 17:13 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	83.4	100	83	70-135	
o-Terphenyl	43.3	50.0	87	70-135	

Lab Batch #: 3036675 Sample: 7636472-1-BLK / BLK Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 02:03	SURROGATE RECOVERY STUDY							
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1,4-Difluoro	benzene		0.0269	0.0300	90	80-120				
4-Bromofluo	orobenzene		0.0241	0.0300	80	80-120				

Lab Batch #: 3037188 Sample: 7636777-1-BLK/BLK Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/28/17 12:16	SURROGATE RECOVERY STUDY							
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooct	tane		81.7	100	82	70-135				
o-Terphenyl	1		42.9	50.0	86	70-135				

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders:
 571798,
 Project ID:

 Lab Batch #:
 3036624
 Sample:
 7636429-1-BKS / BKS
 Batch:
 1 Matrix:
 Solid

Units:	Units: mg/kg Date Analyzed: 12/21/17 13:48 SURROGATE RECOVERY STUDY									
	ВТЕХ	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags			
		Analytes			[D]					
1,4-Difluoro	benzene		0.0335	0.0300	112	80-120				
4-Bromoflu	orobenzene		0.0331	0.0300	110	80-120				

**Lab Batch #:** 3036672 **Sample:** 7636449-1-BKS / BKS **Batch:** 1 **Matrix:** Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 17:33	SURROGATE RECOVERY STUDY							
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooc	tane		84.1	100	84	70-135				
o-Terpheny	1		45.3	50.0	91	70-135				

Units: mg/kg Date Analyzed: 12/22/17 00:09 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0309	0.0300	103	80-120	
4-Bromofluorobenzene	0.0299	0.0300	100	80-120	

Lab Batch #: 3037188 Sample: 7636777-1-BKS / BKS Batch: 1 Matrix: Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/28/17 12:36	SURROGATE RECOVERY STUDY							
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags			
1-Chlorooct	ane		89.6	100	90	70-135				
o-Terphenyl			53.1	50.0	106	70-135				

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 14:35	SURROGATE RECOVERY STUDY								
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags				
1,4-Difluoro	benzene		0.0329	0.0300	110	80-120					
4-Bromofluc	orobenzene		0.0357	0.0300	119	80-120					

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders:
 571798,
 Project ID:

 Lab Batch #:
 3036672
 Sample:
 7636449-1-BSD / BSD
 Batch:
 1 Matrix:
 Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 17:53	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН І	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chloroocta	ane		83.7	100	84	70-135	
o-Terphenyl			45.4	50.0	91	70-135	

**Lab Batch #:** 3036675 **Sample:** 7636472-1-BSD / BSD **Batch:** 1 **Matrix:** Solid

Units: mg/kg Date Analyzed: 12/22/17 00:28 SURROGATE RECOVERY STUDY							
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorob	benzene		0.0290	0.0300	97	80-120	
4-Bromofluoi	robenzene		0.0276	0.0300	92	80-120	

Lab Batch #: 3037188 Sample: 7636777-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/28/17 12:58 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	85.4	100	85	70-135	
o-Terphenyl	50.7	50.0	101	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 18:36	SU	SURROGATE RECOVERY STUDY									
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags						
1-Chlorooct	ane		82.7	99.8	83	70-135							
o-Terpheny	1		44.6	49.9	89	70-135							

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 23:31	SURROGATE RECOVERY STUDY									
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags					
1,4-Difluorobe	enzene		0.0310	0.0300	103	80-120						
4-Bromofluoro	obenzene		0.0293	0.0300	98	80-120						

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders: 571798,
 Project ID:

 Lab Batch #: 3036675
 Sample: 571798-009 S / MS
 Batch: 1 Matrix: Soil

Units: mg/	kg	<b>Date Analyzed:</b> 12/22/17/00:47	SURROGATE RECOVERY STUDY								
	BTEX b	y EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags				
	Aı	nalytes			[D]						
1,4-Difluorobenzene	Э		0.0304	0.0300	101	80-120					
4-Bromofluorobenzo	ene		0.0303	0.0300	101	80-120					

**Units:** mg/kg **Date Analyzed:** 12/28/17 17:56 SURROGATE RECOVERY STUDY **Amount** True Control TPH By SW8015 Mod Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 76.9 100 77 70-135 o-Terphenyl 41.2 50.0 82 70-135

Units: mg/kg Date Analyzed: 12/21/17 15:15 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0268	0.0300	89	80-120	
4-Bromofluorobenzene	0.0275	0.0300	92	80-120	

**Lab Batch #:** 3036672 **Sample:** 571792-001 SD / MSD **Batch:** 1 **Matrix:** Soil

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 18:56	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooct	ane		80.3	100	80	70-135	
o-Terpheny			42.9	50.0	86	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 01:06	SU	RROGATE RI	ECOVERY S	STUDY	
	BTEX	by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
	A	Analytes			[D]		
1,4-Difluoro	benzene		0.0324	0.0300	108	80-120	
4-Bromoflu	orobenzene		0.0325	0.0300	108	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



Project Name: COG-Gunner 16 SWD #1 (Pad Area)

 Work Orders: 571798,
 Project ID:

 Lab Batch #: 3037188
 Sample: 572153-001 SD / MSD
 Batch: 1 Matrix: Soil

**Units: Date Analyzed:** 12/28/17 18:15 mg/kg SURROGATE RECOVERY STUDY Amount True Control TPH By SW8015 Mod Found Amount Recovery Limits Flags [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 88.4 100 88 70-135 o-Terphenyl 43.9 50.0 70-135 88

Surrogate Recovery [D] = 100 \* A / B

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution





**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 

Work Order #: 571798 Project ID:

Analyst: ALJ Date Prepared: 12/21/2017 Date Analyzed: 12/21/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00202	0.101	0.0826	82	0.100	0.0851	85	3	70-130	35	
Toluene	< 0.00202	0.101	0.0764	76	0.100	0.0786	79	3	70-130	35	
Ethylbenzene	< 0.00202	0.101	0.0828	82	0.100	0.0850	85	3	71-129	35	
m,p-Xylenes	< 0.00403	0.202	0.165	82	0.201	0.169	84	2	70-135	35	
o-Xylene	< 0.00202	0.101	0.0770	76	0.100	0.0785	79	2	71-133	35	

Analyst: ALJ Date Prepared: 12/21/2017 Date Analyzed: 12/22/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	< 0.00200	0.0998	0.0872	87	0.100	0.0854	85	2	70-130	35	
Toluene	< 0.00200	0.0998	0.0805	81	0.100	0.0788	79	2	70-130	35	
Ethylbenzene	< 0.00200	0.0998	0.0871	87	0.100	0.0848	85	3	71-129	35	
m,p-Xylenes	< 0.00399	0.200	0.172	86	0.201	0.167	83	3	70-135	35	
o-Xylene	< 0.00200	0.0998	0.0824	83	0.100	0.0798	80	3	71-133	35	





**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 

Work Order #: 571798 Project ID:

**Analyst:** LRI **Date Prepared:** 12/26/2017 **Date Analyzed:** 12/26/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	244	98	250	241	96	1	90-110	20	

Analyst: LRI Date Prepared: 12/26/2017 Date Analyzed: 12/27/2017

**Lab Batch ID:** 3036946 **Sample:** 7636593-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	253	101	250	250	100	1	90-110	20	

Analyst: ARM Date Prepared: 12/21/2017 Date Analyzed: 12/21/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	881	88	1000	882	88	0	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	914	91	1000	919	92	1	70-135	35	





**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 

Work Order #: 571798 Project ID:

**Analyst:** JUM **Date Prepared:** 12/28/2017 **Date Analyzed:** 12/28/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	939	94	1000	866	87	8	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	975	98	1000	920	92	6	70-135	35	





**Project Name: COG-Gunner 16 SWD #1 (Pad Area)** 

Work Order #: 571798 Project ID:

**Lab Batch ID:** 3036624 **QC- Sample ID:** 571522-005 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/21/2017 **Date Prepared:** 12/21/2017 **Analyst:** ALJ

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Parent Sample Result	Spike	Spiked Sample Result	Sample	Spike	Duplicate Spiked Sample		RPD	Control Limits	Control Limits	Flag
Analytes	[A]	Added [B]	[C]	%R [D]	Added [E]	Result [F]	%R [G]	%	%R	%RPD	
Benzene	< 0.00199	0.0994	0.0734	74	0.0998	0.0880	88	18	70-130	35	
Toluene	< 0.00199	0.0994	0.0689	69	0.0998	0.0833	83	19	70-130	35	X
Ethylbenzene	< 0.00199	0.0994	0.0721	73	0.0998	0.0767	77	6	71-129	35	
m,p-Xylenes	< 0.00398	0.199	0.142	71	0.200	0.138	69	3	70-135	35	X
o-Xylene	< 0.00199	0.0994	0.0675	68	0.0998	0.0685	69	1	71-133	35	X

**Lab Batch ID:** 3036675 **QC- Sample ID:** 571798-009 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/22/2017 **Date Prepared:** 12/21/2017 **Analyst:** ALJ

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00201	0.100	0.0767	77	0.101	0.0767	76	0	70-130	35	
Toluene	< 0.00201	0.100	0.0707	71	0.101	0.0702	70	1	70-130	35	
Ethylbenzene	< 0.00201	0.100	0.0745	75	0.101	0.0747	74	0	71-129	35	
m,p-Xylenes	< 0.00402	0.201	0.146	73	0.202	0.147	73	1	70-135	35	
o-Xylene	< 0.00201	0.100	0.0694	69	0.101	0.0702	70	1	71-133	35	X





Project Name: COG-Gunner 16 SWD #1 (Pad Area)

Work Order #: 571798 Project ID:

**Lab Batch ID:** 3036899 **QC- Sample ID:** 571456-002 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/26/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Sample %R		Duplicate Spiked Sample Result [F]	%R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]		[D]	[E]		[G]				
Chloride	1050	245	1210	65	245	1210	65	0	90-110	20	X

**Lab Batch ID:** 3036899 **QC- Sample ID:** 572053-007 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/26/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	292	246	551	105	246	550	105	0	90-110	20	

**Lab Batch ID:** 3036946 **QC- Sample ID:** 571798-005 S **Batch #:** 1 **Matrix:** Soil

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	29.0	250	289	104	250	290	104	0	90-110	20	





Project Name: COG-Gunner 16 SWD #1 (Pad Area)

Work Order #: 571798 Project ID:

**Lab Batch ID:** 3036946 **QC- Sample ID:** 571798-014 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/27/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	45.1	245	295	102	245	295	102	0	90-110	20	

**Lab Batch ID:** 3036672 **QC- Sample ID:** 571792-001 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 12/21/2017 Date Prepared: 12/21/2017 Analyst: ARM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	858	86	1000	841	84	2	70-135	35	
Diesel Range Organics (DRO)	<15.0	998	869	87	1000	857	86	1	70-135	35	

**Lab Batch ID:** 3037188 **QC- Sample ID:** 572153-001 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 12/28/2017 Date Prepared: 12/28/2017 Analyst: JUM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	798	80	1000	916	92	14	70-135	35	
Diesel Range Organics (DRO)	18.0	1000	771	75	1000	755	74	2	70-135	35	

Matrix Spike Percent Recovery [D] = 100\*(C-A)/B Relative Percent Difference RPD = 200\*|(C-F)/(C+F)| Matrix Spike Duplicate Percent Recovery [G] = 100\*(F-A)/E

Final 1.001

ORIGINAL COPY



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: Tetra Tech- Midland

Date/ Time Received: 12/19/2017 04:05:00 PM

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Work Order #: 571798

Temperature Measuring device used: R8

	Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?		1
#2 *Shipping container in good condition	?	Yes
#3 *Samples received on ice?		Yes
#4 *Custody Seals intact on shipping cor	ntainer/ cooler?	Yes
#5 Custody Seals intact on sample bottle		Yes
#6*Custody Seals Signed and dated?		Yes
#7 *Chain of Custody present?		Yes
#8 Any missing/extra samples?		No
#9 Chain of Custody signed when relinqu	uished/ received?	Yes
#10 Chain of Custody agrees with sampl	e labels/matrix?	Yes
#11 Container label(s) legible and intact?	?	Yes
#12 Samples in proper container/ bottle?	•	Yes
#13 Samples properly preserved?		Yes
#14 Sample container(s) intact?		Yes
#15 Sufficient sample amount for indicate	ed test(s)?	Yes
#16 All samples received within hold time	e?	Yes
#17 Subcontract of sample(s)?		N/A
#18 Water VOC samples have zero head	dspace?	N/A
* Must be completed for after-hours de Analyst:	livery of samples prior to placing in PH Device/Lot#:	the refrigerator
Checklist completed by:		Date: 12/20/2017
Checklist reviewed by:	Mmy Hoah  Kelsey Brooks	Date: 12/26/2017

# **Analytical Report 571800**

# for Tetra Tech- Midland

Project Manager: Ike Tavarez
COG-Gunner 16 SWD #1 (Pasture)

28-DEC-17

Collected By: Client





#### 1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122): Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054) Oklahoma (2017-142)

> Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco-Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)





28-DEC-17

Project Manager: **Ike Tavarez Tetra Tech- Midland**4000 N. Big Spring Suite 401
Midland, TX 79705

Reference: XENCO Report No(s): **571800** 

COG-Gunner 16 SWD #1 (Pasture) Project Address: Lea County NM

#### Ike Tavarez:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 571800. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 571800 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Mike Kimmel

Client Services Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



# **Sample Cross Reference 571800**



### Tetra Tech- Midland, Midland, TX

COG-Gunner 16 SWD #1 (Pasture)

Sample Id	Matrix	<b>Date Collected</b>	Sample Depth	Lab Sample Id
BH-4 0-1	S	12-19-17 00:00	0 - 1	571800-001
BH-4 2-3	S	12-19-17 00:00	2 - 3	571800-002
BH-4 4-5	S	12-19-17 00:00	4 - 5	571800-003
BH-4 6-7	S	12-19-17 00:00	6 - 7	571800-004
BH-4 9-10	S	12-19-17 00:00	9 - 10	571800-005
BH-4 14-15	S	12-19-17 00:00	14 - 15	571800-006
BH-5 0-1	S	12-19-17 00:00	0 - 1	571800-007
BH-5 2-3	S	12-19-17 00:00	2 - 3	571800-008
BH-5 4-5	S	12-19-17 00:00	4 - 5	571800-009
BH-5 6-7	S	12-19-17 00:00	6 - 7	571800-010
BH-5 9-10	S	12-19-17 00:00	9 - 10	571800-011
BH-5 14-15	S	12-19-17 00:00	14 - 15	571800-012
BH-6 0-1	S	12-19-17 00:00	0 - 1	571800-013
BH-6 2-3	S	12-19-17 00:00	2 - 3	571800-014
BH-6 4-6	S	12-19-17 00:00	4 - 6	571800-015
BH-6 6-7	S	12-19-17 00:00	6 - 7	571800-016
BH-6 9-10	S	12-19-17 00:00	9 - 10	571800-017
BH-6 14-15	S	12-19-17 00:00	14 - 15	571800-018



#### CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: COG-Gunner 16 SWD #1 (Pasture)

Project ID: Report Date: 28-DEC-17 Work Order Number(s): 571800 Date Received: 12/19/2017

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3036675 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 



Project Id: Contact:

Ike Tavarez

**Project Location:** Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 28-DEC-17

Project Manager: Kelsey Brooks

	Lab Id:	571800-0	201	571800-0	202	571800-0	03	571800-0	04	571800-0	05	571800-0	06
Analysis Requested	Field Id:	BH-4 0-	-1	BH-4 2	-3	BH-4 4-	٥	BH-4 6-	'	BH-4 9-1	10	BH-4 14-	15
	Depth:	0-1		2-3		4-5		6-7		9-10		14-15	
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Dec-19-17	00:00	Dec-19-17	00:00	Dec-19-17 (	00:00	Dec-19-17	00:00	Dec-19-17 00:00		Dec-19-17 (	00:00
BTEX by EPA 8021B	Extracted:	Dec-21-17	17:00	Dec-21-17	17:00								
	Analyzed:	Dec-22-17	03:18	Dec-22-17	03:37								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Benzene		< 0.00202	0.00202	< 0.00200	0.00200								
Toluene		< 0.00202	0.00202	< 0.00200	0.00200								
Ethylbenzene		< 0.00202	0.00202	< 0.00200	0.00200								
m,p-Xylenes		< 0.00404	0.00404	< 0.00401	0.00401								
o-Xylene		< 0.00202	0.00202	< 0.00200	0.00200								
Total Xylenes		< 0.00202	0.00202	< 0.00200	0.00200								
Total BTEX		< 0.00202	0.00202	< 0.00200	0.00200								
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:06	Dec-26-17	12:06	Dec-26-17 1	2:06	Dec-26-17	12:06	Dec-26-17	2:50	Dec-26-17 1	2:50
	Analyzed:	Dec-27-17	13:26	Dec-27-17	13:33	Dec-27-17 1	3:40	Dec-27-17	13:47	Dec-28-17	0:10	Dec-27-17 1	5:03
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		10.0	4.97	40.2	4.99	813	4.98	5.60	4.93	43.4	4.91	69.3	4.95
TPH By SW8015 Mod	Extracted:	Dec-21-17	07:00	Dec-21-17	07:00								
	Analyzed:	Dec-22-17	01:07	Dec-22-17	01:29								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<14.9	14.9								
Diesel Range Organics (DRO)		<15.0	15.0	<14.9	14.9								
Oil Range Hydrocarbons (ORO)		<15.0	15.0	<14.9	14.9								
Total TPH		<15.0	15.0	<14.9	14.9								

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.%

Mike Kimmel Client Services Manager



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 



Project Id: Contact:

Ike Tavarez

**Project Location:** Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 28-DEC-17

Project Manager: Kelsey Brooks

	Lab Id:	571800-0	007	571800-0	800	571800-0	09	571800-0	10	571800-0	11	571800-0	012
Analysis Requested	Field Id:	BH-5 0-	-1	BH-5 2-	.3	BH-5 4-	5	BH-5 6-	7	BH-5 9-	10	BH-5 14-	-15
Analysis Requested	Depth:	0-1		2-3		4-5		6-7		9-10		14-15	
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Dec-19-17	00:00	Dec-19-17 (	00:00	Dec-19-17 (	00:00	Dec-19-17 (	00:00	Dec-19-17 (	00:00	Dec-19-17 (	00:00
BTEX by EPA 8021B	Extracted:	Dec-21-17	17:00	Dec-21-17	17:00								
	Analyzed:	Dec-22-17	03:56	Dec-22-17 (	04:14								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Benzene		< 0.00200	0.00200	< 0.00200	0.00200								
Toluene		< 0.00200	0.00200	< 0.00200	0.00200								
Ethylbenzene		< 0.00200	0.00200	< 0.00200	0.00200								
m,p-Xylenes		< 0.00399	0.00399	< 0.00400	0.00400								
o-Xylene		< 0.00200	0.00200	< 0.00200	0.00200								
Total Xylenes		< 0.00200	0.00200	< 0.00200	0.00200								
Total BTEX		< 0.00200	0.00200	< 0.00200	0.00200								
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:50	Dec-26-17	12:50	Dec-26-17 1	12:50	Dec-26-17 1	2:50	Dec-26-17	12:50	Dec-26-17	12:50
	Analyzed:	Dec-27-17	15:10	Dec-27-17	15:17	Dec-27-17 1	15:24	Dec-27-17 1	5:44	Dec-27-17	15:51	Dec-27-17	15:58
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		2850	24.7	6380	49.2	864	4.92	<4.99	4.99	8.35	4.96	67.1	5.00
TPH By SW8015 Mod	Extracted:	Dec-21-17	07:00	Dec-21-17 (	07:00								
	Analyzed:	Dec-22-17	01:49	Dec-22-17 (	02:09								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0								
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0								
Oil Range Hydrocarbons (ORO)		<15.0	15.0	<15.0	15.0								
Total TPH		<15.0	15.0	<15.0	15.0								

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.%

Mike Kimmel Client Services Manager



### Tetra Tech- Midland, Midland, TX

**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 



Project Id: Contact:

**Project Location:** 

Ike Tavarez

Lea County NM

**Date Received in Lab:** Tue Dec-19-17 04:05 pm

Report Date: 28-DEC-17

**Project Manager:** Kelsey Brooks

	1 1										1		
	Lab Id:	571800-0	013	571800-0	014	571800-0	15	571800-0	16	571800-0	017	571800-0	18
Analysis Requested	Field Id:	BH-6 0	-1	BH-6 2-	.3	BH-6 4-	6	BH-6 6-	7	BH-6 9-	10	BH-6 14-	15
Analysis Requesieu	Depth:	0-1		2-3		4-6		6-7		9-10		14-15	
	Matrix:	SOIL		SOIL		SOIL		SOIL		SOIL		SOIL	
	Sampled:	Dec-19-17	00:00	Dec-19-17	00:00	Dec-19-17 (	00:00	Dec-19-17 (	00:00	Dec-19-17	00:00	Dec-19-17 (	00:00
BTEX by EPA 8021B	Extracted:	Dec-21-17	17:00	Dec-21-17	17:00								
	Analyzed:	Dec-22-17	04:33	Dec-22-17 (	04:52								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Benzene		< 0.00201	0.00201	< 0.00199	0.00199								
Toluene		< 0.00201	0.00201	< 0.00199	0.00199								
Ethylbenzene		< 0.00201	0.00201	< 0.00199	0.00199								
m,p-Xylenes		< 0.00402	0.00402	< 0.00398	0.00398								
o-Xylene		< 0.00201	0.00201	< 0.00199	0.00199								
Total Xylenes		< 0.00201	0.00201	< 0.00199	0.00199								
Total BTEX		< 0.00201	0.00201	< 0.00199	0.00199								
Inorganic Anions by EPA 300/300.1	Extracted:	Dec-26-17	12:50	Dec-26-17	12:50	Dec-26-17 1	2:50	Dec-26-17	12:50	Dec-26-17	12:50	Dec-26-17 1	12:50
	Analyzed:	Dec-27-17	16:05	Dec-27-17	16:12	Dec-27-17 1	6:40	Dec-28-17	10:45	Dec-27-17	16:47	Dec-27-17 1	17:08
	Units/RL:	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL	mg/kg	RL
Chloride		39.2	4.97	3390	24.6	3890	24.9	5.52	4.90	85.6	4.99	209	4.92
TPH By SW8015 Mod	Extracted:	Dec-21-17	16:00	Dec-21-17	16:00								
	Analyzed:	Dec-22-17	03:54	Dec-22-17 (	04:54								
	Units/RL:	mg/kg	RL	mg/kg	RL								
Gasoline Range Hydrocarbons (GRO)		<15.0	15.0	<15.0	15.0								
Diesel Range Organics (DRO)		<15.0	15.0	<15.0	15.0								
Oil Range Hydrocarbons (ORO)		<15.0	15.0	<15.0	15.0								
Total TPH		<15.0	15.0	<15.0	15.0								

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Version: 1.%

Mike Kimmel Client Services Manager



### **Flagging Criteria**



- X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- **B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- **D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F RPD exceeded lab control limits.
- J The target analyte was positively identified below the quantitation limit and above the detection limit.
- U Analyte was not detected.
- L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- **H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- **K** Sample analyzed outside of recommended hold time.
- **JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.
- \*\* Surrogate recovered outside laboratory control limit.
- BRL Below Reporting Limit.
- **RL** Reporting Limit

MDL Method Detection Limit SDL Sample Detection Limit LOD Limit of Detection

PQL Practical Quantitation Limit MQL Method Quantitation Limit LOQ Limit of Quantitation

**DL** Method Detection Limit

NC Non-Calculable

- + NELAC certification not offered for this compound.
- \* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

#### Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

Phone Fax
4147 Greenbriar Dr, Stafford, TX 77477 (281) 240-4280
9701 Harry Hines Blvd , Dallas, TX 75220 (214) 902 0300 (214) 351-9139
5332 Blackberry Drive, San Antonio TX 78238 (210) 509-3334 (210) 509-3335
1211 W Florida Ave, Midland, TX 79701 (432) 563-1800 (432) 563-1713
2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282 (602) 437-0330



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders: 571800,
 Project ID:

 Lab Batch #: 3036672
 Sample: 571800-001 / SMP
 Batch: 1 Matrix: Soil

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 01:07	SU	RROGATE RI	ECOVERY S	STUDY	
	ТРН	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
		Analytes			[ط]		
1-Chloroocta	nne		76.1	99.8	76	70-135	
o-Terphenyl			39.9	49.9	80	70-135	

**Date Analyzed:** 12/22/17 01:29 **Units:** mg/kg SURROGATE RECOVERY STUDY **Amount** True Control TPH By SW8015 Mod Found Limits Flags Amount Recovery [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 80.7 99.6 81 70-135 o-Terphenyl 49.8 70-135 41.8 84

Units: mg/kg Date Analyzed: 12/22/17 01:49 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	83.5	99.8	84	70-135	
o-Terphenyl	43.2	49.9	87	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 02:09	SU	RROGATE RI	ECOVERY S	STUDY	
	ТРН	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooc	ctane		89.0	99.8	89	70-135	
o-Terpheny	yl		45.5	49.9	91	70-135	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 03:18	SU	RROGATE RI	ECOVERY S	STUDY	
	BTE	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1,4-Difluorobe	enzene		0.0273	0.0300	91	80-120	
4-Bromofluoro	benzene		0.0270	0.0300	90	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders: 571800,
 Project ID:

 Lab Batch #: 3036675
 Sample: 571800-002 / SMP
 Batch: 1 Matrix: Soil

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 03:37	SU	RROGATE RI	ECOVERY S	STUDY	
	BTEX	by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1,4-Difluore	obenzene		0.0289	0.0300	96	80-120	
4-Bromoflu	orobenzene		0.0261	0.0300	87	80-120	

Lab Batch #: 3036677 Sample: 571800-013 / SMP Batch: 1 Matrix: Soil

**Units:** mg/kg Date Analyzed: 12/22/17 03:54 SURROGATE RECOVERY STUDY **Amount** True Control TPH By SW8015 Mod Found Limits Amount Recovery Flags [A] [B] %R %R [D] **Analytes** 1-Chlorooctane 73.5 99.9 74 70-135 o-Terphenyl 79 70-135 39.6 50.0

Units: mg/kg Date Analyzed: 12/22/17 03:56 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0278	0.0300	93	80-120	
4-Bromofluorobenzene	0.0261	0.0300	87	80-120	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 04:14	SU	RROGATE RE	ECOVERY S	STUDY	
	ВТЕ	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluoro	benzene		0.0283	0.0300	94	80-120	
4-Bromofluo	orobenzene		0.0282	0.0300	94	80-120	

Units:	ng/kg	<b>Date Analyzed:</b> 12/22/17 04:33	SU	RROGATE RE	ECOVERY S	STUDY	
	BTE	X by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenze	ene		0.0288	0.0300	96	80-120	
4-Bromofluorobe	nzene		0.0260	0.0300	87	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

Version: 1.%

Final 1.000

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders: 571800,
 Project ID:

 Lab Batch #: 3036675
 Sample: 571800-014 / SMP
 Batch: 1 Matrix: Soil

<b>Units:</b> mg/kg <b>Date Analyzed:</b> 12/22/17 04:52	SU	RROGATE RE	ECOVERY S	STUDY	
BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0287	0.0300	96	80-120	
4-Bromofluorobenzene	0.0279	0.0300	93	80-120	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 04:54	SU	RROGATE RE	ECOVERY S	STUDY	
	ТРН	By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooc	tane		83.3	99.7	84	70-135	
o-Terpheny	·1		43.6	49.9	87	70-135	

Lab Batch #: 3036672 Sample: 7636449-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/21/17 17:13 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	83.4	100	83	70-135	
o-Terphenyl	43.3	50.0	87	70-135	

Lab Batch #: 3036675 Sample: 7636472-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/22/17 02:03 SURROGATE RECOVERY STUDY							
BTEX by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags		
Analytes			[D]				
1,4-Difluorobenzene	0.0269	0.0300	90	80-120			
4-Bromofluorobenzene	0.0241	0.0300	80	80-120			

Lab Batch #: 3036677 Sample: 7636450-1-BLK / BLK Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/22/17 02:51 SURROGATE RECOVERY STUDY							
	TPH	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chloroocta	ane		80.3	100	80	70-135	
o-Terphenyl			41.5	50.0	83	70-135	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders:
 571800,
 Project ID:

 Lab Batch #:
 3036672
 Sample:
 7636449-1-BKS / BKS
 Batch:
 1 Matrix:
 Solid

Units:	mg/kg Date Analyzed: 12/21/17 17:33 SURROGATE RECOVERY STUDY							
	TPH :	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
		Analytes			[D]			
1-Chlorooct	ane		84.1	100	84	70-135		
o-Terphenyl	1		45.3	50.0	91	70-135		

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 00:09	SURROGATE RECOVERY STUDY					
BTEX by EPA 8021B  Analytes		Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags		
1,4-Difluorobenzene			0.0309	0.0300	103	80-120		
4-Bromofluo	robenzene		0.0299	0.0300	100	80-120		

Units: mg/kg Date Analyzed: 12/22/17 03:10 SURROGATE RECOVERY STUDY

TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1-Chlorooctane	77.3	100	77	70-135	
o-Terphenyl	40.7	50.0	81	70-135	

**Lab Batch #:** 3036672 **Sample:** 7636449-1-BSD / BSD **Batch:** 1 **Matrix:** Solid

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 17:53	SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod  Analytes			Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooct	tane		83.7	100	84	70-135		
o-Terpheny	1		45.4	50.0	91	70-135		

Lab Batch #: 3036675 Sample: 7636472-1-BSD / BSD Batch: 1 Matrix: Solid

Units: mg/kg Date Analyzed: 12/22/17 00:28 SURROGATE RECOVERY STUDY							
	BTEX	X by EPA 8021B	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1,4-Difluorober	nzene		0.0290	0.0300	97	80-120	
4-Bromofluoro	benzene		0.0276	0.0300	92	80-120	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders:
 571800,
 Project ID:

 Lab Batch #:
 3036677
 Sample:
 7636450-1-BSD / BSD
 Batch:
 1 Matrix:
 Solid

<b>Units:</b> mg/kg <b>Date Analyzed:</b> 12/22/17 03:32	SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooctane	79.2	100	79	70-135		
o-Terphenyl	41.8	50.0	84	70-135		

Units:	mg/kg	<b>Date Analyzed:</b> 12/21/17 18:36	SU	RROGATE RI	ECOVERY S	STUDY	
	ТРН	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooc	tane		82.7	99.8	83	70-135	
o-Terpheny	1		44.6	49.9	89	70-135	

Units: mg/kg Date Analyzed: 12/22/17 00:47 SURROGATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags
1,4-Difluorobenzene	0.0304	0.0300	101	80-120	
4-Bromofluorobenzene	0.0303	0.0300	101	80-120	

Units:	mg/kg	<b>Date Analyzed:</b> 12/22/17 04:14	SURROGATE RECOVERY STUDY					
TPH By SW8015 Mod  Analytes			Amount Found [A]	True Amount [B]	Recovery %R [D]	Control Limits %R	Flags	
1-Chlorooct	ane		74.4	99.8	75	70-135		
o-Terphenyl			40.5	49.9	81	70-135		

 Lab Batch #: 3036672
 Sample: 571792-001 SD / MSD
 Batch: 1
 Matrix: Soil

Units:	TPH By SW8015 Mod  Analytes  -Chlorooctane	SU	RROGATE RI	ECOVERY S	STUDY		
	TPH	By SW8015 Mod	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags
		Analytes			[D]		
1-Chlorooct	ane		80.3	100	80	70-135	
o-Terphenyl			42.9	50.0	86	70-135	

<sup>\*</sup> Surrogate outside of Laboratory QC limits

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution



**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

 Work Orders: 571800,
 Project ID:

 Lab Batch #: 3036675
 Sample: 571798-009 SD / MSD
 Batch: 1 Matrix: Soil

Units:	BTEX by EPA 8021B  Analytes	SU	RROGATE RI	ECOVERY S	STUDY		
	Analytes 4-Difluorobenzene	Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
	Aı	nalytes			[D]		
1,4-Difluoro	benzene		0.0324	0.0300	108	80-120	
4-Bromofluo	orobenzene		0.0325	0.0300	108	80-120	

**Lab Batch #:** 3036677 **Sample:** 571800-013 SD / MSD **Batch:** 1 **Matrix:** Soil

Units:	TPH By SW8015 Mod  Analytes	SU	RROGATE RI	ECOVERY S	STUDY		
		Amount Found [A]	True Amount [B]	Recovery %R	Control Limits %R	Flags	
		Analytes			[D]		
1-Chlorooct	tane		82.6	99.9	83	70-135	
o-Terpheny	1		43.6	50.0	87	70-135	

Surrogate Recovery [D] = 100 \* A / B

All results are based on MDL and validated for QC purposes.

<sup>\*</sup> Surrogate outside of Laboratory QC limits

<sup>\*\*</sup> Surrogates outside limits; data and surrogates confirmed by reanalysis

<sup>\*\*\*</sup> Poor recoveries due to dilution





**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

Work Order #: 571800 Project ID:

Analyst: ALJ Date Prepared: 12/21/2017 Date Analyzed: 12/22/2017

**Lab Batch ID:** 3036675 **Sample:** 7636472-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Benzene	<0.00200	0.0998	0.0872	87	0.100	0.0854	85	2	70-130	35	
Toluene	< 0.00200	0.0998	0.0805	81	0.100	0.0788	79	2	70-130	35	
Ethylbenzene	< 0.00200	0.0998	0.0871	87	0.100	0.0848	85	3	71-129	35	
m,p-Xylenes	< 0.00399	0.200	0.172	86	0.201	0.167	83	3	70-135	35	
o-Xylene	< 0.00200	0.0998	0.0824	83	0.100	0.0798	80	3	71-133	35	

Analyst: LRI Date Prepared: 12/26/2017 Date Analyzed: 12/27/2017

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	253	101	250	250	100	1	90-110	20	





Project Name: COG-Gunner 16 SWD #1 (Pasture)

Work Order #: 571800 Project ID:

Analyst: LRI Date Prepared: 12/26/2017 Date Analyzed: 12/27/2017

**Lab Batch ID:** 3037043 **Sample:** 7636594-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	< 5.00	250	254	102	250	252	101	1	90-110	20	

**Analyst:** ARM **Date Prepared:** 12/21/2017 **Date Analyzed:** 12/21/2017

**Lab Batch ID:** 3036672 **Sample:** 7636449-1-BKS **Batch #:** 1 **Matrix:** Solid

Units: mg/kg BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	881	88	1000	882	88	0	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	914	91	1000	919	92	1	70-135	35	

**Analyst:** ARM **Date Prepared:** 12/21/2017 **Date Analyzed:** 12/22/2017

Units: mg/kg BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod	Blank Sample Result [A]	Spike Added	Blank Spike Result	Blank Spike %R	Spike Added	Blank Spike Duplicate	Blk. Spk Dup. %R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes		[B]	[C]	[D]	[E]	Result [F]	[G]				
Gasoline Range Hydrocarbons (GRO)	<15.0	1000	813	81	1000	851	85	5	70-135	35	
Diesel Range Organics (DRO)	<15.0	1000	845	85	1000	866	87	2	70-135	35	





**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

Work Order #: 571800 Project ID:

**Lab Batch ID:** 3036675 **QC- Sample ID:** 571798-009 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 12/22/2017 Date Prepared: 12/21/2017 Analyst: ALJ

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

BTEX by EPA 8021B	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Sample %R	Spike Added	Duplicate Spiked Sample Result [F]	%R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]		[D]	[E]		[ <b>G</b> ]				
Benzene	< 0.00201	0.100	0.0767	77	0.101	0.0767	76	0	70-130	35	
Toluene	< 0.00201	0.100	0.0707	71	0.101	0.0702	70	1	70-130	35	
Ethylbenzene	< 0.00201	0.100	0.0745	75	0.101	0.0747	74	0	71-129	35	
m,p-Xylenes	< 0.00402	0.201	0.146	73	0.202	0.147	73	1	70-135	35	
o-Xylene	< 0.00201	0.100	0.0694	69	0.101	0.0702	70	1	71-133	35	X

**Lab Batch ID:** 3036946 **QC- Sample ID:** 571798-005 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/27/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

	Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
-	•								_			
	Chloride	29.0	250	289	104	250	290	104	0	90-110	20	

**Lab Batch ID:** 3036946 **QC- Sample ID:** 571798-014 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/27/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	45.1	245	295	102	245	295	102	0	90-110	20	

Matrix Spike Percent Recovery [D] = 100\*(C-A)/B Relative Percent Difference RPD = 200\*|(C-F)/(C+F)| Matrix Spike Duplicate Percent Recovery [G] = 100\*(F-A)/E





**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

Work Order #: 571800 Project ID:

**Lab Batch ID:** 3037043 **QC- Sample ID:** 571800-005 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/28/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1  Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	43.4	246	287	99	246	288	99	0	90-110	20	

**Lab Batch ID:** 3037043 **QC- Sample ID:** 571800-016 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/28/2017 **Date Prepared:** 12/26/2017 **Analyst:** LRI

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Parent Sample Result	Spike Added	Spiked Sample Result [C]	Sample %R	Added	Duplicate Spiked Sample Result [F]	%R	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes	[A]	[B]		[D]	[E]		[G]				
Chloride	5.52	245	242	97	245	251	100	4	90-110	20	

**Lab Batch ID:** 3036672 **QC- Sample ID:** 571792-001 S **Batch #:** 1 **Matrix:** Soil

**Date Analyzed:** 12/21/2017 **Date Prepared:** 12/21/2017 **Analyst:** ARM

Reporting Units: mg/kg MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	858	86	1000	841	84	2	70-135	35	
Diesel Range Organics (DRO)	<15.0	998	869	87	1000	857	86	1	70-135	35	





**Project Name: COG-Gunner 16 SWD #1 (Pasture)** 

Work Order #: 571800 Project ID:

**Lab Batch ID:** 3036677 **QC- Sample ID:** 571800-013 S **Batch #:** 1 **Matrix:** Soil

Date Analyzed: 12/22/2017 Date Prepared: 12/21/2017 Analyst: ARM

Reporting Units: mg/kg MATRIX SPIKE DUPLICATE RECOVERY STUDY

TPH By SW8015 Mod Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Gasoline Range Hydrocarbons (GRO)	<15.0	998	823	82	999	830	83	1	70-135	35	
Diesel Range Organics (DRO)	<15.0	998	851	85	999	853	85	0	70-135	35	

) Page

Relinquished by: Relinquished by: Relinquished/by: Comments: Receiving Laboratory: nvoice to: county, state) Project Name: Client Name: Analysis Request of Chain of Custody Record roject Location LAB USE LAB# 븕 Meare BHO 500 BH-5 Sood not Don 11 = 8 Tetra Tech, Inc. 415 SAMPLE IDENTIFICATION 9-10 上る 1-10 6.51 4-15 Date: 0 Time: # 12 M 17 ORIGINAL COPY Sample Signature: Site Manager: Received by Received by: Project #: 257 DATE SAMPLING TIME 0 Torracelo WATER MATRIX 4000 N. Big Spring Street, Ste 401 Midland,Texas 79705 Tel (432) 682-4559 Fax (432) 682-3946 51 SOIL bile Date: HCL PRESERVATIVE HNO<sub>3</sub> ICE lime: Time: # CONTAINERS FILTERED (Y/N) (Circle) BTEX 8021B BTEX 8260B Sample Temperature TPH TX1005 (Ext to C35) ONLY PH 8015M ( GRO - DRO - SRC - MRO) Corrected Temp: CF:(0-6: -0.2°C) Temp: PAH 8270C Circle or Specify Method No. Total Metals Ag As Ba Cd Cr Pb Se Hg (6-23: +0.2°C) TCLP Metals Ag As Ba Cd Cr Pb Se Hg TCLP Volatiles REMARKS: ANALYSIS REQUEST TCLP Semi Volatiles RUSH: Same Day Rush Charges Authorized RCI GC/MS Vol. 8260B / 624 GC/MS Semi. Vol. 8270C/625 PCB's 8082 / 608 IR ID:R-8 NORM Page PLM (Asbestos) 24 hr Chloride TDS Chloride Sulfate 48 hr General Water Chemistry (see attached list) Anion/Cation Balance 72 hr 9 Hold

Final 1.000



# XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In



Client: Tetra Tech- Midland

Date/ Time Received: 12/19/2017 04:05:00 PM

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Work Order #: 571800

Temperature Measuring device used: R8

	Sample Receipt Checklist	Comments
#1 *Temperature of cooler(s)?		1
#2 *Shipping container in good condition	?	Yes
#3 *Samples received on ice?		Yes
#4 *Custody Seals intact on shipping cor	ntainer/ cooler?	Yes
#5 Custody Seals intact on sample bottle	es?	Yes
#6*Custody Seals Signed and dated?		Yes
#7 *Chain of Custody present?		Yes
#8 Any missing/extra samples?		No
#9 Chain of Custody signed when relinqu	uished/ received?	Yes
#10 Chain of Custody agrees with sampl	e labels/matrix?	Yes
#11 Container label(s) legible and intact?	?	Yes
#12 Samples in proper container/ bottle?	Yes	
#13 Samples properly preserved?	Yes	
#14 Sample container(s) intact?	Yes	
#15 Sufficient sample amount for indicate	Yes	
#16 All samples received within hold time	Yes	
#17 Subcontract of sample(s)?	N/A	
#18 Water VOC samples have zero head	dspace?	N/A
* Must be completed for after-hours de Analyst:	livery of samples prior to placing in PH Device/Lot#:	the refrigerator
Checklist completed by:		Date: 12/20/2017
Checklist reviewed by:	Mmy Hoah  Kelsey Brooks	Date: 12/26/2017