

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017							
WELL COMPLETION OR RECOMPLETION REPORT AND LOG													
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name HYPERION STATE 6. Well Number: 131H					
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER													
8. Name of Operator TAP ROCK OPERATING, LLC								9. OGRID 372043					
10. Address of Operator 602 PARK POINT DRIVE, SUITE 200, GOLDEN, CO								11. Pool name or Wildcat Upper Wolfcamp					
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County			
Surface:	D	20	24S	33E	-	497'	N	540'	W	LEA			
BH:	M	20	24S	33E	-	23'	S	854'	W	LEA			
13. Date Spudded 1/10/2020	14. Date T.D. Reached 3/9/2020		15. Date Rig Released 3/11/2020			16. Date Completed (Ready to Produce) 7/15/2020			17. Elevations (DF and RKB, RT, GR, etc.) 3537 GR				
18. Total Measured Depth of Well 17255			19. Plug Back Measured Depth 17194			20. Was Directional Survey Made? YES			21. Type Electric and Other Logs Run GR				
22. Producing Interval(s), of this completion - Top, Bottom, Name WOLFCAMP A LOWER													
23. CASING RECORD (Report all strings set in well)													
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED			
13.375"		54.5		1340'		17.5"		1100 sks		0			
9.625"		40		5097'		12.25"		1790 sks		0			
7.625"		29.7		11568'		8.75"		571 sks		0			
5.5"		20		17240'		6.75"		563 sks		0			
24. LINER RECORD													
SIZE	TOP	BOTTOM		SACKS CEMENT	SCREEN		25. TUBING RECORD						
							SIZE		DEPTH SET		PACKER SET		
26. Perforation record (interval, size, and number) 12248' - 17108', 3 SPF, .42 inch holes, 975 total shots						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12248' - 17108' 25 stage frac with 12,522,538 lbs 100 mesh sand							
28. PRODUCTION													
Date First Production 8/6/2020		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Flowing					Well Status (<i>Prod. or Shut-in</i>) Producing						
Date of Test 8/20/2020	Hours Tested 24 hrs	Choke Size 28/64	Prod'n For Test Period	Oil - Bbl 975	Gas - MCF 2131	Water - Bbl. 2527	Gas - Oil Ratio 2.185						
Flow Tubing Press. 0	Casing Pressure 3188	Calculated 24-Hour Rate	Oil - Bbl. 975	Gas - MCF 2131	Water - Bbl. 2527	Oil Gravity - API - (<i>Corr.</i>) 48.0							
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold									30. Test Witnessed By				
31. List Attachments Directional Survey, GR													
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.									33. Rig Release Date:				
34. If an on-site burial was used at the well, report the exact location of the on-site burial: <div style="display: flex; justify-content: space-between;"> Latitude Longitude NAD83 </div>													
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>													
Signature				Printed Name Bill Ramsey				Title Regulatory Analyst				Date 8/25/2020	
E-mail Address bramsey@t+													

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
CHERRY	6011' MD		
BRUSHY	7500' MD		
BONE SPRING	9065' MD		
UPPER AVALON	9226' MD		
1ST BONE SPRING SAND	10113' MD		
2ND BONE SPRING SAND	10758' MD		
3RD BONE SPRING SAND	11949' MD		
3RD BONE SPRING W	12404' MD		

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....

No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology		From	To	Thickness In Feet	Lithology