

Submit 1 Copy To Appropriate District Office
 District I - (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II - (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III - (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV - (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

HOBBS OCD
SEP 01 2011
RECEIVED

WELL API NO. 30-025-03224
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No
7. Lease Name or Unit Agreement Name West Pearl Queen Unit
8. Well Number #120
9. OGRID Number 25482
10. Pool name or Wildcat Pearl Queen

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DILLEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well Oil Well Gas Well Other injection

2. Name of Operator
State of NM (formerly Xeric Oil & Gas)

3. Address of Operator
1625 N. French Drive, Hobbs, NM 88240

4. Well Location
 Unit Letter L 1980 feet from the West line and 660 feet from the Fwl line
 Section 28 Township 19S Range 35E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER <input type="checkbox"/>		OTHER <input type="checkbox"/>	

13. Describe proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 19.15.7.14 NMAC For Multiple Completions. Attach wellbore diagram of proposed completion or recompletion.

See attached Plugging Procedure

The Oil Conservation Division Must be notified
 24 hours prior to the beginning of plugging operations.

Spud Date Rig Release Date

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE Mark Whitaker TITLE Compliance Officer DATE 9/01/2011

Type or print name Mark A. Whitaker E-mail address. _____ PHONE _____
For State Use Only

APPROVED BY [Signature] TITLE STAFF NGR DATE 9-1-2011
 Conditions of Approval (if any)

SEP 01 2011

State of New Mexico formerly Xeric Oil & Gas Corp
West Pearl Queen Unit No. 120

Set CIBP at 4683' and cap w/ 25 sx cmt.

Circulate hole w/ 9.5 ppg brine w/ 25 sx salt gel per 100 bbls.

Perforate at 3230'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 1850'.

Squeeze w/ 25 sx cmt. WOC and Tag.

Perforate at 366'.

Circulate cmt to surface.

Cut off wellhead and install dry hole marker.

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR STATE of NM formerly XERIC OIL & GAS

LEASENAME WEST PEARL QUEEN UNIT

SECT 28 TWN 19S WELL # 120
 FROM 1980 N/S/L RING 35E
 TD: 4946 E/W/L
 PBTD: _____ FORMATION @ TD _____
 FORMATION @ PBTD _____

8 5/8
@ 316'
 TOC CIRC
 (300 SX)

~~@
 TOC~~

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8 5/8	316'	Surf.	Circ.	
INTMED 1					
INTMED 2					
PROD	5 1/2	4904'	3180'	?	
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
CUT & PULL @			TOP - BOTTOM		
INTMED 1			PERFS	4733' - 4871'	
INTMED 2			OPENHOLE	4904' - 4946'	
PROD					

*** REQUIRED PLUGS DISTRICT I**

RUSTLER (AMT)	1880'
YATES B. SALT	3230'
QUEEN	
GRAYBURG	
SAN ANDRES	
CANTIAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINERY	
TUBS	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
ACE	
DEVOREAN	

PLUG	TYPE PLUG	SACKS CMNT	DEPTH
EXAMPLES			
PLUG # 1	OH	25 SXS	9850'
PLUG # 2	SHOE	50 SXS	8700'-8800'
PLUG # 3	CIBP/35'		5300'
PLUG # 3	CIBP	25 SXS	5300'
PLUG # 4	STUB	50 SXS	4600'-4700'
PLUG # 6	REINR SQZ	200 SXS	400
PLUG # 7	SURF	10 SXS	0-10'
PLUG # 1			
PLUG # 2			
PLUG # 3			
PLUG # 4			
PLUG # 5			
PLUG # 6			
PLUG # 7			
PLUG # 8			
PLUG # 9			
PLUG # 10			
PLUG #			
PLUG #			

5 1/2
@ 4904'
 TOC 3180'
 (350 SX)

TD 4946'