| District IV 1220 Sout | s and Natural Resources epartment ervation Division th St. Francis Dr. | For closed-loop sy ground steel tanks to implement wast | Form C-144 CLEZ evised August 1, 201 estems that only use above or haul-off bins and propose e removal for closure, submit NMOCD District Office. |
|--|--|---|--|
| DFCEIVED Santa I | Fe, NM 87505 | | |
| <u>Closed-Loop System Peri</u> | | | |
| (that only use above ground steel tanks or haul-off | | ement waste removal | for closure) |
| | X Permit 🗌 Closure | | |
| Instructions: Please submit one application (Form C-144 CLEZ) per indiv closed-loop system that only use above ground steel tanks or haul-off bins of Please be advised that approval of this request does not relieve the operator of li | and propose to implement wasi | te removal for closure, | please submit a Form C-144. |
| environment. Nor does approval relieve the operator of its responsibility to con | nply with any other applicable | governmental authority' | s rules, regulations or ordinances |
| Operator: ConocoPhillips Company | OGRID #: | 217817 | |
| Address: P. O. Box 51810 Midland, TX 79710 | | | |
| Facility or well name: MCA Unit 466 | | | · · · · · · · · · · · · · · · · · · · |
| API Number: <u>30-025-39430</u> | OCD Barmit Number | P1-121 | 21_ |
| U/L or Qtr/Qtr X A Section 27 Township 17S | | | |
| U/L or Qtr/Qtr X Section 27 Township 1/5 | Range <u>32E</u> | County: <u>Lea</u> | |
| Center of Proposed Design: Latitude | | | NAD: [1927 [1983 |
| Surface Owner: 🕅 Federal 🗌 State 🗍 Private 🗌 Tribal Trust or Indian | Allotment | | |
| 2. | P 1 | <u>,</u> | |
| Closed-loop System: Subsection H of 19.15.17.11 NMAC | | | |
| Operation: X Drilling a new well Workover or Drilling (Applies to a | ctivities which require prior a | pproval of a permit or | notice of intent) P&A |
| X Above Ground Steel Tanks or X Haul-off Bins | | | |
| 3. | | | |
| Signs: Subsection C of 19.15.17.11 NMAC | | | |
| 12"x 24", 2" lettering, providing Operator's name, site location, and en | mergency telephone numbers | | |
| Signed in compliance with 19.15.16.8 NMAC | | | |
| Closed-loop Systems Permit Application Attachment Checklist: Substantiation Substantiatio Substantiatin Substantiation Substantiation Substantiation Substa | cation. Please indicate, by a contract of the second state of 19.15.17.12 NMA | check mark in the box | , that the documents are |
| Closure Plan (Please complete Box 5) - based upon the appropriate Previously Approved Design (attach copy of design) API Number | • , | | C and 19.15.17.13 NMAC |
| | er: | | C and 19.15.17.13 NMAC |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number <u>S.</u> <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> Instructions: Please indentify the facility or facilities for the disposal of facilities are required. | er: er: Ground Steel Tanks or Hau fliquids, drilling fluids and d | ul-off Bins Only: (19. rill cuttings. Use attac | 15.17.13.D NMAC) chment if more than two |
| Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number API Numbe | er: Ground Steel Tanks or Hau Fliquids, drilling fluids and d Disposal Facility Pe | t <u>l-off Bins Only</u> : (19. <i>irill cuttings. Use attac</i> ermit Number: <u>NM-</u> | 15.17.13.D NMAC) Shment if more than two 01-0006 |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number <u>S.</u> <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> Instructions: Please indentify the facility or facilities for the disposal of facilities are required. | er: Ground Steel Tanks or Hau Fliquids, drilling fluids and d Disposal Facility Pe | t <u>l-off Bins Only</u> : (19. <i>irill cuttings. Use attac</i> ermit Number: <u>NM-</u> | 15.17.13.D NMAC) Shment if more than two 01-0006 |
| Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Numbers <u>API Numbers</u> <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> <i>Instructions: Please indentify the facility or facilities for the disposal of facilities are required.</i> Disposal Facility Name: <u>R-360</u> | er: Ground Steel Tanks or Han Fliquids, drilling fluids and d Disposal Facility Po Disposal Facility Po | ul-off Bins Only: (19. Frill cuttings. Use attac ermit Number: <u>NM</u> - ermit Number: | 15.17.13.D NMAC) chment if more than two 01-0006 |
| Previously Approved Design (attach copy of design) Previously Approved Operating and Maintenance Plan API Number <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> Instructions: Please indentify the facility or facilities for the disposal of facilities are required. Disposal Facility Name: <u>R-360</u> Disposal Facility Name: <u>Will any of the proposed closed-loop system operations and associated act</u> | er: Ground Steel Tanks or Han <i>Ground Steel Tanks or Han</i> <i>Ground Steel Tanks or Han</i> <i>Ground Steel Tanks or Han</i> <i>Disposal Facility Pe</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>Operations:</i> propriate requirements of Sul ubsection 1 of 19.15.17.13 NN | Al-off Bins Only: (19. rill cuttings. Use attack ermit Number: <u>NM-</u> ermit Number: hat will not be used for bsection H of 19.15.17 MAC | 15.17.13.D NMAC) <i>chment if more than two</i> 01-0006 future service and operations? |
| □ Previously Approved Design (attach copy of design) API Number □ Previously Approved Operating and Maintenance Plan API Number 5. Waste Removal Closure For Closed-loop Systems That Utilize Above API Number 5. Waste Removal Closure For Closed-loop Systems That Utilize Above API Number 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Api Number 5. Waste Removal Closure For Closed-loop Systems That Utilize Above Api Number 6. Maintenance Plan API Number 6. Api Number Api Number 6. Ste Reclamation Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second Plan - based upon the appropriate requirements of Second | er: Ground Steel Tanks or Han <i>Ground Steel Tanks or Han</i> <i>Ground Steel Tanks or Han</i> <i>Ground Steel Tanks or Han</i> <i>Disposal Facility Pe</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>Operations:</i> propriate requirements of Sul ubsection 1 of 19.15.17.13 NN | Al-off Bins Only: (19. rill cuttings. Use attack ermit Number: <u>NM-</u> ermit Number: hat will not be used for bsection H of 19.15.17 MAC | 15.17.13.D NMAC) <i>chment if more than two</i> 01-0006 future service and operations |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number <u>API Number</u> <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> <i>Instructions: Please indentify the facility or facilities for the disposal of</i> <i>facilities are required.</i> Disposal Facility Name: <u>R-360</u> Disposal Facility Name: <u>Vestore for impacted areas which will not be used for future service and</u> Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Successful State Reclamation Plan - based upon the appropriate requirements of Successful State Reclamation Plan - based upon the appropriate requirements of Successful Application Certification: | er: Ground Steel Tanks or Han <i>fliquids, drilling fluids and d</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>loperations:</i> poporpriate requirements of Sul absection 1 of 19.15.17.13 NM f Subsection G of 19.15.17.13 | Il-off Bins Only: (19. rill cuttings. Use attac ermit Number: mat will not be used for bsection H of 19.15.17 AAC NMAC | 15.17.13.D NMAC) chment if more than two 01-0006 future service and operations ⁶ 1.13 NMAC |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number Api Numbe | er: Ground Steel Tanks or Han <i>fliquids, drilling fluids and d</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>loperations:</i> propriate requirements of Sulubsection 1 of 19.15.17.13 NM f Subsection G of 19.15.17.13 e, accurate and complete to the | Il-off Bins Only: (19. rill cuttings. Use attac ermit Number: ermit Number: ermit Number: hat will not be used for bsection H of 19.15.17 AC NMAC be best of my knowled | 15.17.13.D NMAC) <i>chment if more than two</i> 01-0006 future service and operations ¹ 1.13 NMAC ge and belief. |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number <u>API Number</u> <u>Waste Removal Closure For Closed-loop Systems That Utilize Above</u> <i>Instructions: Please indentify the facility or facilities for the disposal of</i> <i>facilities are required.</i> Disposal Facility Name: <u>R-360</u> Disposal Facility Name: <u>Vestore for impacted areas which will not be used for future service and</u> Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Successful State Reclamation Plan - based upon the appropriate requirements of Successful State Reclamation Plan - based upon the appropriate requirements of Successful Application Certification: | er: Ground Steel Tanks or Han <i>fliquids, drilling fluids and d</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>loperations:</i> propriate requirements of Sulubsection 1 of 19.15.17.13 NM f Subsection G of 19.15.17.13 e, accurate and complete to the | Il-off Bins Only: (19. rill cuttings. Use attac ermit Number: mat will not be used for bsection H of 19.15.17 AAC NMAC | 15.17.13.D NMAC) chment if more than two 01-0006 future service and operations? 1.13 NMAC ge and belief. |
| Previously Approved Design (attach copy of design) API Number Previously Approved Operating and Maintenance Plan API Number Api Numbe | er: Ground Steel Tanks or Han <i>fliquids, drilling fluids and d</i> Disposal Facility Pe Disposal Facility Pe tivities occur on or in areas the <i>loperations:</i> propriate requirements of Sulubsection 1 of 19.15.17.13 NM f Subsection G of 19.15.17.13 e, accurate and complete to the | ermit Number: ermit | 15.17.13.D NMAC) <i>chment if more than two</i> 01-0006 future service and operations? 1.13 NMAC ge and belief. |

| OCD Approval: Permit Application (including closure plan) Closure | Plan (only) | | |
|--|--|--|--|
| OCD Representative Signature: Mark Whitaken | Approval Date: 12-18-2012 | | |
| Title: Compliance Officer | Approval Date: 12-18-2012 OCD Permit Number: 12-01135 | | |
| 8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: | | | |
| 9. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized. | | | |
| Disposal Facility Name: | Disposal Facility Permit Number: | | |
| Disposal Facility Name: | Disposal Facility Permit Number: | | |
| Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No | | | |
| Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique | | | |
| 10. Operator Closure Certification: | | | |
| I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan. | | | |
| Name (Print): <u>Rhonda Rogers</u> | Title: <u>Staff Regulatory Technician</u> | | |
| Signature: | Date: | | |
| e-mail address: rogerrs@conocophillips.com | Telephone: (432)688-9174 | | |

.

Closed Loop System Design, Operating and Maintenance, and Closure Plan

ConocoPhillips Company Well: MCA Unit 466 Location: Sec. 27, T17S, R32E Date: 12/14/2012

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

 We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in hauloff bins or in frac tanks as needed. The intent is as follows:

- We propose to use the rig's steel pits for containing and maintaining the drilling fluids.
- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in tanks.

The closed loop system components will be inspected daily by each tour and any need repairs will be made immediately. Any leak in the system will be repaired immediately, and any spilled liquids and/or solids will be cleaned immediately, and the area where any such spill occurred will be remediated immediately.

2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

R-360 Inc. 4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388; Hobbs, New Mexico 88241 Toll Free Phone: 877.505.4274, Local Phone Number: 432.638.4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for R-360 is NM-01-0006.

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at R-360 Inc at the facility described above.
- 4. Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
 - Nabors Well Services Company, 3221 NW County Rd; Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
 - Basic Energy Services, P.O. Box 1869; Eunice, NM 88231 Phone Number: 575.394.2545, Facility located at Hwy 18, Mile Marker 19; Eunice, NM.

James Chen Drilling Engineer Office: 832.486.2184 Cell: 832.678.1647