

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87418
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

HOBBS OGD
NOV 29 2012
RECEIVED

WELL API NO. 30-025-40199
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. UB-971
7. Lease Name or Unit Agreement Name Murphy 35 State
8. Well Number 1
9. OGRID Number 16696
10. Pool name or Wildcat Wildcat Yeso

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA Inc.

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter N : 950 feet from the south line and 1700 feet from the west line
Section 35 Township 16S Range 32E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4271 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-7160' PBTD-7099' Perfs-5880-6887'
11-3/4" 42# csg @ 1077' w/ 850sx, 14-3/4" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 2548' w/ 640sx, 10-5/8" hole, TOC-Surf-Circ
5-1/2" 17# csg @ 7147' w/ 1380sx, 7-7/8" hole TOC-Surf-Circ
1. RIH & set CIBP @ 5830', M&P 25sx cmt to 5660'
2. M&P 55sx cmt @ 4250-3865' WOC-Tag
3. M&P 25sx cmt @ 2620-2470' WOC-Tag
4. M&P 25sx cmt @ 1150-1000' WOC-Tag
5. M&P 45sx cmt @ 300' to Surface
10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 11/27/12

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Mary Brown TITLE Compliance Officer DATE 12/18/2012

Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified**
24 hours prior to the beginning of Plugging Operations begin.

DEC 19 2012

OXY USA Inc - Proposed
Murphy 35 State #1
API No. 30-025-40199

45sx @ 300'-Surface


25sx @ 1150-1000' WOC-Tag

25sx @ 2620-2470' WOC-Tag

55sx @ 4250-3865' WOC-Tag

CIBP @ 5830' w/ 25sx to 5660'

PB-7099'



TD-7160'


14-3/4" hole @ 1285'
11-3/4" csg @ 1077'
w/ 850sx-TOC-Surf-Circ

10-5/8" hole @ 2548'
8-5/8" csg @ 2548'
w/ 640sx-TOC-Surf-Circ

Perfs @ 5880-6887'

7-7/8" hole @ 7160'
5-1/2" csg @ 7147'
w/ 1380sx-TOC-Surf-Circ

OXY USA Inc - Current
Murphy 35 State #1
API No. 30-025-40199



14-3/4" hole @ 1285'
11-3/4" csg @ 1077'
w/ 850sx-TOC-Surf-Circ

10-5/8" hole @ 2548'
8-5/8" csg @ 2548'
w/ 640sx-TOC-Surf-Circ

Perfs @ 5880-6887'

7-7/8" hole @ 7160'
5-1/2" csg @ 7147'
w/ 1380sx-TOC-Surf-Circ

PB-7099'

TD-7160'