Form 3160-5 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Hobbs

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No. NM-0245247

## SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page N 2 9 2013 1. Type of Well 8. Well Name and No. McElvain "A" Federal # Oil Well Other Gas Well RECEIVED 2. Name of Operator Seely Oil Company 9. API Well No. 30-025-35049 3b. Phone No. (include area code) 3a. Address 10. Field and Pool or Exploratory Area 815 W, 10th St. Ft. Worth, TX 76102 EK: Delaware 817-332-1377 4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) 330 FNL & 590 FEL Sec. 30-T18S-R34E 11. Country or Parish, State Lea County, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/Resume) Water Shut-Off Notice of Intent Alter Casing Fracture Treat Well Integrity Reclamation New Construction Casing Repair Recomplete Other ✓ Subsequent Report Plug and Abandon Change Plans Temporarily Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) Seely Oil Company proposes to fracture stimulate the well via 2 3/8" 4.7#/ft J-55 EUE tubing with a packer set @ 4700' +/- as follows: Volume: 20,000 gallons gelled Kcl w/ chemicals as shown on the attached with 40,000# 16/30 sand at an ATR of 5 bpm and an expected ATP of 3500 psi. Enclosed, please find MDS and data sheets for all the materials used. 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) David L. Henderson Title President THIS SPACE FOR FEDERAL OR STATE OFFICE USEPROVE Approved by

Title

Office

to make to any ocua-

of the United States any false,

(Instructions on page 2)

entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would

fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully



01/15/2013

David Henderson Seely Oil Company

Dear Mr. Henderson,

Here is all the chemicals we use in your Frac jobs. We are also sending the MSDS sheets for each chemical. All the MSDS sheets haves hand written descriptions of what each chemical is for while completeing your FRAC jobs. Let me know if you need anything else.

Plexbor 907L-EB---Viscosifier for water, helps with carrying the sand Claymax----Potassium chloride substitute, prevents clay from swelling Plexbreak 150----Non-emulsifier for acid & water Plexsurf WRS---Petrochemical, helps with water recovery Plexgel Breaker 10L---Breaks gel back to water Plexcide B7—Kills Bacteria in water Plexbor 97-----Oilfield crosslinker, makes gel thicker to carry sand

James Merrill

Circle M Welding & Services

325-573-8005