



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

No PODs found.

PLSS Search:

Section(s): 4

Township: 13S

Range: 32E

HOBBS OCD

FEB 20 2013

RECEIVED

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:38 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION

FEB 25 2013



New Mexico Office of the State Engineer
Active & Inactive Points of Diversion
(with Ownership Information)

No PODs found.

PLSS Search:

Section(s): 33

Township: 12S

Range: 32E



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)

(R=POD has been replaced
and no longer serves this file,

(quarters are 1=NW 2=NE 3=SW 4=SE)

C=the file is closed)

(quarters are smallest to largest) (NAD83 UTM in meters)

Sub

q q q

WR File Nbr	basin	Use	Diversion	Owner	County	POD Number	Code	Grant	Source	6416 4	Sec	Tws	Rng	X	Y
L 04965	L	EXP		0 TEXACO INC	LE	L 04965					29	12S	32E	617359	3679664*

Record Count: 1

PLSS Search:

Section(s): 29

Township: 12S

Range: 32E

Sorted by: File Number

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:40 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION



New Mexico Office of the State Engineer Water Right Summary



WR File Number: L 04965

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres: .

Total Diversion: 0

Owner: TEXACO INC

Contact: B D LIVELY

Documents on File

Trn #	Doc	File/Act	Status		Transaction Desc.	From/	Acres	Diversion	Consumptive
			1	2		To			
500928	EXPL	1962-08-30	PMT	APR	L 04965	T	0	0	

Current Points of Diversion

(NAD83 UTM in meters)

POD Number	Source	Q	Q	Q	Sec	Tws	Rng	X	Y	Other Location Desc
L 04965					29	12S	32E	617359	3679664*	

An () after northing value indicates UTM location was derived from PLSS - see Help

Source

Acres	Diversion	CU	Use	Priority	Source Description
0	0		EXP		GW



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 04965

29 12S 32E

617359 3679664*

Driller License:

Driller Name:

Drill Start Date:

Drill Finish Date:

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size:

Depth Well:

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)

(R=POD has been replaced and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE)
C=the file is closed) (quarters are smallest to largest) (NAD83 UTM in meters)

WR File Nbr	Sub	basin	Use	Diversion	Owner	County	POD Number	Code	Grant	Source	q	q	q	Sec	Tws	Rng	X	Y
L 04967	L	EXP			0 TEXACO INC	LE	L 04967			Shallow	6416	4		32	12S	32E	617380	3678055*

Record Count: 1

PLSS Search:

Section(s): 32 Township: 12S Range: 32E

Sorted by: File Number

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:43 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION



New Mexico Office of the State Engineer Water Right Summary



WR File Number: L 04967

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres:

Total Diversion: 0

Owner: TEXACO INC

Contact: B D LIVELY

Documents on File

Trn #	Doc	File/Act	Status		Transaction Desc.	From/ To	Acres	Diversion	Consumptive
			1	2					
500932	EXPL	1962-08-30	PMT	LOG	L 04967	T	0	0	

Current Points of Diversion

(NAD83 UTM in meters)

POD Number	Source	Q	Q	Q	Sec	Tws	Rng	X	Y	Other Location Desc
L 04967	Shallow				32	12S	32E	617380	3678055*	NO QTRS GIVEN

An () after northing value indicates UTM location was derived from PLSS - see Help

Source

Acres	Diversion	CU	Use	Priority	Source Description
0	0		EXP		GW



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 04967

32 12S 32E

617380 3678055*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name:

Drill Start Date: 02/26/1963

Drill Finish Date: 02/27/1963

Plug Date:

Log File Date: 03/11/1963

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield: 38

Casing Size: 8.30

Depth Well: 172 feet

Depth Water: 145 feet

Water Bearing Stratifications:

Top Bottom Description

145 160 Sandstone/Gravel/Conglomerate

Casing Perforations:

Top Bottom

125 160

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q1	Q2	Q3	Q4	Sec	Twp	Range	X	Y	Depth Water	Depth Water	Water Column
------------	-----	------	----------	--------	----	----	----	----	-----	-----	-------	---	---	-------------	-------------	--------------

L 03837

L

ED

3

3

3

01

13S

31E

613458

3675548*

165

L 03837 X

L

ED

3

3

3

01

13S

31E

613458

3675548*

190

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 2

PLSS Search:

Section(s): 1

Township: 13S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer Point of Diversion Summary

POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest)	(NAD83 UTM in meters)
	Q64 Q16 Q4 Sec Tws Rng	X Y
L 03837	3 3 3 01 13S 31E	613458 3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1910

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 30

Casing Size: 6.00

Depth Well: 165 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer

Point of Diversion Summary

POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE)			
	(quarters are smallest to largest)		(NAD83 UTM in meters)	
	Q64 Q16 Q4	Sec Tws Rng	X	Y
L 03837 X	3 3 3 01	13S 31E	613458	3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:	Drill Finish Date:	12/31/1947	Plug Date:
Log File Date:	PCW Rcv Date:		Source:
Pump Type:	Pipe Discharge Size:		Estimated Yield: 50
Casing Size: 7.00	Depth Well:	190 feet	Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 6

Township: 13S

Range: 32E



New Mexico Office of the State Engineer **Water Column/Average Depth to Water**

No records found.

PLSS Search:

Section(s): 31

Township: 12S

Range: 32E



(In feet)

L 04966	L	LE	30	12S	32E	615736	3679644*	172	110	62
Average Depth to Water:									110 feet	
Minimum Depth:									110 feet	
Maximum Depth:									110 feet	

Range: 32E

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 04966

30 12S 32E

615736 3679644*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name:

Drill Start Date: 02/05/1963

Drill Finish Date: 02/07/1963

Plug Date:

Log File Date: 02/28/1963

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 8.63

Depth Well: 172 feet

Depth Water: 110 feet

Water Bearing Stratifications:

Top Bottom Description

110

155

Sandstone/Gravel/Conglomerate

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



New Mexico Office of the State Engineer Water Column/Average Depth to Water


No records found.

PLSS Search:

Section(s): 36

Township: 12S

Range: 31E



(In feet)

<u>L 04170</u>	L	LE	1	4	1	35	12S	31E	612224	3678152*	55	25	30
												Average Depth to Water:	25 feet
												Minimum Depth:	25 feet
												Maximum Depth:	25 feet

Range: 31E

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64 Q16 Q4 Sec Tws Rng	X	Y
L 04170	1 4 1 35 12S 31E	612224	3678152*

Driller License: TATUM, CLAUDE E.

Driller Name:

Drill Start Date: 06/19/1959	Drill Finish Date: 06/20/1959	Plug Date:
Log File Date: 07/28/1959	PCW Rcv Date:	Source: Shallow
Pump Type:	Pipe Discharge Size:	Estimated Yield:
Casing Size: 8.00	Depth Well: 55 feet	Depth Water: 25 feet

Water Bearing Stratifications:	Top	Bottom	Description
	25	55	Sandstone/Gravel/Conglomerate

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW#### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Sec	Tws	Rng	UTM X	UTM Y	Well	Water Column
------------	-----	------	----------	--------	-----	-----	-----	-------	-------	------	--------------

L 10141	L	LE			3	25	12S 31E	613723	3679076*	250	125 125
										Average Depth to Water:	125 feet
										Minimum Depth:	125 feet
										Maximum Depth:	125 feet

Record Count: 1

PLSS Search:

Section(s): 25

Township: 12S

Range: 31E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 10141

3 25 12S 31E

613723 3679076*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name: ABBOTT, FLOYD

Drill Start Date: 10/17/1990

Drill Finish Date: 11/06/1990

Plug Date:

Log File Date: 11/13/1990

PCW Rcv Date: 04/11/1991

Source: Shallow

Pump Type: SUBMER

Pipe Discharge Size: 4

Estimated Yield: 100

Casing Size: 10.75

Depth Well: 250 feet

Depth Water: 125 feet

Water Bearing Stratifications:

Top Bottom Description

127 190 Shallow Alluvium/Basin Fill

Casing Perforations:

Top Bottom

130 250

Meter Number: 4079

Meter Make:

Meter Serial Number: 3SBF3478

Meter Multiplier: 1.0000

Number of Dials: 6

Meter Type: Diversion

Unit of Measure: Barrels 42 gal.

Return Flow Percent:

Usage Multiplier: 1.00

Reading Frequency: Quarterly

Meter Readings (in Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount
04/01/2000	2000	242218	A	jw		0
06/30/2000	2000	293428	A	jw		6.601
09/30/2000	2000	349692	A	jw		7.252
12/31/2004	2004	25054	R	jw	Meter Rollover	87.050
04/11/2005	2005	71139	A	jw		5.940
07/12/2005	2005	108656	A	jw		4.836
10/27/2005	2005	156985	A	jw		6.229
12/31/2005	2005	222420	A	RPT		8.434
03/31/2006	2006	291294	A	RPT		8.877
06/30/2006	2006	362920	A	RPT		9.232
09/30/2006	2006	411887	A	RPT		6.312

****YTD Meter Amounts:**

Year	Amount
2000	13.853
2001	0

*UTM location was derived from PLSS - see Help

****YTD Meter Amounts: Year Amount**

2003	0
2004	87.050
2005	25.439
2006	24.421



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,

O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)

closed) (quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Depth Y	Depth Well	Water Column
------------	-----	------	----------	--------	---	---	---	-----	-----	-----	---	------------	---------------	-----------------

L 02726

L LE 2 2 4 07 13S 32E 616506 3674736* 194 120 74

Average Depth to Water: 120 feet

Minimum Depth: 120 feet

Maximum Depth: 120 feet

Record Count: 1

PLSS Search:

Section(s): 7

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 02726

2 2 4 07 13S 32E

616506 3674736*

Driller License: MATTHEWS DRILLING CO.

Driller Name: JAMES WILLIAM MATTHEWS

Drill Start Date: 02/01/1955

Drill Finish Date: 03/31/1955

Plug Date:

Log File Date: 12/23/1955

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size: 7.00

Depth Well: 194 feet

Depth Water: 120 feet

Water Bearing Stratifications:

Top Bottom Description

130 192 Sandstone/Gravel/Conglomerate

Casing Perforations:

Top Bottom

164 194

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)

closed) (quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD	Q Q Q	Code	Subbasin	County	64	16	4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water Column
------------	-----	-------	------	----------	--------	----	----	---	-----	-----	-----	---	---	------------	--------------------

L 03836

L ED 4 1 05 13S 32E 617188 3676656* 154

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 1

PLSS Search:

Section(s): 5

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 03836

4 1 05 13S 32E

617188 3676656*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date:

12/31/1943

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 15

Casing Size: 7.00

Depth Well:

154 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
L 03836 X	L	ED	1	1	3	08	13S	32E	616709	3674741*	190				
L 03836 X2	L	ED	1	1	3	08	13S	32E	616709	3674741*	165				

Average Depth to Water: --

Minimum Depth: ---

Maximum Depth: --

Record Count: 2

PLSS Search:

Section(s): 8

Township: 13S

Range: 32E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L 03836 X	1	1	3	08	13S	32E	616709	3674741*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1945

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 30

Casing Size: 7.00

Depth Well: 190 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
L 03836 X2	1	1	3	08	13S	32E	616709	3674741*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1945

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 15

Casing Size: 6.00

Depth Well: 165 feet

Depth Water:

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 18

Township: 13S

Range: 32E



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 17

Township: 13S

Range: 32E



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 12

Township: 13S

Range: 31E



New Mexico Office of the State Engineer **Water Column/Average Depth to Water**

No records found.

PLSS Search:

Section(s): 13

Township: 13S

Range: 31E