



# *New Mexico Office of the State Engineer*

## **Active & Inactive Points of Diversion**

(with Ownership Information)

No PODs found.

PLSS Search:

Section(s): 4

Township: 13S

Range: 32E

HOBBS OCD

FEB 20 2013

RECEIVED

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:38 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION

FEB 25 2013



---

*New Mexico Office of the State Engineer*  
**Active & Inactive Points of Diversion**  
(with Ownership Information)

---

No PODs found.

PLSS Search:

Section(s): 33

Township: 12S

Range: 32E



# New Mexico Office of the State Engineer

## Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)

(R=POD has been replaced

and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE)

C=the file is closed)

(quarters are smallest to largest) (NAD83 UTM in meters)

Sub

q q q

WR File Nbr	basin	Use	Diversion	Owner	County	POD Number	Code Grant	Source	6416 4	Sec	Tws	Rng	X	Y
L 04965	L	EXP		0 TEXACO INC	LE	L 04965				29	12S	32E	617359	3679664*

Record Count: 1

### PLSS Search:

Section(s): 29

Township: 12S

Range: 32E

Sorted by: File Number

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:40 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION



# New Mexico Office of the State Engineer Water Right Summary



WR File Number: L 04965

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres: .

Total Diversion: 0

Owner: TEXACO INC

Contact: B D LIVELY

## Documents on File

Trn #	Doc	File/Act	Status		Transaction Desc.	From/	Acres	Diversion	Consumptive
			1	2		To			
500928	EXPL	1962-08-30	PMT	APR	L 04965	T	0	0	

## Current Points of Diversion

(NAD83 UTM in meters)

POD Number	Source	Q	Q	Q	Sec	Tws	Rng	X	Y	Other Location Desc
L 04965					29	12S	32E	617359	3679664*	

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

## Source

Acres	Diversion	CU	Use	Priority	Source Description
0	0		EXP		GW



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

**Q64 Q16 Q4 Sec Tws Rng**

**X**

**Y**

L 04965

29 12S 32E

617359 3679664\*

**Driller License:**

**Driller Name:**

**Drill Start Date:**

**Drill Finish Date:**

**Plug Date:**

**Log File Date:**

**PCW Rcv Date:**

**Source:**

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:**

**Casing Size:**

**Depth Well:**

**Depth Water:**

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)

Sub

WR File Nbr

basin

Use

Diversion

Owner

County POD Number

Code Grant

Source 6416 4 Sec Tws Rng

X

Y

L 04967

L

EXP

0 TEXACO INC

LE

L 04967

(R=POD has been replaced

and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE)

C=the file is closed)

(quarters are smallest to largest) (NAD83 UTM in meters)

q q q

Shallow 32 12S 32E

617380

3678055\*

Record Count: 1

PLSS Search:

Section(s): 32

Township: 12S

Range: 32E

Sorted by: File Number

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/9/12 2:43 PM

Page 1 of 1

ACTIVE & INACTIVE POINTS OF DIVERSION



# New Mexico Office of the State Engineer Water Right Summary



WR File Number: L 04967

Primary Purpose: EXP EXPLORATION

Primary Status: PMT PERMIT

Total Acres:

Total Diversion: 0

Owner: TEXACO INC

Contact: B D LIVELY

## Documents on File

Trn #	Doc	File/Act	Status		Transaction Desc.	From/ To	Acres	Diversion	Consumptive
			1	2					
<a href="#">get images</a>	500932	EXPL	1962-08-30	PMT LOG	L 04967	T	0	0	

## Current Points of Diversion

(NAD83 UTM in meters)

POD Number	Source	Q	Q	Q	Sec	Tws	Rng	X	Y	Other Location Desc
L 04967	Shallow				32	12S	32E	617380	3678055*	NO QTRS GIVEN

\*An (\*) after northing value indicates UTM location was derived from PLSS - see Help

## Source

Acres	Diversion	CU	Use	Priority	Source Description
0	0		EXP		GW



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

**Q64 Q16 Q4 Sec Tws Rng**

**X**

**Y**

L 04967

32 12S 32E

617380 3678055\*

**Driller License:** ABBOTT BROTHERS COMPANY

**Driller Name:**

**Drill Start Date:** 02/26/1963

**Drill Finish Date:** 02/27/1963

**Plug Date:**

**Log File Date:** 03/11/1963

**PCW Rcv Date:**

**Source:** Shallow

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:** 38

**Casing Size:** 8.30

**Depth Well:** 172 feet

**Depth Water:** 145 feet

**Water Bearing Stratifications:**

**Top Bottom Description**

145 160 Sandstone/Gravel/Conglomerate

**Casing Perforations:**


**Top Bottom**

125 160

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.





closed)                      (quarters are smallest to largest)                      (NAD83 UTM in meters)                      (In feet)

Maximum Depth: --

Range: 31E

WATER COLUMN/ AVERAGE  
DEPTH TO WATER



# New Mexico Office of the State Engineer

## Point of Diversion Summary

POD Number	(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest)	(NAD83 UTM in meters)
L 03837	Q64 Q16 Q4 Sec Tws Rng	X Y
	3 3 3 01 13S 31E	613458 3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:

Drill Finish Date: 12/31/1910

Plug Date:

Log File Date:

PCW Rcv Date:

Source:

Pump Type:

Pipe Discharge Size:

Estimated Yield: 30

Casing Size: 6.00

Depth Well: 165 feet

Depth Water:

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest) (NAD83 UTM in meters)

POD Number	Q64 Q16 Q4	Sec	Tws	Rng	X	Y
L 03837 X	3 3 3 01	13S	31E		613458	3675548*

Driller License: UNKNOWN

Driller Name:

Drill Start Date:	Drill Finish Date:	12/31/1947	Plug Date:
Log File Date:	PCW Rcv Date:		Source:
Pump Type:	Pipe Discharge Size:		Estimated Yield: 50
Casing Size: 7.00	Depth Well: 190 feet		Depth Water:

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 6

Township: 13S

Range: 32E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/17/12 2:49 PM

Page 1 of 1

WATER COLUMN/ AVERAGE  
DEPTH TO WATER

DEPTH TO WATER



---

*New Mexico Office of the State Engineer*  
**Water Column/Average Depth to Water**

---


No records found.

PLSS Search:

Section(s): 31

Township: 12S

Range: 32E



(In feet)

WATER COLUMN/ AVERAGE  
DEPTH TO WATER



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest) (NAD83 UTM in meters)

<b>POD Number</b>	<b>Q64 Q16 Q4</b>	<b>Sec</b>	<b>Tws</b>	<b>Rng</b>	<b>X</b>	<b>Y</b>
L 04966		30	12S	32E	615736	3679644*

**Driller License:** ABBOTT BROTHERS COMPANY

**Driller Name:**

**Drill Start Date:** 02/05/1963

**Drill Finish Date:** 02/07/1963

**Plug Date:**

**Log File Date:** 02/28/1963

**PCW Rcv Date:**

**Source:** Shallow

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:**

**Casing Size:** 8.63

**Depth Well:** 172 feet

**Depth Water:** 110 feet

<b>Water Bearing Stratifications:</b>	<b>Top</b>	<b>Bottom</b>	<b>Description</b>
	110	155	Sandstone/Gravel/Conglomerate

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data



---

# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

---

No records found.

PLSS Search:

Section(s): 36

Township: 12S

Range: 31E





# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	64	16	4	Sec	Tws	1Rng	X	Y	Well	Water Column
------------	-----	------	----------	--------	----	----	---	-----	-----	------	---	---	------	--------------

L 04170

L LE 1 4 1 35 12S 31E 612224 3678152\* 55 25 30

Average Depth to Water: 25 feet

Minimum Depth: 25 feet

Maximum Depth: 25 feet

Record Count: 1

PLSS Search:

Section(s): 35

Township: 12S

Range: 31E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest) (NAD83 UTM in meters)

<b>POD Number</b>	<b>Q64 Q16 Q4 Sec Tws Rng</b>	<b>X</b>	<b>Y</b>
L 04170	1 4 1 35 12S 31E	612224	3678152*

**Driller License:** TATUM, CLAUDE E.


**Driller Name:**

<b>Drill Start Date:</b> 06/19/1959	<b>Drill Finish Date:</b> 06/20/1959	<b>Plug Date:</b>
<b>Log File Date:</b> 07/28/1959	<b>PCW Rcv Date:</b>	<b>Source:</b> Shallow
<b>Pump Type:</b>	<b>Pipe Discharge Size:</b>	<b>Estimated Yield:</b>
<b>Casing Size:</b> 8.00	<b>Depth Well:</b> 55 feet	<b>Depth Water:</b> 25 feet

<b>Water Bearing Stratifications:</b>	<b>Top</b>	<b>Bottom</b>	<b>Description</b>
	25	55	Sandstone/Gravel/Conglomerate

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



(In feet)

<u>L 10141</u>	L	LE	3 25 12S 31E	613723 3679076* 250	125	125
Average Depth to Water:					125 feet	
Minimum Depth:					125 feet	
Maximum Depth:					125 feet	

Range: 31E

WATER COLUMN/ AVERAGE  
DEPTH TO WATER



# New Mexico Office of the State Engineer Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

POD Number

Q64 Q16 Q4 Sec Tws Rng

X

Y

L 10141

3 25 12S 31E

613723 3679076\*

Driller License: ABBOTT BROTHERS COMPANY

Driller Name: ABBOTT, FLOYD

Drill Start Date: 10/17/1990

Drill Finish Date: 11/06/1990

Plug Date:

Log File Date: 11/13/1990

PCW Rcv Date: 04/11/1991

Source: Shallow

Pump Type: SUBMER

Pipe Discharge Size: 4

Estimated Yield: 100

Casing Size: 10.75

Depth Well: 250 feet

Depth Water: 125 feet

Water Bearing Stratifications:

Top Bottom Description

127 190 Shallow Alluvium/Basin Fill

Casing Perforations:

Top Bottom

130 250

Meter Number: 4079

Meter Make:

Meter Serial Number: 3SBF3478

Meter Multiplier: 1.0000

Number of Dials: 6

Meter Type: Diversion

Unit of Measure: Barrels 42 gal.

Return Flow Percent:

Usage Multiplier: 1.00

Reading Frequency: Quarterly

## Meter Readings (in Acre-Feet)

Read Date	Year	Mtr Reading	Flag	Rdr	Comment	Mtr Amount
04/01/2000	2000	242218	A	jw		0
06/30/2000	2000	293428	A	jw		6.601
09/30/2000	2000	349692	A	jw		7.252
12/31/2004	2004	25054	R	jw	Meter Rollover	87.050
04/11/2005	2005	71139	A	jw		5.940
07/12/2005	2005	108656	A	jw		4.836
10/27/2005	2005	156985	A	jw		6.229
12/31/2005	2005	222420	A	RPT		8.434
03/31/2006	2006	291294	A	RPT		8.877
06/30/2006	2006	362920	A	RPT		9.232
09/30/2006	2006	411887	A	RPT		6.312

**YTD Meter Amounts:	Year	Amount
	2000	13.853
	2001	0

\*UTM location was derived from PLSS - see Help

---

**YTD Meter Amounts:	Year	Amount
	2003	0
	2004	87.050
	2005	25.439
	2006	24.421

---



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,

O=orphaned,

C=the file is (quarters are 1=NW 2=NE 3=SW 4=SE)

closed) (quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
L 02726	L	LE	2	2	4	07	13S	32E	616506	3674736*	194	120	74		

Average Depth to Water: 120 feet

Minimum Depth: 120 feet

Maximum Depth: 120 feet

Record Count: 1

PLSS Search:

Section(s): 7

Township: 13S

Range: 32E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

**Q64 Q16 Q4 Sec Tws Rng**

**X**

**Y**

L 02726

2 2 4 07 13S 32E

616506 3674736\*

**Driller License:** MATTHEWS DRILLING CO.

**Driller Name:** JAMES WILLIAM MATTHEWS

**Drill Start Date:** 02/01/1955

**Drill Finish Date:** 03/31/1955

**Plug Date:**

**Log File Date:** 12/23/1955

**PCW Rcv Date:**

**Source:** Shallow

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:**

**Casing Size:** 7.00

**Depth Well:** 194 feet

**Depth Water:** 120 feet

**Water Bearing Stratifications:**

**Top Bottom Description**

130 192 Sandstone/Gravel/Conglomerate

**Casing Perforations:**

**Top Bottom**

164 194

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,

C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD	Q	Q	Q	Depth	Depth	Water					
POD Number	Code	Subbasin	County	64 16 4	Sec	Tws	Rng	X	Y	Well	Water Column

L 03836

L

ED

4

1

05

13S

32E

617188

3676656\*

154

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 1

PLSS Search:

Section(s): 5

Township: 13S

Range: 32E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.





# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

**Q64 Q16 Q4 Sec Tws Rng**

**X**

**Y**

L 03836

4 1 05 13S 32E

617188 3676656\*

**Driller License:** UNKNOWN

**Driller Name:**

**Drill Start Date:**

**Drill Finish Date:**

12/31/1943

**Plug Date:**

**Log File Date:**

**PCW Rcv Date:**

**Source:**

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield: 15**

**Casing Size:** 7.00

**Depth Well:**

154 feet

**Depth Water:**

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Water Column/Average Depth to Water

(A CLW##### in the  
POD suffix indicates the  
POD has been replaced  
& no longer serves a  
water right file.)

(R=POD has  
been replaced,  
O=orphaned,  
C=the file is  
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD	Code	Subbasin	County	Q	Q	Q	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
L 03836 X	L			ED	1	1	3	08	13S	32E	616709	3674741*	190		
L 03836 X2	L			ED	1	1	3	08	13S	32E	616709	3674741*	165		

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 2

PLSS Search:

Section(s): 8

Township: 13S

Range: 32E

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

L 03836 X

**Q64 Q16 Q4 Sec Tws Rng**

1 1 3 08 13S 32E

**X**

**Y**

616709 3674741\*

**Driller License:** UNKNOWN

**Driller Name:**

**Drill Start Date:**

**Drill Finish Date:**

12/31/1945

**Plug Date:**

**Log File Date:**

**PCW Rcv Date:**

**Source:**

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:** 30

**Casing Size:** 7.00

**Depth Well:**

190 feet

**Depth Water:**

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

**POD Number**

**Q64 Q16 Q4 Sec Tws Rng**

**X**

**Y**

L 03836 X2

1 1 3 08 13S 32E

616709 3674741\*

**Driller License:** UNKNOWN

**Driller Name:**

**Drill Start Date:**

**Drill Finish Date:**

12/31/1945

**Plug Date:**

**Log File Date:**

**PCW Rcv Date:**

**Source:**

**Pump Type:**

**Pipe Discharge Size:**

**Estimated Yield:** 15

**Casing Size:** 6.00

**Depth Well:**

165 feet

**Depth Water:**

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 18

Township: 13S

Range: 32E



# *New Mexico Office of the State Engineer* **Water Column/Average Depth to Water**

---

No records found.

**PLSS Search:**

Section(s): 17

Township: 13S

Range: 32E



---

# *New Mexico Office of the State Engineer* Water Column/Average Depth to Water

---

No records found.

PLSS Search:

Section(s): 12

Township: 13S

Range: 31E



# *New Mexico Office of the State Engineer* Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 13

Township: 13S

Range: 31E