

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

HOBBS OGD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

FEB 25 2013

WELL API NO. 30-025-25945
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Myers Langlie Mattix Unit
8. Well Number 60
9. OGRID Number 192463
10. Pool name or Wildcat Langlie Mattix TR QUGB
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3366'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter B : 660 feet from the north line and 1980 feet from the east line
Section 31 Township 23S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3366'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3760' PBTD-3434' Perfs-3519-3690' CIBP-3469'

8-5/8" 24# csg @ 519' w/ 350sx, 11" hole, TOC-Surf-Circ

5-1/2" 15.5# csg @ 3760' w/ 800sx, 7-7/8" hole, TOC-Surf-Circ

1. RIH & tag Cmt/CIBP @ 3434' M&P 30sx cmt to 3220'

2. M&P 25sx cmt @ 2850-2675' WOC-Tag

3. M&P 25sx cmt @ 1300-1125' WOC-Tag

4. M&P 80sx cmt @ 569' to surface

10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 2/19/13

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY ED Rangel TITLE Dist. MGR DATE 3-5-2013


Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified 24 hours prior to the beginning of Plugging Operations begin.**

MAR 05 2013

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #60
API No. 30-025-25945

11" hole @ 519'
8-5/8" csg @ 519'
w/ 350sx-TOC-Surf-Circ



7-7/8" hole @ 3760'
5-1/2" csg @ 3760'
w/ 800sx-TOC-Surf-Circ


7/98-CIBP @ 3469' w/ 35' cmt 3434'

Perfs @ 3519-3690'

TD-3760'

OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #60
API No. 30-025-25945

80sx @ 569'-Surface



11" hole @ 519'
8-5/8" csg @ 519'
w/ 350sx-TOC-Surf-Circ

25sx @ 1300-1125' WOC-Tag

25sx @ 2850-2675' WOC-Tag

30sx @ 3434-3220' WOC-Tag

7/98-CIBP @ 3469' w/ 35' cmt 3434'

7-7/8" hole @ 3760'
5-1/2" csg @ 3760'
w/ 800sx-TOC-Surf-Circ

Perfs @ 3519-3690'

TD-3760'