

Submit 1 Copy To Appropriate District  
Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

HOBBS OGD  
MAY 20 2013

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-04410
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator OXY USA Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 50250 Midland, TX 79710		7. Lease Name or Unit Agreement Name L.W. White WCT-B TRA
4. Well Location Unit Letter <u>O</u> : <u>660</u> feet from the <u>South</u> line and <u>1930</u> feet from the <u>East</u> line Section <u>35</u> Township <u>20S</u> Range <u>36E</u> NMPM County <u>Lea</u>		8. Well Number <u>3</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u>3555'</u>		9. OGRID Number 16696
		10. Pool name or Wildcat Eumont Yates TR Qu (O:)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3850' OH-3710-3850'  
9-5/8" 32.3# csg @ 323' w/ 275sx, 12-1/4" hole, TOC-Surf-Circ  
7" 20# csg @ 371' w/ 2200sx, 8-3/4" hole, TOC-Surf-Calc  
1. RIH & set CIBP @ 3660' M&P 25sx cmt  
2. M&P 55sx cmt @ 3190-2950' WOC-Tag  
3. M&P 25sx cmt @ 2760-2660' WOC-Tag  
4. Perf @ 1400', sqz 40sx cmt to 1300' WOC-Tag  
5. Perf @ 373' sqz 150sx cmt to surface  
Circ 10# MLF between plugs

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 5/13/13

Type or print name David Stewart E-mail address: david\_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: [Signature] TITLE Dist. MGR DATE 5-20-2013


Conditions of Approval (if any):

Oil Conservation Division - Hobbs office: **Must be Notified**  
24 hours prior to the beginning of Plugging Operations begin.

MAY 21 2013

OXY USA Inc. - Current  
L.W. White NCT-B Tr A #3  
API No. 30-025-04410

12-1/4" hole @ 323'  
9-5/8" csg @ 323'  
w/ 275sx-TOC-Surf-Circ



8-3/4" hole @ 3850'  
7" csg @ 3710'  
w/ 2200sx-TOC-Surf-Calc

OH @ 3710-3850'

TD-3850'

OXY USA Inc. - Proposed  
L.W. White NCT-B Tr A #3  
API No. 30-025-04410


150sx @ 373'-Surface

40sx @ 1400-1300' WOC-Tag

25sx @ 2760-2660' WOC-Tag

55sx @ 3190-2950' WOC-Tag

CIBP @ 3660' w/ 25sx



12-1/4" hole @ 323'  
9-5/8" csg @ 323'  
w/ 275sx-TOC-Surf-Circ

Perf @ 373'

Perf @ 1400'

8-3/4" hole @ 3850'  
7" csg @ 3710'  
w/ 2200sx-TOC-Surf-Calc

OH @ 3710-3850'

TD-3850'