Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBS OCD
JUN 17 2013
RECEIVED

Form C-103
Revised August 1, 2011

WELL API NO. 30-025-34498	
5. Indicate Type of Lease STATE ☒ FEE ☐	
6. State Oil & Gas Lease No. V-4415	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other	7. Lease Name or Unit Agreement Name Ruby ASV State
	8. Well Number 1
2. Name of Operator Yates Petroleum Corporation	9. OGRID Number 025575
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210	10. Pool name or Wildcat Anderson Ranch; Wolfcamp
4. Well Location Unit Letter H : 1650 feet from the North line and 700 feet from the East line Section 15 Township 16S Range 32E NMPM Lea County	
	11. Elevation *(Show whether DR, RKB, RT, GR, etc.)* 4304'GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. TOH with rods and pump. NU BOP.
2. Set a CIBP at 8930' with 35' cement on top.
3. TIH with tubing open ended to PBTD. Circulate hole with plugging mud. Spot a 25 sx cement plug from 6800'-6700'.
4. Perforate at 4630'. TIH with tubing and packer to 4400'. Establish circulation down tubing and up the 5-1/2" x 8-5/8" annulus to surface. Pump 35 sx cement to place a 100' plug from 4630'-4530', inside and outside casing. WOC and tag.
5. Perforate at 2000'. TIH with tubing and packer to 1800'. Establish circulation down tubing and up the 5-1/2" x 8-5/8" annulus to surface. Pump 25 sx cement to place a 100' plug from 2000'-1900', inside and outside casing. - WOC - TAG
6. Perforate at 450'. Establish circulation down casing and up the 5-1/2" x 8-5/8" annulus to surface. Pump 110 sx cement to fill the casing from 450' up to surface, inside and outside casing.
7. Cut off wellhead, install marker and clean location.

Wellbore schematics attached

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

Oil Conservation Division - Hobbs office. **Must be Notified 24 hours prior** to the beginning of Plugging Operations begin.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Tina Huerta TITLE Regulatory Reporting Supervisor DATE June 13, 2013

Type or print name Tina Huerta E-mail address: tinah@yatespetroleum.com PHONE: 575-748-4168

For State Use Only

APPROVED BY: TITLE Dist. Mgr DATE 6-17-2013

Conditions of Approval (if any):

JUN 19 2013

Well Name: Ruby ASV State No. 1	**Field:**
Location: 1650' FNL & 700' FEL Sec. 15-16S-32E Lea Co, NM	
GL: 4291' **Zero:**	**AGL:** **KB:** 4324'
Spud Date:	**Completion Date:**
Comments:	

Casing Program	
Size/Wt/Grade/Conn	Depth
11 3/4" 42# H40	400'
85/8" 32# J55&HC80	4580'
5 1/2" 17# J55 L80& M95	12517'



PROPOSED CONFIGURATION

TOPS:

Queen	3404'
San Andres	4495'
Glorieta	5667'
Tubb	6879'
Abo	7602'
Wolfcamp	8943'
Strawn	11298'
Atoka	11678'
Morrow Lm	11992'
Austin Cycle	12419'

Date: 5/1/13 Ruby 1a

Well Name: Ruby ASV State No. 1	**Field:**
Location: 1650' FNL & 700' FEL Sec. 15-16S-32E Lea Co, NM	
GL: 4291' **Zero:**	**AGL:** **KB:** 4324'
Spud Date:	**Completion Date:**
Comments:	

Casing Program	
Size/Wt/Grade/Conn	Depth
11 3/4" 42# H40	400'
85/8" 32# J55&HC80	4580'
5 1/2" 17# J55 L80& M95	12517'



11 3/4" csg @ 400'. Cmtd w/ 400 sx. Cmt circ.

CURRENT CONFIGURATION

8 5/8" csg @ 4580'. Cmtd w/1875 sx. Cmt circ.

TOC 7740' by CBL.

Wolfcamp perfs 8944-50', 8963-70', 9000-10' 9046-52', 72-78'

CIBP@9780'+35' cmt

Wolfcamp perfs 9818-20', 26-28', 43-46' 9913-17', 28-30', 46', 51-54', 63-64', 72-73' 10181-95', 10269-74', 11272-80'

CIBP@11300'+35'cmt

Failed CIBP@ 12245'

CIBP@12280'+35'cmt

Atoka perfs 11340-65', 11420-37', 70-74', 11525-40'

Morrow perfs 12304-10'

5 ½" csg @ 12517' Cmtd w/1075 sx,

TD 12517'
PBTD 9745'

Date: 5/1/13 Ruby 1