1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Avenue, Artesia, NM 88210

<u>District III</u>

1000 Rio Brazos Road, Aztec, NM 874101 1 5 2013 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources** Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

21-Jul-08 For closed-loop systems that only use above ground

Form C-144 CLEZ

steel tanks or haul off bins and purpose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

RECEGIOSèd-Loop System Permit or Closure Plan Application

<u>(tha</u>	at only use above ground stee	l tanks or haul-off bin	is and propose to implemen	t waste removal for clo	sure)
	Type of act	tion:	Permit \square	Closure	
closed-loop system that only Please be advised that approv	one application (Form C-144 CLE by use above ground steel tanks of tral of this request does not relieved towal relieve the operator of its res	or haul-off bins and prope the operator of liability	pose to implement waste remo should operations result in po	val for closure, please sub Ilution of surface water, gr	<i>mit a Form C-144.</i> ound water or the
1.					
Operator	Apache Corpo	oration	OGRID#	873	
Address:	303 V	eterans Airpark I	Lane, Ste 3000, Midlar	nd, TX 79705	
Facility or Well Name:			H. Corrigan #9		
API Number:	30-025-10014		OCD Permit Number:	P(-E	06502
U/L or Qtr/Qtr	G Section	4 Township	22S Range	37E County:	Lea
Center of Proposed Design	: Latitude		Longitude	NAC): 🗌 1927 🗍 1983
Surface Owner:	Federal State	✓ Private	Tribal Trust or Indian	Allotment	
✓ Closed-loop System: Operation:	nks or Hau		which require prior approval o	f a permit or notice of inte	nt)
12" x 24", 2" lettering, p Signed in compliance will 4.	roviding Operator's name, site lo	cation, and emergency t	elephone numbers		
Instructions; Each of the follo attached. Design Plan - base Operating and Machine Plan (Plea Previously approved De	Application Attachment Checklis owing items must be attached to ed upon the appropriate requirer aintenance Plan - based upon the ase complete Box 5) - based upor esign (attach copy of design) perating and Maintenance Plan	the application. Please ments of 19.15.17.11 NN a appropriate requireme	indicate, by a check mark in t MAC nts of 19.15.17.12 NMAC		
	losed-loop Systems That Utilize			•	
Instructions: Please identify t facilities are required. Disposal Facility Name:	the facility or facilities for the dis Sundance Se		fluids and drill cuttings. Use a Disposal Facility Pe	·	vo NM-01-0003
Disposal Facility Name:	Controlled Reco	very Inc. 236	Disposal Facility Pe	rmit Number:	NM-01-0006
	d-loop system operations and as: vide the information below)	sociated activities occur No	on or in areas that will not be	used for future service and	operations?
Soil Backfill and Cover Re-vegetation Plan - b	which will not be used for future so Design Specifications based up hased upon the appropriate requi - based upon the appropriate rec	oon the appropriate requ rements of Subsection I	of 19.15.17.13. NMAC	9.15.17.13 NMAC	
6.					
Operator Application Certi	ification:				
I hereby certify that the inform	nation submitted with this applica	ation is true, accurate ar	nd complete to the best of my k	nowledge and belief.	
Name (Print)	Guinn Buر	rks	Title:	Reclamation Fo	oreman
Signature:	Luin K	Bulo	Date:	7/11/201	
e-mail address:	guinn.burks@apacl		Telephone	432-556-91	

Form C-144 CLEZ

Oil Conservation Division

Page 1 of 2



/.					
OCD Approval:	Permit Application (including closure plan)	Closure Plan (only)			
OCD Representative Sign	ature: Waley Tolow		Approval Date: 7/16/2013		
Title:	upliance officer	OCD Per	mit Number: P1-06502		
8.					
Instructions: Operators are The closure report is require	within 60 days of closure completion): Subsection required to obtain an approved closure plan prior to indicate the submitted to the division within 60 days of the approved closure plan has been obtained and the closure.	nplementing any closure act completion of the closure ac	ivities and submitting the closure report. tivities. Please do not complete this pleted.		
	g Waste Removal Closure For Closed-loop System the facility or facilities for where the liquids, drilling fl				
Disposal Facility Name:		Disposal facili	Disposal facility Permit Number:		
Disposal Facility Name:		Disposal facili	Disposal facility Permit Number:		
Were the closed-loop systen	operations and associated activities performed on or in	areas that will not be used	for future service and operations?		
Yes (If yes), pl	ease demonstrate compliance to the items below)	l l No	l I No		
Required for impacted areas	which will not be used for future service and operations.				
Site Reclamat	ion (Photo Documentation)				
Soil Backfilling	and Cover Installation				
Re-vegetation	Application Rates and Seeding Technique				
10.					
Operator Closure Certific	ation:				
I hereby certify that the info	mation and attachments submitted with this closure re	port is true, accurate and co	nplete to the best of my knowledge		
and belief. I also certify that	the closure complies with all applicable closure require	ments and conditions specifi	ed in the approved closure plan.		
Name (Print)	Guinn Burks	Title:	Reclamation Foreman		
Signature:		Date:			
e-mail address:	guinn.burks@apachecorp.com	Telephone:	432-556-9143		



CLOSED LOOP SYSTEM DESIGN, OPERATION, MAINTENANCE, AND CLOSURE PLAN FOR PLUGGING AND ABANDONDMENT OPERATIONS

This document is intended to provide design requirements as well as operating, maintenance and closure instructions for closed-loop (plugging fluids) systems, ensuring compliance with the New Mexico Title 19, Chapter 15, Part 17 rules and regulations. Plugging units operating for Apache Corporation in New Mexico shall be rigged up with a closed-loop system consistent with this design and should be operated, maintained, and closed in a manner consistent with this document.

DESIGN

The closed-loop system shall be designed and constructed to ensure the confinement of oil, gas, or water and to prevent uncontrolled releases.

The steel tank(s) shall be a minimum of 90 barrels and constructed and in a condition such that no leaks or uncontrolled release would be expected. The tank(s) shall be placed to receive all of the fluid as it returns from the well bore and entry from the flow line shall be such that splash is minimized. The tank(s) shall be connected with steel lines where applicable from the wellhead to the tank. It shall have a separate off load valve to which a vacuum truck can be attached for unloading.

The steel tanks(s) shall comply with any applicable requirements specified in 19.15.17 NMAC. Additionally, the appropriate well signs shall be in place to comply with 19.15.17 NMAC.

OPERATION and MAINTENANCE

The closed-loop system shall be operated and maintained at all times in such a manner as to prevent contamination of fresh water and protect the public health and the environment. While Apache Corporation relies on various third party vendors to provide, operate and maintain the closed-loop system, in the end it is the Apache Corp on-site representative who must take responsibility for the effective operation of the system. At the end of the plugging activities, all return fluids should be disposed of in a licensed disposal facility in New Mexico.

Know which and approved disposal facility is closest to your location and verify that they are capable and prepared to receive the fluids from your well. Track all loads sent during the plugging of the well and up to the time the rig is moved off of the location.

Current approved facilities are;

Controlled Recovery Inc. (877) 505-4274 Sundance Incorporated (575) 394-2511

Ensure that the closed-loop system meets the design criteria listed above and is properly installed and fully functional prior to commencing any operations which require circulation.

Inspect the active system tanks at least every tour to ensure no fluid is leaking onto the location. Check any valves and interconnecting pipes for leaks. Correct any leaks as soon as possible upon detection.

Monitor and know the fluid level in the containment tank and call for a vacuum truck with enough lead time to allow for delays. Ensure that the truck driver knows which approved disposal he will be transporting the fluid to for off loading.

Make every effort to operate and maintain the closed-loop system in a manner that puts no fluid or well bore discharges in contact with the location or surrounding area.

In the event of a spill over five (5) barrels, take immediate action to contain the spill and make the following notifications;

EHS Apache Hotline

(800) 874-3262

NMOCD District Office

In the event of oil reaching water, include the following notification;

Environmental Protection Agency (EPA) National Response Center

CLOSURE

Upon completion of plugging the well, all connecting lines will be drained into the tank and all remaining fluid in the tank will be removed by a vacuum truck and taken to an approved facility for disposal. All equipment will then be removed so location remediation can begin.

Prepared by

Guinn Burks

Reclamation Foreman

<u>Guinn Burks</u>

Apache Corporation





