

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals and Natural Resources

Revised July 18, 2013

HOBBBS OGD
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
AUG 19 2013
RECEIVED

WELL API NO. 30-025-03773
5. Indicate Type of Lease STATE [X] FEE [ ]
6. State Oil & Gas Lease No. E 7766
7. Lease Name or Unit Agreement Name STATE AE
8. Well Number 1
9. OGRID Number 258660
10. Pool name or Wildcat LOVINGTON-ABO

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)
1. Type of Well: Oil Well [X] Gas Well [ ] Other [ ]
2. Name of Operator THREE FORKS RESOURCES, LLC
3. Address of Operator 1515 WAZEE, SUITE 350, DENVER, CO. 80202
4. Well Location Unit Letter M : 330 feet from the S line and 990 feet from the W line
Section 36 Township 16S Range 36E NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK [ ] PLUG AND ABANDON [ ]
TEMPORARILY ABANDON [ ] CHANGE PLANS [ ]
PULL OR ALTER CASING [ ] MULTIPLE COMPL [ ]
DOWNHOLE COMMINGLE [ ]
CLOSED-LOOP SYSTEM [ ]
OTHER: CONVERT TO SWD OR P&A [X]
SUBSEQUENT REPORT OF:
REMEDIAL WORK [ ] ALTERING CASING [ ]
COMMENCE DRILLING OPNS. [ ] P AND A [ ]
CASING/CEMENT JOB [ ]
OTHER: [ ]

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PROPOSE TO CONVERT WELL TO SWD. SQUEEZE OFF ABO PERFS @ 8268-8344. PRESSURE TEST CSG, DRILL OUT CIBP, PRESSURE TEST 5 1/2" CSG, SQUEEZE OFF LOWER PERFS IF NECESSARY. FILE FORM C-108 TO NMOGD. SHOULD 5 1/2" CSG HAVE SEVERE INTEGRITY PROBLEMS WILL P&A AS OUTLINED IN ATTACHMENT.

WORK WILL START AS SOON AS CONTRACTOR AVAILABILITY. SEE CORRECTIONS/ADDITIONS

Spud Date: [ ]

Rig Release Date: [ ]

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Consultant DATE 8/16/2013

Type or print name ROYE JOHNSON E-mail address: PHONE: 505-699-5741


For State Use Only APPROVED BY: [Signature] TITLE Compliance Officer DATE 8/29/2013
Conditions of Approval (if any):

AUG 29 2013


M-36-165-36E

API # 30-025-03773

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS



5 1/2 @ 8430  
w/ 400 SX  
TOC @ 5850  
BOND LOG



TOC @ 3750  
TEMP LOG

PERF 4360'  
SQ 375 SX

PERF 5760'  
SQ 75 SX

= 8268 - 8344  
CIBP @ 8360  
= 8373 - 8426  
SQ @ OFF

PLUG # 4  
 SURF TO 100'  
35 SX  
PERF @ 364'  
CIRC CMT IN  
AND OUT TO SURF.

PLUG # 3B  
PERF @ 2000'  
SQ 30 SX CMT  
WOC & TAG

PLUG # 3  
 PERF @ 3400'  
SQ 50 SX  
WOC & TAG


PLUG # 2  
 5260 - 5360  
35 SX  
WOC & TAG

SET CIBP @ 8200'  
CAP W/ 25 SX H CMT  
 PLUG # 1  
SQ PERF W/  
40 SX


M-36-165-36E

API # 30-025-03773

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS



5 1/2 @ 8430  
w/ 400 SX  
TOC @ 5850  
BOND LOG



PLUG #4  
SURF to 100'  
35 SX

PLUG #3  
PERF @ 3400'  
SQ 50 SX

PLUG #2  
5260-5360  
35 SX

PLUG #1  
SQ PERF w/  
40 SX

= 8268 - 8344  
- CIBP @ 8360  
= 8373 - 8426  
= SQ @ OFF