# District I 1625 N. French Dr., Hobbs, NM 88240

District II District II • 1301 W. Grand Avenue, Artesia, NM 88210

District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico HOBBS Officergy Minerals and Natural Resources Department

SEP 1 9 2013 Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ

July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Dlan Application

Santa Fe, NM 87505

Closed-Loop System Pern	nit or Closure Plan Application			
(that only use above ground steel tanks or haul-off	bins and propose to implement waste			
Type of action:	Permit Closure C144Clez till has to being nedure			
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system that only use above ground steel tanks or haul-off bins a	dual closed-loop system operation System procenter for a nd propose 1 19.15.17; Form operation System procenter for a n C-144.			
lease be advised that approval of this request does not relieve the operator of lia avironment. Nor does approval relieve the operator of its responsibility to con-	Perined to the ment of Loop, regulations or ordinances.			
	and to reput this state. Closed used for the required disposal.  We plan to use the Closed to the required disposal.  To the required DECEND D			
Operator: EOG Resources, Inc.	used to use dispo			
Address: P.O. Box 2267 Midland, TX 79702	to the			
Facility or well name: Hawk 25 Fed 2H	LOW RECOUD OMER			
API Number: 30-025-	_OCD Permit Number:			
U/L or Qtr/Qtr M Section 25 Township 24S Range 33E	County: <u>Lea</u>			
	Longitude NAD: 1927 1983			
Surface Owner: X Federal State Private Tribal Trust or Indian	Allotment			
2.				
Operation: 🛛 <b>Drilling a new well</b> 🔲 Workover or Drilling (Applies to a	ctivities which require prior approval of a permit or notice of intent) P&A			
Above Ground Steel Tanks or A Haul-off Bins				
3.				
Signs: Subsection C of 19.15.17.11 NMAC				
12"x 24", 2" lettering, providing Operator's name, site location, and en	nergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC				
attached.  ☐ Design Plan - based upon the appropriate requirements of 19.15.17. ☐ Operating and Maintenance Plan - based upon the appropriate requirements.	ation. Please indicate, by a check mark in the box, that the documents are			
Previously Approved Design (attach copy of design)  API Number				
☐ Previously Approved Operating and Maintenance Plan API Number				
5.				
Waste Removal Closure For Closed-loop Systems That Utilize Above ( Instructions: Please indentify the facility or facilities for the disposal of facilities are required.	Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) liquids, drilling fluids and drill cuttings. Use attachment if more than two			
Disposal Facility Name: Controlled Recovery, Inc.	Disposal Facility Permit Number: NM-01-0006			
Disposal Facility Name: Grady Marley, Inc.	Disposal Facility Permit Number: NM-01-0019			
	vities occur on or in areas that will not be used for future service and operations?			
Required for impacted areas which will not be used for future service and a Soil Backfill and Cover Design Specifications based upon the app Re-vegetation Plan - based upon the appropriate requirements of Sul Site Reclamation Plan - based upon the appropriate requirements of	propriate requirements of Subsection H of 19.15.17.13 NMAC obsection I of 19.15.17.13 NMAC			
A Profession Court of				
Operator Application Certification:  I hereby certify that the information submitted with this application is true	, accurate and complete to the best of my knowledge and belief.			
Name (Print): Stan Wagner	Title: Regulatory Analyst			
Signature: The Way	Date: 02/19/2013			
e-mail address: stan_wagner@eogresources.com	Telephone: 432-686-3689			
Form C-144 CLEZ Oil Conse	ervation Division SEP 2, 0 20 1 Page 1 of 2			

7. OCD Approval: Permit Application (including closure plan) Closure P	lan (only)			
OCD Representative Signature:		Approval Date:		
Title:	OCD Permit Number:	FOR	RECORD	ONLY
8.  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report.  The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.  Closure Completion Date:				
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, dril two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permi	t Number: _		
Disposal Facility Name:	Disposal Facility Permi	t Number: _		
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	in areas that will not be u	sed for futur	e service and operation	ons?
Required for impacted areas which will not be used for future service and operate  Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	ions:			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.  Name (Print):  Title:				
Signature:	Date:			
e-mail address:	Telephone:			<del></del>

# Closure Plan for Closed Loop Drilling System

## 1. METHODS OF HANDLING WASTE MATERIALS

- a. Drill cuttings shall be disposed of in steel cuttings bins (catch tanks) on the drilling pad (behind the steel mud tanks). The bin and cuttings shall be hauled to a division approved facility by an approved transporter. At the facility, the cuttings shall be removed from the bin and the bin shall be returned to the drilling site for reuse, moved to the next drilling site or returned to the provider.
- b. Remaining drilling fluids shall be hauled off by approved transports to a division approved disposal facility. Water produced during completion shall be put in storage tanks and disposed of at a division approved facility. Oil and condensate produced shall be put in a storage tank and sold or put in a sales pipeline.

### 2. RECLAMATION

a. Within 120 days after the drilling and completion of the well, the location area shall be reduced as determined by operator to the minimum area necessary to safely and effectively operate the well. The reclaimed location area shall be restored to the condition that existed prior to oil and gas operations.

### J. L. V. LILLO VIALD INTERIOR PLAN - CLOSED LOOP SYSTEM

19.15.17.12	OPERATIONAL	REQUIREMENTS:
-------------	-------------	---------------

A. General specifications. An operator shall maintain and operate a pit, closed-loop system, below-grade tank or sump in accordance with the following requirements.

(I) The operator shall operate and maintain a pit, closed-loop system, below-grade tank or sump to contain liquids and solids and maintain the integrity of the liner, liner system or secondary containment system, prevent containment or fresh water and protect public health and the environment.

Operator shall operate and maintain a closed loop system.

(2) The operator shall recycle, reuse or reclaim all drilling fluids in a manner that prevents the contamination of fresh water and protects public health and the environment.

Operator shall recycle, reuse or reclaim all drilling fluids used. Excess or unused fluid shall be disposed of at division approved facilities.

(3) The operator shall not discharge into or store any hazardous waste in a pit, closed-loop system, below-grade tank or sump.

Operator shall not knowingly discharge hazardous waste into the closed loop system.

(4) If the integrity of the pit liner is compromised, or if any penetration of the liner occurs above the liquid's surface, then the operator shall notify the appropriate division district office within 48 hours of the discovery and repair the damage or replace the liner.

No Pit liner. Closed loop system.

(5) If a fined pit develops a leak, or if any penetration of the liner occurs below the liquid's surface, then the operator shall remove all liquid above the damage or leak line from the pit within 48 hours and repair the damage or replace the liner.

No Pit liner. Closed loop system. If a leak develops in any of the closed loop tanks, all liquid shall be removed from the effected tank within 48 hours and any damage shall be repaired prior to putting the tank back in service.

	162	The management of the first the first than the firs
	(3)	The operator shall install a level measuring device in a fined pit containing fluids to monitor the
		- and a series and make the containing minds to monitor the
larest Aftha	1 1 1 1 1 1	derivate or that the manager m
TEXEL OF FRE	116377	surface, so that the operator may recognize unanticipated change in volume of fluids.
		2 Comme of Holds

No pit. Closed loop system. Excess fluid shall be removed appropriately from the catch tanks.

(7) The injection or withdrawal of liquids from a fined pit shall be accomplished through a header, diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation and removal of hoses or pipes.


No pit. Closed loop system. Excess fluid shall be removed appropriately from the catch tanks using a re-circulating pump or vacuum trucks.

(8) The operator shall operate and install a pit, below-grade tank or sump to prevent the collection of surface water run-on.

Operator shall berm or collect surface water run- on and dispose of at a division approved facility.

(9) The operator shall install, or maintain on site, an oil absorbent boom or other device to contain and remove oil from a pit's surface.

Operator shall install a skimmer system on catch tanks, circulating tanks and over-flow tanks as needed to collect oil.



EOG Resources Hawk 25 Fed #2H