

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		<b>State of New Mexico</b> Energy, Minerals and Natural Resources <b>Oil Conservation Division</b> 1220 South St. Francis Dr. Santa Fe, NM 87505				<b>Form C-105</b> July 17, 2008				
		<b>HOBBS OGD</b> <b>SEP 11 2013</b> <b>RECEIVED</b>				1. WELL API NO. 30-025-34592				
						2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN				
						3. State Oil & Gas Lease No.				
<b>WELL COMPLETION REPORT AND LOG</b>										
4. Reason for filing:  <input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)  <input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Turner  6. Well Number:  020				
7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER Remove RBP/DHC w/Abo										
8. Name of Operator Apache Corporation						9. OGRID 873				
10. Address of Operator 303 Veterans Airpark Lane, Suite 3000 Midland, TX 79705						11. Pool name or Wildcat Paddock (49210) / Wantz; Abo (62700)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	22	21S	37E		330	S	730	E	Lea
BH:										
13. Date Spudded 04/02/1999	14. Date T.D. Reached 04/21/1999	15. Date Rig Released 04/22/1999		16. Date Completed (Ready to Produce) 11/20/2010		17. Elevations (DF and RKB, RT, GR, etc.) 3400' GR				
18. Total Measured Depth of Well 7690'		19. Plug Back Measured Depth 7315'		20. Was Directional Survey Made?		21. Type Electric and Other Logs Run				
22. Producing Interval(s), of this completion - Top, Bottom, Name Paddock 5057'-5326'; Abo 6692'-7274'										
<b>23. CASING RECORD (Report all strings set in well)</b>										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9-5/8"		32#		1206'		12-1/4"		420 sx Class C		
5-1/2"		17#		7690'		8-3/4"		2145 sx Class C		
				DV Tool @ 4202'				850 sx Class C		
<b>24. LINER RECORD</b>										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD				
						SIZE		DEPTH SET	PACKER SET	
						2-7/8"		7258'		
26. Perforation record (interval, size, and number) Paddock 5057'-5326' (2 SPF) Producing Abo 6692'-7274' (4 SPF) Producing						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
<b>28. PRODUCTION</b>										
Date First Production 11/20/2010		Production Method (Flowing, gas lift, pumping - Size and type pump) Pumping - Rod Pump				Well Status (Prod. or Shut-in) Producing				
Date of Test 01/13/2011	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 12	Gas - MCF 60	Water - Bbl. 80	Gas - Oil Ratio 5000			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.) 32.6				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By Apache Corp.		
31. List Attachments C-102, C-103, C-104										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Reesa Fisher		Printed Name Reesa Holland Fisher		Title Sr Staff Reg Tech		Date 09/09/2013				
E-mail Address Reesa.Holland@apachecorp.com										

OCT 29 2013

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2500'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3655'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5055'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 5116'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry 5468'	T. Gr. Wash	T. Dakota	
T. Tubb 6004'	T. Delaware Sand	T. Morrison	
T. Drinkard 6351'	T. Bone Springs	T. Todilto	
T. Abo 6650'	T. Rustler 1200'	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
No. 2, from.....to..... No. 4, from.....to.....

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology