District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ Revised August 1, 2011

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action:
Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: ConocoPhillips Company OGRID #: 217817
A 11 . D.O. D (1010 M.H 1 TV 70710 1010
P. W. B. Duby Fodows #22
API Number: 30-025- OCD Permit Number:
U/L or Qtr/Qtr UL G Section 18 Township 17S Range 32E County: Lea County
Center of Proposed Design: Latitude 32 50 13.5 Longitude ~ 103 48 7.9 NAD: ⊠1927 ☐ 1983
Surface Owner: X Federal X State Private Tribal Trust or Indian Allotment
Surface Owner: [X] Federal [] State [] Private [] Trioat Trust of Indian Anotherit
2. Subsection H of 19.15.17.11 NMAC
Operation: 🔲 Drilling a new well 🗌 Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) 🔲 P&A
Above Ground Steel Tanks or X Haul-off Bins
3. Signs: Subsection C of 19.15.17.11 NMAC
12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
Signed in compliance with 19.15.16.8 NMAC
4.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
 ✓ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ✓ Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:
5.
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two
instructions: Flease indentify the facility or facilities for the disposal of tiquids, artifing fluids and arm cultings. Ose diductment if more than two facilities are required.
Disposal Facility Name: R-360 LLC Disposal Facility Permit Number: 01-0006
Disposal Facility Name: Disposal Facility Permit Number:
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC
6. Operator Application Certification:
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.

Name (Print): Susan B. Maunder

Title: Senior Regulatory Specialist

Telephone: (432)688-6913

Date:

<u> </u>			
7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)			
OCD Representative Signature:	Approval Date:		
Title:	OCD Permit Number:		
Subsection K of 19.15.17.13 NMAC Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:			
o. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:			
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future service and operated. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:		
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.			
Name (Print): Susan B. Maunder	Title: Senior Regulatory Specialist		
Signature:	Date:		
e-mail address: Susan.B.Maunder@conocophillips.com	Telephone: (432)688-6913		


ConocoPhillips

Location Schematic and Rig Layout for Closed Loop System

(PICTURE NOT TO SCALE)

Drawn by: James Chen Drilling Engineer, ConocoPhillips Company Date: 12-November-2012 (updated March 2013)

NOTE: There are two muster areas depending on the prevailing wind direction, generally south in this area. The muster area that is furthest upwind/crosswind will be the designated area for briefing and assessing the situation. In the event a full evacuation is deemed necessary, all personnel will exit the location via the access road. If the main access road is blocked off, they will exit via a secondary road (if available) or walk off route in the upwind/crosswind direction.



Closed Loop System Design, Operating and Maintenance, and Closure Plan

ConocoPhillips Company Well: Ruby Federal #33

Location: Sec. 18, T17S, R32E

Date: 6/14/2013

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

1. We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in haul-off bins or in frac tanks as needed. The intent is as follows:

- We propose to use the rigs' steel pits for containing and maintaining the drilling fluids.
- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in tanks.

The closed loop system components will be inspected daily by each tour and any need repairs will be made immediately. Any leak in the system will be repaired immediately, and any spilled liquids and/or solids will be cleaned immediately, and the area where any such spill occurred will be remediated immediately.

2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

R-360 Inc.

4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388; Hobbs, New Mexico 88241

Toll Free Phone: 877.505.4274, Local Phone Number: 432.638.4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for R-360 is NM-01-0006.

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at R-360 Inc. at the facility described above.
- 4. Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
 - Nabors Well Services Company, 3221 NW County Rd; Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
 - Basic Energy Services, P.O. Box 1869; Eunice, NM 88231 Phone Number: 575.394.2545, Facility located at Hwy 18, Mile Marker 19; Eunice, NM.

James Chen Drilling Engineer Office: 832.486.2184 Cell: 832.678.1647

SPECIFICATIONS

FLOOR: 3/16"PLone place GROSS MEMBER: 3:X4:1 Gramel 16" on

CENTED

WARLES: 3/16 PEsolid welded with Juding
Lop final de liner hooks
(DOOR: 3/16) PE with Juding frame

ARONE SAGASESIANAGANEG

PICK UP (Standard cable with 2" x 6" x 1/4" ralls, quisseral accinionssmember

WHEEL St. 10 DIAX VIlong villh rease filtings DOOR: LATOR: Sindependent rateiner binders will grains, vertical second latein GASKE TIS: Extrace rubber seal with metal

retainers
WELDS: Alli welds confinuous except substructure erossmeribers
FINISH: Located Inside and out with direction
metal, avel inhibiting actific enamel color coat
HyDROTESTING: Full capacity static test
DIMENSIONS: 22 str florre (21 st finiste)
99 wide (88 inside), see drawing to chetght
OPTIONS: Steel gitt blass and special paints
Amplito II; Hell and Dinorplokup
Bools: 3/16* El troof panels with tibling and

ROOF 3/16/EL roof panels with tubing and


ROOF: 3/16/ PL roof panels with (obling and channel support frame)
LIDS: (2)/68/2090/ metal rolling lids spring loaded, self-laising:
ROULERS: 4" Vigroove rollers with delring bearings and grease littings
ORENING: (2)/60" x/82" openings
With 8" divider centered on

Containe

LATOH!(2) independent retchet binderswith chains

CASKERS Eximiled in liber seal with metal retainers

Heavy Duty Split Metal Rolling Lid



CONT.	À	В
20 YD	41	53
25 YD	53	65
30 YD	65	77

