District 1 1625 N. French Dr., Hobbs, NM 38240 State of New Mexico

Form C-102 Revised August 1, 2011

District II Strict St. Artesia. NM 88210 HOBBS OCTE nergy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

Submit one copy to appropriate District Office

Phone: (575) 748-1283 Fax: (575) 748-9720 1000 Rio Brazos Road, Aztec, NM 874APR 16 2014 Phone: (505) 334-6178 Fax: (505) 334-6170

1220 South St. Francis Dr. Santa Fe, NM 87505

☐ AMENDED REPORT

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462 **RECEIVED** 

#### WELL LOCATION AND ACREAGE DEDICATION PLAT


30-025-41796	<sup>2</sup> Pool Code 59900	<sup>3</sup> Pool Name TRIPLE X; BONE S			
Property Code 30884	•	<sup>5</sup> Property Name THISTLE UNIT			
OGRID No. 6137	<sup>8</sup> Operato DEVON ENERGY PRODU	Elevation 3694.6			

10 Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
В	28	23 S	33 E		200	NORTH	1980	EAST	LEA
			п Вс	ttom Ho	le Location I	f Different Froi	n Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West fine	County
В	21	23 S	33 E		330	NORTH	1980	EAST	LEA
<sup>2</sup> Dedicated Acres	i <sup>13</sup> Joint o	r Infill id C	onsolidation	Code 15 Or	der No.	<del></del>	L		
160									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

	N89'31'53 <b>"</b> E 26	33.55 FT #	N89'38'05"E 2638.07 FT	•	OPERATOR CERTIFICATION
	W CORNER SEC. 21 AL = 32.2974724'N	N Q CORNER SEC. 21 LAT. = 32.2974809'N	1090'		I hereby certify that the information contained herein is true and complete
ια	.ONG. = 103.5858160'W	LONG. = 103.5772949'W NMSP EAST (FT)	NE CORNER SEC. 21	· .	to the best of my knowledge and helief, and that this organization either
g N	NMSP EAST (FT) N = 472758.13	N = 472779.66	EAT. = 32.2974757'N CONG. = 103.5687592'W	50072	owns a working interest or unleased mineral interest in the land including
4'39'W	E = 772310.54	E = 774943.48 BOTTOM	NNSP EAST (FT) N = 472796.48	4,49,	the proposed bottom hole location or has a right to drill this well at this
	+	OF HOLE	E = 777580.98		location prasuant to a contract with an owner of such a mineral or working
2642.08		BOTTOM OF HOLE LAT. = 32.2965710'N		2642.65	interest, or to a voluntary pooling agreement or a compulsory pooling
08 F1	1	LONG. = 103.5751701 NMSP EAST (FT)	W	55 FT	order heretofore entered by the division.
	Q CORNER SEC. 21	N = 472453.30 E = 775602138			11/21/2013
	AT. = 32.2902115'N ONG. = 103.5858143'W				Signature Date
	MSP EAST (FT)	SEC. 21	7		David H. Cook Boundates C. 1111
Ε	= 772329,48		1	(0	David H. Cook Regulatory Specialist
NOO 24 57	Pranse	NOTE:	DE AND LONGITUDE COORDWIATES SHOWN USING THE NORTH	500°24°49°E	
1'577	i	ARE S AMERI USTEC	HOWN USING THE NORTH CAN DATUM OF 1983 (NADS3). I NEW NEXICO STATE PLANE EAST DINATES ARE ORD (NADS1), BASIS ARING AND DISTANCES USED ARE	-49 E	david.cook@dvn.com
. 2			NNATES ARE GRID (NADS1) BASIS CARNIG AND DISTANCES USED ARE MEXICO STATE PLANE EAST	21	E-mail Address
	SW CORNER SEC. 21 LAT. = 32.2829532'N	COOR i SURFA	SECTION STATE PLANE EAST DIRACES WIDDENED TO THE CE.	2642.65	
	LONG. = 103.5858118;W NMSP EAST (FT)	6	7	ภ	*SURVEYOR CERTIFICATION
N	N = 467476.09 E = 772348.65	/			I hereby certify that the well location shown on this
-		35.23 FT // N Q CORNER SEC. 28	N89-36'41"E 2636.41 FT		plat was plotted from field notes of actual surveys
		LAT. = 32.2829531'N LONG. = 103.5773866'W	1980"   NE CORNER SEC. 28	•	made by me or under my superxision, and that the
N	l .	NMSP EAST (FT) 4	LAT. = 32.2829508'N C LONG. = 103.5687577'W	50	same is true and correct to the best of my belief.
N00724		N = 467494.48 E = 774983.29	NMSP EAST (FT) N = 467512.36	0'25'5	OCTOBER 30:2013
42°W		SURFACE / LOCATION	E = 777619.12	ξ.	
26	· — — —	THISTLE UNIT #59	OH .	264	Date of Survey
2641.04	i	ELEV. = 3694.6' LAT. = 32.2825332'		2.12	17 (1279)
ㅋ	,	LONG. = 103.57523 NMSP EAST: (FT)	4	[P	Associated by
LA	/ Q CORNER SEC. 28 AT. = 32.2756952'N	N = 467346.22 E = 775617.18	E Q CORNER SEC. 28 LAT. = 32.2756899'N		The Committee of the co
	ONG. = 103.5858099'W MSP EAST (FT)		LONG. = 103,5687542 W NMSP EAST (FT)	S00	Signature and Scalpar Protessional Surveyor:
N S S	= 464835.54 = 772367.62	SEC.   28	N = 464870.84 E = 777639.03		Certificate Number Service PAR MILLO, PLS 12797
± 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		į E	2	ਸਨੌ	SURVEY NO. 2224A



# SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



## DEVON ENERGY PRODUCTION COMPANY, L.P. THISTLE UNIT #59H


LOCATED 200 FT. FROM THE NORTH LINE AND 1980 FT. FROM THE EAST LINE OF SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

OCTOBER 30, 2013

SURVEY NO. 2224A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

#### SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



NOT TO SCALE

### DEVON ENERGY PRODUCTION COMPANY, L.P.

THISTLE UNIT #59H

LOCATED 200 FT. FROM THE NORTH LINE AND 1980 FT. FROM THE EAST LINE OF SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO


OCTOBER 30, 2013

#### DIRECTIONS TO LOCATION

FROM STATE HIGHWAY 128 AND BRININSTOOL ROAD (CALICHE) GO NORTH ON BRININSTOOL ROAD 4.0 MILES, TURN RIGHT ON CALICHE ROAD (XL ROAD) AND GO EAST 0.5 MILES, TURN LEFT AND GO NORTH 0.8 MILES, BEND LEFT AND GO NORTHWEST 0.2 MILES, TURN LEFT AND GO WEST 0.2 MILES, AND LOCATION IS ON THE LEFT 200'.

SURVEY NO. 2224A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO




NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH MARCH 2012

DEVON ENERGY PRODUCTION COMPANY, L.P. THISTLE UNIT #59H

LOCATED 200 FT. FROM THE NORTH LINE AND 1980 FT. FROM THE EAST LINE OF SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

OCTOBER 30, 2013

SURVEY NO. 2224A
MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO



BURIED POLY FIBER FLEX FLOW LINE FROM THE THISTLE UNIT #53H & #59H TO THE THISTLE CENTRAL BATTERY DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JANUARY 20, 2014 (TIE) OUT 412.28 FT (TIE) IN 595.66 FT (∏E) 1∕878.25 FT 20 21l 22 21 N89'36'41' N89°35'59"E 2635.25 FT 2636.43 FT BC 1913 STA 2+01.5 SECTION LINE 28 7 27 1 28 29 STA 0+00 B.O.L. N77"26'59"W 899.73 FT THISTLE UNIT #52H & #59H-N00"24 500.25 N33'59'09'E 55 2642. SEC 28 17+09.7 T.23S., \(\frac{1}{2}R.33E\) 2637.40 7 l٦ Z 1000 29 1 28 BC 1913 9C 1913 32 S89'39'50"W S89'39'50"W 2638.55 FT 2635.80 FT 33 **DESCRIPTION** A STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND IN SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: EROM B.O.L. TO SEC. 21
BEGINNING AT A POINT WITHIN THE NW/4 NE/4 OF SAID SECTION 28. TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 28. TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS N77726'59"N, A DISTANCE OF 899.73 FEET; THENCE NOO'00'04"M A DISTANCE OF 201.47 FEET THE TERMINUS OF THIS CENTURE SURVEY, WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 28. TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS S89"36'41"W, A DISTANCE OF 878.25 FEET; SAID STRIP OF LAND BEING 201.47 FEET OR 12.21 RODS IN LENGTH, CONTAINING 0.139 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: NW/4 NE/4 201.47 L.F. 12.21 RODS 0,139 ACRES FROM SEC. 21 TO SEC. 21
BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS N89'36'41"E, A DISTANCE OF 595.66 THENCE S64'14'53"E A DISTANCE OF 152.93 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N33'59'09"E A DISTANCE OF 81.63 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID
SECTION 28, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS N89'36'41"E, A DISTANCE OF 412.28 FEET; SAID STRIP OF LAND BEING 234.56 FEET OR 14.22 RODS IN LENGTH, CONTAINING 0.162 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: NE/4 NE/4 234.56 L.F. 14.22 RODS 0.162 ACRES SURVEYOR CERTIFICATE I. FILMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797. HEREBY CERTIFY, THAT JIH JENEY, CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY HOLD, CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT, MET THE MINIMUM STANDARDS FOR LAND SURVEYING (IN THE STATE OF NEW, MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,
MEXICO, THIS DAY OF DANUARY 2014

MADRON SURVEYING, I
301. SOUTH CANAL
CARLSBAD, NEW MEXIC
PROPER (575) 234-335 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 SURVEY NO. 2589 SHEET: 1-5 INC. 301 SOUTH CANAL CARLSBAD,

MADRON SURVEYING,

NEW MEXICO

BURIED POLY FIBER FLEX FLOW LINE FROM THE THISTLE UNIT #53H & #59H TO THE THISTLE CENTRAL BATTERY DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JANUARY 20, 2014 15<sub>FND</sub> 5 \*/ 17 16 16 N89°31'19"E 2633.71 FT N89°38'16"E 2638.07 FT BC 1913 20 21 21 22 1000 N00°25 22227 . 6 SEC 21 T.23S., R.33EDCP BPL PI RIGHT SECTION 12+62.9 S00"24'49"E N00"24"19"W N89'59'55" 2642 N33'59'09"E . 68 .59 7 STA 2+91.5 PI RIGHT STA 2+61.7 4/W POWER LINE STA 2+08.3 CL 20' LEASE RD. STA 2+01.5 SECTION LINE 21 22 BC 1913 27 BC 1913 29 2636.43 FT S89'35'59"W 2635.25 FT (TIE) OUT N 595.66 FT DESCRIPTION 878.25 FT (TIE) IN AV 412.28 FT A STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND IN SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: EROM. SEC. 28 TO SEC. 28

BEGINNING AT A POINT WITHIN THE SW/4 SE/4 OF SAID SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., WHENCE THE SOUTH
OUARTER CORNER OF SAID SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS S89'36'41"W, A DISTANCE OF 878.25 FEET;
THENCE NOO'00'04"W A DISTANCE OF 90.02 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE NS9'24'31"E A DISTANCE OF 971.49 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE S64'14'53"E A DISTANCE OF 212.13 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHEAST CORNER OF SAID
SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS N89'36'41"E, A DISTANCE OF 595.66 FEET; SAID STRIP OF LAND BEING 1273.64 FEET OR 77.19 RODS IN LENGTH, CONTAINING 0.878 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SW/4 SE/4 529.33 L.F. 32.08 RODS 0.365 ACRES SE/4 SE/4 744.31 L.F. 45.11 RODS 0.513 ACRES FROM SEC. 28 TO SEC. 22 BEGINNING AT A POINT WITHIN THE SE/4 SE/4 OF SAID SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., WHENCE THE SOUTHEAST CORNER OF SAID SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS N89'36'41"E, A DISTANCE OF 412.28 FEET; THENCE N33'59'09"E A DISTANCE OF 401.60 FEET TO AN ANGLE POINT OF THE LINE HEERIEN DESCRIBED; THENCE N69'59'55"E A DISTANCE OF 185.40 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHEAST CORNER OF SAID SECTION 21, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS S00'24'49"E, A DISTANCE OF 330.22 FEET; SAID STRIP OF LAND BEING 587.00 FEET OR 35.58 RODS IN LENGTH, CONTAINING 0.404 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SURVEYOR CERTIFICATE SE/4 SE/4 587.00 LF. 35.58 RODS 0.404 ACRES I, FILMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797. HEREBY CERTIFY THAT'TI HAVE, CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. DAY OF JANUARY 2014 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234~3341 SHEET: 2-5 INC. 301 SOUTH CANAL CARLSBAD, MADRON SURVEYING, NEW MEXICO

BURIED POLY FIBER FLEX FLOW LINE FROM THE THISTLE UNIT #53H & #59H TO THE THISTLE CENTRAL BATTERY DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 22, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO JANUARY 20, 2014 N89°40'12"E 2639.18 FT BC 1916 N89°40'37"E 2641.20 FT 21 22 22 23 1000 NO0.54,45.M 8 SECTION PRICET PI RIGHT CL 20' U DCP BPL PI LEFT PI LEFT EO.L. 22+96.7 25+43.3 27+67.4 42+45.5 42+45.5 45+25.7 45+79.0 47+64.0 18 ST A ST STA STA STA STA STA 7 SEC 22 T.23S., | R.33E S00°27 2646.98 N89'59'55"E .68 THISTLE CENTRAL BATTERY l٦ N89'59'15"E 185.04 FT (TIE) 330.22 FT N00'01'12"E 21 BC 1913 28 S89°42'06"W 589°40'46"W 2640.41 FT 2641.34 FT (TIE) **DESCRIPTION** A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 22, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY: BEGINNING AT A POINT WITHIN THE SW/4 SW/4 OF SAID SECTION 22, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M., WHENCE THE SOUTHWEST CORNER OF SAID SECTION 22, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS SOO'24'49"E, A DISTANCE OF 330.22 FEET;
THENCE N89'59'55"E A DISTANCE OF 246.84 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N35'43'32"E A DISTANCE OF 224.09 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE S88'24'32"E A DISTANCE OF 1386.51 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE S00'03"E A DISTANCE OF 425.03 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N89'59'15"E A DISTANCE OF 185.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N00'01'12"E A DISTANCE OF 60.02 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTH QUARTER CORNER
OF SAID SECTION 22, TOWNSHIP 23 SOUTH, RANGE 33 EAST, N.M.P.M. BEARS S82'18'20"E, A DISTANCE OF 701.21 FEET; SAID STRIP OF LAND BEING 2527.53 FEET OR 153.18 RODS IN LENGTH, CONTAINING 1.741 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS: SW/4 SW/4 1413.09 L.F. 85.64 RODS 0.973 ACRES SE/4 SW/4 1114.44 L.F. 67.54 RODS 0.768 ACRES SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE-CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. CENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF ZTHIS CERTIFICATE IS EXECUTED AT CARLSBAD. 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. JANUARY 2014 NEW MEXICO. MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 SHEET: 3-5 SURVEY NO. 2589 INC. MADRON SURVEYING, CARLSBAD. NEW MEXICO

