

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy, Minerals and Natural Resources

HOBBS OCT 14 2014

APR 24 2014

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

WELL API NO. 30- <u>025-10870</u>
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name <u>Myers Langlie Mattix Unit</u>
8. Well Number <u>1B</u>
9. OGRID Number <u>192463</u>
10. Pool name or Wildcat <u>Langlie Mattix TRQnGB</u>

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA WTP Limited Partnership

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter F; 1980 feet from the north line and 1980 feet from the west line
Section (29)29 Township 23S Range 37E NMPM County lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3305'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3650' OH-3499-3650'

13" 35# csg @ 43' w/ 50sx, 14-3/4" hole, TOC-Surf-Circ
8-5/8" 32# csg @ 1172' w/ 400sx, 11" hole, TOC-Surf-Circ
5-1/2" 14# csg @ 3499' w/ 550sx, 7-7/8" hole, TOC-323'-Calc

1. RIH & set CIBP @ 3449', M&P 25sx cmt to 3299'
2. M&P 30sx cmt @ 2775-2560' WOC-Tag
3. Perf @ 1222', sqz 35sx cmt to 1122' WOC-Tag
4. Perf @ 300' sqz 100sx cmt to surface
10# MLF between plugs
Above ground steel tanks will be utilized

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Advisor DATE 4/21/14

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY: Maury Brown TITLE Dist. Supervisor DATE 4/24/2014

Conditions of Approval (if any):

APR 28 2014


**OXY USA WTP LP - Proposed
Myers Langlie Mattix Unit #18
API No. 30-025-10870**

100sx @ 300'-Surface

35sx @ 1222-1122' WOC-Tag

30sx @ 2775-2560' WOC-Tag

CIBP @ 3449' w/ 25sx to 3299'



Perf @ 300'

14-3/4" hole @ 43'
13" csg @ 43'
w/ 50sx-TOC-Surf-Circ

Perf @ 1222'


11" hole @ 1172'
8-5/8" csg @ 1172'
w/ 400sx-TOC-Surf-Circ

OH @ 3499-3650'

7-7/8" hole @ 3499'
5-1/2" csg @ 3499'
w/ 550sx-TOC-323'-Calc

TD-3650'

OXY USA WTP LP - Current
Myers Langlie Mattix Unit #18
API No. 30-025-10870



14-3/4" hole @ 43'
13" csg @ 43'
w/ 50sx-TOC-Surf-Circ

11" hole @ 1172'
8-5/8" csg @ 1172'
w/ 400sx-TOC-Surf-Circ

7-7/8" hole @ 3499'
5-1/2" csg @ 3499'
w/ 550sx-TOC-323'-Calc

OH @ 3499-3650'

TD-3650'