ubmit 1 Copy To Appropriate District State of New Mexico		Form C-103	
Office Energy, Minerals and Natural Resources		Revised July 18, 2013 WELL API NO.	
1625 N. French Dr., Hobbs, NM 88240 District II		30-025-40930	
District II 1301 W. Grand Ave., Artesia, NM 882 DBBS OF CONSERVATION DIVISION District III 1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Dio Prozos Pd. Agtes NM 97410		STATE X	FEE 🗆
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		6. State Oil & Gas Lea	ase No.
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Name or Uni	t Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		Dragon 36 State	
PROPOSALS.)		8. Well Number	
1. Type of Well: Oil Well X Gas Well Other		8H	
2. Name of Operator / EOG_Resources, Inc.		9. OGRID Number 7377	
3. Address of Operator		10. Pool name or Wildcat	
P.O. Box 2267 Midland, TX 79702 Red Hills; Upper Bone Spring Shale 4. Well Location			
Unit Letter P : 220 feet from the South line and 685 feet from the East line			
Section 36 Township 24S	Range 33E		County Lea /
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3479' GR			
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			RT OF
_			_
PERFORM REMEDIAL WORK PLUG AND ABANDON D	REMEDIAL WORK		ALTERING CASING
TEMPORARILY ABANDON	COMMENCE DRILLI	<u> </u>	P AND A
PULL OR ALTER CASING	CASING/CEMENT JO	OB X	
DOWNHOLE COMMINGLE			
CLOSED-LOOP SYSTEM			
OTHER:	OTHER:		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.			
4/15/14 Spud 17-1/2" hole.			
Ran 31 jts 13-3/8", 54.5 #, J55 STC casing set at 1258'.			
4/16/14 Cemented lead w/ 500 sx Class C, 13.5 ppg, 1.73 yield; tail w/ 300 sx Class C, 14.8 ppg, 1.34 yield. Circulated 122 sx cement to surface. WOC 24 hrs.			
4/17/14 Tested casing to 1500 psi for 30 minutes. Test good.			
Resumed drilling 12-1/4" hole.			
Spud Date: 4/15/2014 Rig Re	lease Date:		
I have by gortify that the information above is true and complete to t	ho host of my limovilados	and ballof	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE Stan Way T	ITLE <u>Regulator</u>	ry Analyst DA	ATE 4/21/2014
Type or print name Stan Wagner E	-mail address:	PH	ONE <u>432-686-3689</u>
For State Use Only Petroleum Engineer			
APPROVED BY TITLE TENOREM DATE DATE DATE DATE			
		MAY &	<u>a</u> 5 2014 (