. Submit LCopy To Appropriate District	State of New	Mexico	Form C-103
Office District I – (575) 393-6161	Energy, Minerals and N		Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240	Eller5 <i>j</i> , minerale and i		WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATI	ON DIVISION	30-025-39716
<u>District III</u> - (505) 334-6178	1220 South St. 1	Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 District IV – (505) 476-3460	Santa Fe, NM	4 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	,		VB-0651
87505 SUNDRY NO	TICES AND REPORTS ON WE	LLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROP	OSALS TO DRILL OR TO DEEPEN OI	R PLUG BACK TO A	Red Raider BKS State
DIFFERENT RESERVOIR. USE "APPL PROPOSALS.)	ICATION FOR PERMIT" (FORM C-10	I) FOR SUCH	8. Well Number
1. Type of Well: Oil Well	Gas Well 🔲 Other	HOBBS OCD	2H
2. Name of Operator			9. OGRID Number
Yates Petroleum Corporation		JUL 1 0 2014	025575
3. Address of Operator 105 South Fourth Street, Artesia,	NIM 88210		10. Pool name or Wildcat Red Hills; Bone Spring, North
4. Well Location		RECEIVED	Red Hins, Bolie Spring, North
4. Well Location Unit Letter B :	330 feet from the N		2180 feet from the East line
Unit Letter O			2131 feet from the East line
Section 25	Township 24S	Range 33E	NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
3,566' GR			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING			
TEMPORARILY ABANDON CHANGE PLANS			
PULL OR ALTER CASING 🛛 MULTIPLE COMPLANT 🔲 CASING/CEMENT JOB 👘 🖓 🖓 👘 🖓 👘			
		Chelling and atthe T	REPART MARCHART CAR
CLOSED-LOOP SYSTEM]		_
OTHER: OTHER: Tested casing 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date			
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of			
proposed completion or recompletion.			
v			
6/19/14 – NU BOP. TOH with production equipment.			
6/23/14 - RIH with RBP to 8,950'. Set packer. Pressured up casing to 2000 psi, casing tested good. POOH with RBP and packer. ND			
BOP. 2-7/8" 6.5# J-55 tubing at 8,880'.			
Copy of chart attached			
		[
Spud Date:	Rig Releas	e Date:	
<u>;</u>			·
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE Taken Matta TITLE Regulatory Reporting Technician DATE July 9, 2014			
Type or print name <u>Laura Watts</u> E-mail address: <u>laura@yatespetroleum.com</u> PHONE: <u>575-748-4272</u>			
For State Use Only M 1 JHR			
APPROVED BY: MALLEHOWN FILE HISL, Supervised Date 1/10/2014			
Conditions of Approval (if any):			

·...

. .

χ.,

JUL 1 0 2014



