Form 3160-5 UNITED STATES August 2007) DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0135		
DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.					Expires: July 31, 2010 5. Lease Serial No. NMLC029405B		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.					7. If Unit or CA/Agreement, Name and/or No		
1. Type of Well ☑ Gas Well □ Gas Well □ Other					8. Well Name and No. RUBY FEDERAL 25		
2. Name of Operator CONOCOPHILLIPS COMPANY E-Mail: Susan.B.Maunder@conocophillips.com					9. API Well No. 30-025-41017-00-S1		
3a. Address 3b. Phone No. Ph: 281-206					10. Field and Pool, o MALJAMAR	Pool, or Exploratory	
MIDLAND, TX 79710				0.000		1050	wes
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			JUL Z	8 2014	11. County or Parish	,	
Sec 17 T17S R32E SENE 22	10FNL 1120FEL				LEA COUNTY	, NM	
	ROPRIATE BOX(ES) TO			EIVED			
TYPE OF SUBMISSION							
1115 OL 20 DIMI22ION				OF ACTION	tion (Start/Dame)	<b>–</b> W	tor Chut Of
Notice of Intent	Acidize	Deep	en ture Treat	□ Product □ Reclam	tion (Start/Resume)	_	ater Shut-Of ell Integrity
Subsequent Report	Casing Repair	—	Construction	-	Recomplete Temporarily Abandon		ner
Final Abandonment Notice	Change Plans	🗖 Plug	and Abandon	Tempor			Spud
	Convert to Injection	🗖 Plug	Back	🗖 Water I	Disposal		
following completion of the involve testing has been completed. Final A determined that the site is ready for ConocoPhillips Company res depth.	bandonment Notices shall be file final inspection.)	ed only after all 1	equirements, inclu	uding reclamatio	n, have been completed	l 60-4 shall l, and the oj	be filed once perator has
03/20/14 ? Move rig to Ruby	Federal 25. Set conductor.	. Spud well w	ith 12-1/4? bit.	·			
03/21/14 - Drill to 830? TD. R STC, csg; land csg; guide she R/U and test cmt equip. Pum by tail slurry 48 bbls (200sx) w/ 887#. Floats held. Circulat	pe at 815?. ped lead slurry 98 bbls (31 14.8 ppg =+ adds, yield 1.3	0sxs), 13.5pj 34. Displaced	og + adds, yiek w/ 49 bbls FW	d 1.76; follow V. Bumped plu	pu		
03/22/14 ? CIT to 1500 psi fo	r 30 min. Test good. TIH, t	ag cmt at 77	5' drlg cmt, sho	be track and 1	0'		
14. I hereby certify that the foregoing	Electronic Submission #2	240697 verifie	d by the BLM W	/ell Informatio	n System		
For CONOCOPHILLIPS COMPANY, Committed to AFMSS for processing by BEVERLY WEATH					014 (14BMW0396SE	)	
Name (Printed/Typed) SUSAN E	3 MAUNDER		Title SENI	OR REGULA	TORY SPECIALIS	<u> </u>	
Signature (Electronic	Submission)		Date 04/01,	/2014	<u> </u>		
	THIS SPACE FO			E OFFICE U	SE		
Approved By ACCEPT	ED		JAMES A	A AMOS /ISORY EPS			Date 07/19/
Conditions of approval, if any, are attach certify that the applicant holds legal or ex	uitable title to those rights in the	not warrant or subject lease	Office Hobbs	3	Ka	ł	
which would entitle the applicant to conc Title 18 U.S.C. Section 1001 and Title 43							

## Additional data for EC transaction #240697 that would not fit on the form

## 32. Additional remarks, continued

formation, circ, perform FIT. Test good; EMW 14.8. Drill prod hole w/ 7-7/8? bit.

03/27/14 ? TD?d well at 7101?. Run 168 jts of 5-1/2" 17#, L-80 , LTC csg. plus 2 double marker joints, float shoe @ 7086'.

03/28/14 - R/U Baker Hughes, test lines. Cmt w/20 bbl FW spacer, then 400 sxs (229 bbls) of 50:50 Class "C" poz lead cement mixed @ 11.5 ppg w/ 3.22 yield & 19.32 mix H2O. Tail slurry-745 sxs (209 bbls) TXI cement mixed @ 13.2 ppg w/ 1.58 yield & 8.06 mix H2O. Displace 0.5 bbl w/164 bbls wtr w/bactron k-31. Circ?d 63 bbls (37 sxs) cmt to surface. Did not bump plug @ 2305 psi. floats held. RD Baker Hughes. Pressure test tubing head 5000 psi. Test good.