
				• •			
		OCD H	lohhe				
Form \$160-5 August 2007)	UNITED STATES	5			FORM APPRO OMB No. 1004-		
(August 2007) DEPARTMENT OF THE BUREAU OF LAND MA					xpires: July 31,		
			NMNM106916				
Do not use this	NOTICES AND REPO form for proposals to	o drill or to re-enter ar		6. If Indian, Allottee of	or Tribe Name		
abandoned well.	Use Form 3160-3 (AF	PD) for such propos	<u>ب</u> ي ال				
	IT IN TRIPLICATE – Other in	nstructions on page 2.	2014	7. If Unit of CA/Agre	ement, Name a	and/or No.	
I. Type of Well	Well Other	nstructions on page 2. AUG 2 9		8. Well Name and No		<u></u>	<b>·</b>
		RECEI	JED	E. Livingston Feder	al 31 #6H		
2. Name of Operator Regeneration Energy Corp.	1:	Bb. Phone No. (include area co		9. API Well No. 30-025-41926 10. Field and Pool or	Exploratory A	rea	
O Box 210 rtesia NM 88210		575 736 3535		Livingston Ridge;Bo		Tea	
4. Location of Well <i>(Footage, Sec., T.,R.,M., or Survey Descriptic</i> 190 FSL 330 FWL Sec. 31 T22S R32E		n) .		11. Country or Parish, State Lea County, New Mexico			
12. CHE	CK THE APPROPRIATE BO>	K(ES) TO INDICATE NATUR	E OF NOTIC	CE, REPORT OR OTH	IER DATA		
TYPE OF SUBMISSION		ТҮ	PE OF ACT	ION			
Notice of Intent	Acidize	Deepen	_	uction (Start/Resume)		Shut-Off	
_	Alter Casing	Fracture Treat	=	amation		ntegrity Powerline Install	
Subsequent Report	Change Plans	Plug and Abandon	_	porarily Abandon	Uther		
	Convert to Injection	Plug Back	· · · · ·	er Disposal			
the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation Abandonment Notices must be or final inspection.) to set power from existing p	v, give subsurface locations and vide the Bond No. on file with f n results in a multiple completion e filed only after all requirement owerlines located on the Ease	measured ar BLM/BIA. R on or recomp ts, including st Livingstor	nd true vertical depths of Required subsequent rep letion in a new interva reclamation, have been	of all pertinent ports must be f l, a Form 3160 n completed an	markers and zones. filed within 30 days 4 must be filed once ad the operator has	If
<ul> <li>Bescribe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation Abandonment Notices must be or final inspection.) to set power from existing p	v, give subsurface locations and vide the Bond No. on file with f n results in a multiple completion e filed only after all requirement owerlines located on the Ease	measured ar BLM/BIA. R on or recomp ts, including st Livingstor	nd true vertical depths of Required subsequent rep letion in a new interva reclamation, have been	of all pertinent ports must be f l, a Form 3160 n completed an	markers and zones. filed within 30 days 4 must be filed once ad the operator has	11
13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation Abandonment Notices must be or final inspection.) to set power from existing p	v, give subsurface locations and vide the Bond No. on file with f n results in a multiple completion e filed only after all requirement owerlines located on the Ease	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you.	nd true vertical depths of Required subsequent rep letion in a new interva reclamation, have been	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has FEL Sec. 31 T22S	If
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. Thereby certify that the foregoing is</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads	v, give subsurface locations and vide the Bond No. on file with f n results in a multiple completion e filed only after all requirement owerlines located on the Ease	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you.	nd true vertical depths of Required subsequent rep eletion in a new interval reclamation, have been n 31 Federal #2 ( 198	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has FEL Sec. 31 T22S	If
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. Thereby certify that the foregoing is Name (Printed/Typed)</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads	v, give subsurface locations and vide the Bond No. on file with f n results in a multiple completion e filed only after all requirement owerlines located on the Ease	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you.	nd true vertical depths of Required subsequent rep eletion in a new interval reclamation, have been n 31 Federal #2 ( 198	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has FEL Sec. 31 T22S	
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. Thereby certify that the foregoing is Name (Printed/Typed)</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads	7, give subsurface locations and vide the Bond No. on file with F n results in a multiple completion e filed only after all requirement owerlines located on the East shown in attached plat. The shown in attached plat. The Date 7/	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you.	nd true vertical depths of Required subsequent rep eletion in a new interva reclamation, have been an 31 Federal #2 ( 196 SEE ATTAC NDITIONS O	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has FEL Sec. 31 T22S	
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. Thereby certify that the foregoing is Name (Printed/Typed) Mill,</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads	7, give subsurface locations and vide the Bond No. on file with F n results in a multiple completion e filed only after all requirement owerlines located on the East shown in attached plat. The shown in attached plat. The	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you. COI COI COI COI COI COI COI COI	nd true vertical depths of Required subsequent rep eletion in a new interva reclamation, have been a 31 Federal #2 ( 198 SEE ATTAC NDITIONS O	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has FEL Sec. 31 T22S	
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. I hereby certify that the foregoing is Name (Printed/Typed) Will, Signature</li> <li>Approved by</li> </ul>	nally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads #6H following existing roads true and correct. THIS SPACE F PHEN J. CAFFEY	7, give subsurface locations and vide the Bond No. on file with F n results in a multiple completion e filed only after all requirement owerlines located on the East shown in attached plat. The shown in attached plat. The Date 7/ FOR FEDERAL OR ST	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you. COI COI COI COI COI FIEL	nd true vertical depths of Required subsequent rep eletion in a new interva reclamation, have been an 31 Federal #2 (198 SEE ATTAC NDITIONS O	of all pertinent ports must be f l, a Form 3160 n completed an 30'FNL & 330 HED FO F APPRO	markers and zones. Filed within 30 days 1-4 must be filed once and the operator has 'FEL Sec. 31 T22S PROVAL	
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. I hereby certify that the foregoing is Name (<i>Printed/Typed</i>) <i>W</i>, <i>11</i>, Signature Mpproved by Signature Sonditions of approval, if any, are attachant the applicant holds legal or equitable nuitle the applicant to conduct operations</li> </ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads the following existing roads THIS SPACE F PHEN J. CAFFEY ed. Approval of this notice does title to those rights in the subject s thereon.	7, give subsurface locations and vide the Bond No. on file with F n results in a multiple completic e filed only after all requiremen owerlines located on the East shown in attached plat. The shown in attached plat. The Date 7/ FOR FEDERAL OR ST not warrant or certify lease which would Office	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you. CON CON CON CON CON CON CON CON	nd true vertical depths of Required subsequent rep eletion in a new interva reclamation, have been an 31 Federal #2 (198 SEE ATTAC NDITIONS O NDITIONS O FICE USE D MANAGER AD FIELD OFFICE	Date AUG	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has "FEL Sec. 31 T22S PROVAL OVAL 2-0-2014	
<ul> <li>13. Describe Proposed or Completed C the proposal is to deepen direction Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready for Regeneration requests permission R32E) to E. Livingston Federal 31</li> <li>4. I hereby certify that the foregoing is Name (<i>Printed/Typed</i>) <i>Will</i>, Signature <i>Wpproved by</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>Signature</i> <i>S</i></li></ul>	hally or recomplete horizontally work will be performed or prov- ved operations. If the operation I Abandonment Notices must be or final inspection.) to set power from existing p #6H following existing roads the following existing roads THIS SPACE F PHEN J. CAFFEY ed. Approval of this notice does title to those rights in the subject is thereon. 3 U.S.C. Section 1212, make it a	7, give subsurface locations and vide the Bond No. on file with F n results in a multiple completic e filed only after all requiremen owerlines located on the East shown in attached plat. The shown in attached plat. The Date 7/ FOR FEDERAL OR ST not warrant or certify lease which would Office crime for any person knowingly c	measured ar BLM/BIA. R on or recomp ts, including st Livingstor ank you. CON CON CON CON CON CON CON CON	nd true vertical depths of Required subsequent rep eletion in a new interva reclamation, have been an 31 Federal #2 (198 SEE ATTAC NDITIONS O NDITIONS O FICE USE D MANAGER AD FIELD OFFICE	Date AUG	markers and zones. Filed within 30 days 1-4 must be filed once ad the operator has "FEL Sec. 31 T22S PROVAL OVAL 2-0-2014	



## Company Reference:Regeneration Well No. & Name: East Livingston Federal 31 #6H

## STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES

A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 <u>et seq</u>. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.

5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006. The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert

approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.

Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.

6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

## Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:

Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in

lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.