

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD Hobbs

HOBBS OCD

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals.

OCT 14 2014

RECEIVED

5. Lease Serial No.

NMLC 032579E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

CARLSON B26-002

9. API Well No.

30-025-11800

10. Field and Pool, or Exploratory Area

LANGLIE MATTIX

11. County or Parish, State

LEA, NM

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well

☒ Oil Well☐ Gas Well☐ Other

2. Name of Operator

FULFER OIL & CATTLE, LLC.

3a. Address P.O. BOX 1224

101 E. PANTHER AVE, JAL, NM 88252 575-395-9970

3b. Phone No. (include area code)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990 FSL/990 FEL

U.L. - P 5-26 T-25S R-37E

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent☐ Subsequent Report☐ Final Abandonment Notice☐ Acidize☐ Alter Casing☐ Casing Repair☐ Change Plans☐ Convert to Injection☐ Deepen☐ Fracture Treat☐ New Construction☒ Plug and Abandon☐ Plug Back☐ Production (Start/Resume)☐ Reclamation☐ Recomplete☐ Temporarily Abandon☐ Water Disposal☐ Water Shut-Off☐ Well Integrity☐ Other EXTENSION

WAITING FOR

B+A CONTRACTOR

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomplate in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

I HAVE 4 BIDS IN TO P+A THE CARLSON B-26-002
THE EARLIEST I HAVE BEEN TOLD THEY COULD
PERFORM THE WORK IS 6 TO 8 WEEKS. I WOULD
LIKE TO GET AN EXTENSION TO COVER THIS TIME
PERIOD. AS SOON AS PLUGGING CONTRACTOR IS
AVAILABLE, I WILL BEGIN PLUGGING OPERATIONS.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

GARY W. WINK

Title

PRODUCTION FOREMAN

Signature

Gary W. Wink

Date

9-24-14

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

James A. Owens

Conditions of approval, if any, are attached. Approval of this notice does not warrant or
certify that the applicant holds legal or equitable title to those rights in the subject lease
which would entitle the applicant to conduct operations thereon.

Title

SPET

Date

10-4-14

Office

CFD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

APPROVED FOR 3 MONTH PERIOD
ENDING 12-24-14

OCT 17 2014

MAB/OCD
10/15/2014

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD HOBBS

APR 30 2014

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		15. Lease Serial No. <u>NMLC 032579 E</u>
2. Name of Operator <u>FILFER OIL & CATTLE LLC</u>		6. If Indian, Allottee or Tribe Name
3a. Address <u>101 E. PANTHER AVE, JAL, NM 88252</u>	3b. Phone No. (include area code) <u>575-395-9970</u>	7. If Unit or CA/Agreement, Name and/or No.
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <u>990 FS/990 FEL UL @ Sec 26-T25S-R37E</u>		8. Well Name and No. <u>CARLSON B26-#002</u>
		9. API Well No. <u>30-025-11800</u>
		10. Field and Pool, or Exploratory Area <u>LANGLIE MATTIX</u>
		11. County or Parish, State <u>LEA, NM</u>

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

1. ME-RUPU
2. POCH W/RODS + TBC. RIM W/CIBP SET @ 3032'
3. CAP CIBP W/255XS CEMENT
4. PLACE BRINE MUD TO 2230'
5. PERF + SQUEEZE @ 2222'. SQZ 50' IN + 50' OUT. SHOE PLUG AND BASE OF SALT PLUG. WOL TAG @ 2100
6. PLACE BRINE MUD TO 975'
7. SET 255X CEMENT PLUG @ 975' - 929' PERF + SQZ 50' IN + 50' OUT - TAG @ 800'
8. PLACE BRINE MUD TO 65'. PERF + SQZ @ 60' INSIDE + OUT TO SURFACE
9. CUT WELLHEAD @ LEAST 3' BELOW SURFACE
10. CHECK CASING STRINGS FOR CEMENT @ SURFACE.
11. ERECT 4" MARKER W/UL-S-T-R AND FOOTAGES WELDED ON PIPE.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Title PRODUCTION FOREMAN

Signature Harry D. Wink

Date 3/26/14

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by James G. Ome
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title SEPS

Date 4-20-14

Office CFD

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

SEE ATTACHED FOR
CONDITIONS OF APPROVAL

RECLAMATION PROCEDURE
ATTACHED

APR 30 2014

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSNG)

OPERATOR FULFER OIL & CATTLELEASENAME CARLSON B-26 #2WELL # 2SECT Z6 TWN253 RNG37EFROM 990 N61990 EWLTD: 3080'FORMATION @ TD LANGLIEMATIXPBTD: FORMATION @ PBTD CUTOFF WH
3' F SURF.PERF + SQZ
CEMENT F/60
TO SURFACEPERF + SQZ
25 SK F/975'
275' - TAG

MLF

8 5/8"

@ 2172'

TOC SURFACE

PERF + SQZ
25 SK F/2222'
2122' - TAGCIBP @ 3032'
CAPPED W/25 SK

5 1/2"

@ 3080'

TOC ?

TD 3080'

	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	8 5/8"	2172'	SURF	400 SK
INTMED 1				
INTMED 2				
PROD	5 1/2"	3080'	?	250 SK
	SIZE	TOP	BOT	TOC DETERMINED BY
LINER 1				
LINER 2				
	CUT & PULL @			TOP - BOTTOM
INTMED 1			PERFS	-
INTMED 2			OVERHOLE	-
PROD				

REQUIRED PLUGS DISTRICT

ALABAMA	
ALASKA	
ARIZONA	
ARKANSAS	
CALIFORNIA	
COLORADO	
CONNECTICUT	
DELAWARE	
FLORIDA	
GEORGIA	
ILLINOIS	
INDIANA	
IOWA	
KANSAS	
KENTUCKY	
Louisiana	
MAINE	
MARYLAND	
MASSACHUSETTS	
MICHIGAN	
MINNESOTA	
MISSISSIPPI	
MISSOURI	
MONTANA	
NEBRASKA	
NEVADA	
NEW HAMPSHIRE	
NEW JERSEY	
NEW MEXICO	
NEW YORK	
NORTH CAROLINA	
NORTH DAKOTA	
OHIO	
OKLAHOMA	
OREGON	
PENNSYLVANIA	
RHODE ISLAND	
SOUTH CAROLINA	
SOUTH DAKOTA	
TENNESSEE	
TEXAS	
UTAH	
Vermont	
VIRGINIA	
WASHINGTON	
WEST VIRGINIA	
WISCONSIN	
WYOMING	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OH	35 SKS	6100'
PLUG #2	SHOE	50 SKS	5350'-5450'
PLUG #3	CIBP/35'		4800'
PLUG #4	CIBP	25 SKS	4800'
PLUG #5	STUB	50 SKS	3600'-3700'
PLUG #6	RETRN SQZ	200 SKS	400'
PLUG #6	SURF	10 SKS	0-10'
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			
PLUG #21			
PLUG #22			
PLUG #23			
PLUG #24			
PLUG #25			
PLUG #26			
PLUG #27			
PLUG #28			
PLUG #29			
PLUG #30			