Submit 1 Copy To Appropriate District	Ct-t CNI Marris	F C 102
Office	State of New Mexico	Form C-103 Revised July 18, 2013
District I – (575) 393-6161 En 1625 N. French Dr., Hobbs, NM 88240	ergy, Minerals and Natural Resources	WELL API NO.
District II – (575) 748-1283	IL CONSERVATION DIVISION	30-025-41969
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505	STATE S FEE
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	ÖČT 2 9 2014	6. State Oil & Gas Lease No.
87505 SUNDRY NOTICES AN	D REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BRECEIVED		State 11
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		8. Well Number
1. Type of Well: Oil Well Gas Well Other		2
2. Name of Operator V-F PETROLEUM INC.	_	9. OGRID Number 24010
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 1889, Midland, Texas 79702		West Midway-Upper Pen
4. Well Location		
Unit Letter O: 660 feet from the South line and 2,150 feet from the East line		
Section 11 Township 17-S Range 35-E NMPM Lea County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
	3937' GL	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING		
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLING OPNS.☑ P AND A ☐		
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ CASING/CEMENT JOB ☒		
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM OTHER:		
3. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of		
starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed		
completion or recompletion.		
09/12/14 Spud Drilling 17 ½" Hole @ 1:30 PM		
09/13/14 Drill 17 ½" Surface Hole to 475'		
Ran 12 Jts 48# 13 3/8" H-40		
09/14/14 Cemented w/ lead of 295 sacks of Class C + 4% gel + 2% CaCl2 + 1/4# Celloflake + 0.004 gps CF-41L mixed at 13.5		
ppg with a yield of 1.75 ft ³ /sack followed by a tail of 200 sacks of Class $C + + 2\%$ CaCl2 + 0.004gps CF-41L mixed at 14.8 ppg with a yield of 1.34 ft ³ /sack.		
Circulated 120 sacks to surface		
	•	
Spud Date: 09/12/2014	Rig Release Date:	
hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE - TITLE Engineering Technician DATE - 10/24/2014		
Type or print name Eric Sprinkle E-mail address: eric@vfpetroleum.com PHONE: 432-683-3344		
For State Use Only		
APPROVED BY:	TITLE Petroleum Engineer	DATE 10/29/14
Conditions of Approval (if any):		