

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 July 17, 2008 1. WELL API NO. 030-025-06376 2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN 3. State Oil & Gas Lease No. B0-9745-0004
--	---	---

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)	5. Lease Name or Unit Agreement Name Northeast Drinkard Unit (NEDU) / 22503 6. Well Number: 371
7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input checked="" type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER	
8. Name of Operator Apache Corporation	
9. OGRID 873	
10. Address of Operator 303 Veterans Airpark Lane, Suite 1000 Midland, TX 79705	
11. Pool name or Wildcat Eunice; B-T-D, North (22900)	

12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	T	2	21S	37E		2310	S	988	W	Lea
BH:										

13. Date Spudded 12/05/1951	14. Date T.D. Reached 01/14/1952	15. Date Rig Released 01/14/1952	16. Date Completed (Ready to Produce) 01/07/2015	17. Elevations (DF and RKB, RT, GR, etc.) 3474' GL
18. Total Measured Depth of Well 7985'		19. Plug Back Measured Depth 6832'	20. Was Directional Survey Made?	21. Type Electric and Other Logs Run

22. Producing Interval(s), of this completion - Top, Bottom, Name
 Blinbry 6001'-6150'; Tubb 6171'-6559'; Drinkard 6604'-6741'

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	36#	211'	17-1/4"	250 sx Class C	
8-5/8"	24#	3152'	11"	1700 sx Class C	
5-1/2"	17#	7984'	7-7/8"	500 sx Class C	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

25. TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2-7/8"	6804'	

26. Perforation record (interval, size, and number)
 Blinbry 6001'-6150' (1 SPF, 10 holes) Producing
 Tubb 6171'-6559' (1 SPF, 25 holes) Producing
 Drinkard 6604'-6741' (1 SPF, 9 holes) Producing
 CIBP @ 6875' w/35' cement cap

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
6001' - 6311'	4000 gal acid; 122,200 gal pad; 180,000# sand; 2184 gal gel
6361' - 6741'	3500 gal acid; 160,200 gal pad; 194,780# sand; 2310 gal gel

28. PRODUCTION

Date First Production 01/07/2015		Production Method (Flowing, gas lift, pumping - Size and type pump) 640 Pumping Unit		Well Status (Prod. or Shut-in) Producing	
Date of Test 01/16/2015	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 42	Gas - MCF 54
Water - Bbl. 217		Gas - Oil Ratio 1286			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.
Oil Gravity - API - (Corr.) 37.0					

29. Disposition of Gas (Sold, used for fuel, vented, etc.)
 Sold

30. Test Witnessed By
 Apache Corp.

31. List Attachments
 C-103, C-104 (C-105 updated because well name & # changed with RC, also taking well into a Unit)

32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.

33. If an on-site burial was used at the well, report the exact location of the on-site burial:

I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
 Signature Reesa Fisher Printed Name Reesa Fisher Title Sr. Staff Reg Analyst Date 01/30/2015
 E-mail Address Reesa.Fisher@apachecorp.com

FEB 11 2015

m

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson 7533'	T. Mancos	T. McCracken
T. Glorieta 5292'	T. McKee 7563'	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger 7969'	Base Greenhorn	T. Granite
T. Blinberry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard 6594'	T. Bone Springs	T. Todilto	
T. Abo 6857'	T. Rustler	T. Entrada	
T. Wolfcamp	T. Tansill	T. Wingate	
T. Penn	T. Penrose	T. Chinle	
T. Cisco (Bough C)	T. Bowers-SD	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology