		UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT			bs	FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010	
SUNDRY NOTICES AND REPORTS ON WELLS						5. Lease Serial No. NMLC029405B	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						6. If Indian, Allottee or Tribe Name	
SUB	PLICATE - Other instru	everse side.	7. If Unit or CA/Agreement, Name and/NMNM70987A         8. Well Name and No. MCA 96		<ol> <li>If Unit or CA/Agreement, Name and/or No. NMNM70987A</li> </ol>		
1. Type of Well		<u></u>			· · · ·		
2. Name of Operator CONOCOPHILLIP	Contact:	ERT phillips.com	T 9. API Well No. lips.com 30-025-12755				
· · ·				No. (include area code 688 HOBBS	le area codo CD 10. Field and Pool, or MALJAMAR		Exploratory
4. Location of Well (Fe	potage, Sec., T.	. R., M., or Survey Description	1)	MAR 09	2015	11. County or Parish, a	ind State
Sec 20 T17S R32E Mer NMP SESW 25FSL 2590FWL			/	RECEIVED		LEA COUNTY, NM	
				-		·	
	T	OPRIATE BOX(ES) TO	D INDICA'			EPORT, OR OTHEI	R DATA
TYPE OF SUBMIS	PE OF SUBMISSION				TYPE OF ACTION		
Notice of Intent		Acidize Alter Casing	_	eepen racture Treat	Product Reclam		Water Shut-Off Well Integrity
Subsequent Report	rt	Casing Repair		ew Construction			Other
Final Abandonme	ent Notice	Change Plans	—	lug and Abandon		arily Abandon	
. —		Convert to Injection				er Disposal	
ConocoPhillips Co	mpany requ	est permission to reroute	e and upgra	175 R32E) to the	MCA 1C He	ader	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow e route will als	cated in the SESW of Seon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips (	ection 20, T eline appro: ely 90 PSI v keep surfac	17S, R32E) to the kimately 5,188ft in vith a flowrate of 1 e distrubance to a	length. The 06 BPD (oil, minimum.	ader	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow e route will als ne as soon a he foregoing is	cated in the SESW of Se on 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for	ection 20, T eline appro ly 90 PSI v ceep surfac Company p 252284 veri PHILLIPS (	17S, R32E) to the kimately 5,188ft in /ith a flowrate of 1 e distrubance to a ersonnel in detect fied by the BLM We OMPANY, sent to g by LINDA DENNI:	length. The 06 BPD (oil, minimum. ing possible ell Informatior the Hobbs	n System 5/2014 ()	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. Thereby certify that th	MCA 96 (lo NW of Section an operating ire). will follow en oute will also ne as soon a he foregoing is	cated in the SESW of Se on 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS fo IARRISON	ection 20, T eline appro ly 90 PSI v ceep surfac Company p 252284 veri PHILLIPS (	17S, R32E) to the kimately 5,188ft in vith a flowrate of 1 e distrubance to a ersonnel in detect fied by the BLM We COMPANY, sent to g by LINDA DENNI Title PTRRG	length. The 06 BPD (oil, minimum. ing possible ell Informatior the Hobbs STON on 08/1 C-CONTRAC	n System 5/2014 ()	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. Thereby certify that th	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow e route will als ne as soon a he foregoing is	cated in the SESW of Seon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON	ection 20, T eline appro ly 90 PSI v keep surfac Company p 252284 veri DPHILLIPS ( r processin	timately 5,188ft in with a flowrate of 1 e distrubance to a ersonnel in detect <b>G by the BLM We</b> <b>COMPANY</b> , sent to <b>g by LINDA DENNIS</b> <u>Title</u> PTRR Date 07/09/2	length. The 06 BPD (oil, 1 minimum. ing possible ell Information the Hobbs STON on 08/1 C-CONTRAC	n System 5/2014 () T AGENT	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. Thereby certify that th Name ( <i>Printed/Typed</i> )	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow en oute will als ne as soon a he foregoing is MYRA H H (Electronic S	cated in the SESW of Secon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON ubmission) THIS SPACE F(	252284 veri DPHILLIPS ( r processin	timately 5,188ft in with a flowrate of 1 e distrubance to a ersonnel in detect <b>G by the BLM We</b> <b>COMPANY</b> , sent to <b>g by LINDA DENNIS</b> <u>Title</u> PTRR Date 07/09/2	length. The 06 BPD (oil, i minimum. ing possible ell Informatior the Hobbs STON on 08/1 C-CONTRAC 2014 OFFICE U	n System 5/2014 () TT AGENT SE	
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. Thereby certify that th Name ( <i>Printed/Typed</i> ) Signature	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow end oute will also ne as soon a he foregoing is MYRA H H (Electronic S	cated in the SESW of Secon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON Ubmission) THIS SPACE FO	252284 veri PHILLIPS ( REEDED	17S, R32E) to the kimately 5,188ft in vith a flowrate of 1 e distrubance to a ersonnel in detect ied by the BLM We OMPANY, sent to g by LINDA DENNIS Title PTRRO Date 07/09/2 RAL OR STATE	length. The 06 BPD (oil, i minimum. ing possible ell Informatior the Hobbs STON on 08/1 C-CONTRAC 2014 OFFICE U	n System 5/2014 () T AGENT	<b>FEB 25</b>
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. Thereby certify that th Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if ar certify that the applicant hol which would entitle the app	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow eroute will also ne as soon a he foregoing is MYRA H H (Electronic S	cated in the SESW of Secon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON Ubmission) THIS SPACE FO I. Approval of this notice doe: itable title to those rights in the ct operations thereon.	ection 20, T eline appro ely 90 PSI v ceep surfac Company p 252284 veri PHILLIPS ( r processin DR FEDE	17S, R32E) to the kimately 5,188ft in vith a flowrate of 1 e distrubance to a ersonnel in detect fied by the BLM We OMPANY, sent to g by LINDA DENNIS Title PTRRC Date 07/09/2 RAL OR STATE Office C	length. The 06 BPD (oil, iminimum. ing possible ell Information the Hobbs STON on 08/1 C-CONTRAC 2014 OFFICE U FIELD ARLSBA	N System 5/2014 () ST AGENT SE MANAGER ND FIELD OF	FICF
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. I hereby certify that th Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if a certify that the applicant bol which would entitle the app Title 18 U.S.C. Section 100 States any false, fictitious	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow end oute will als ne as soon a he foregoing is MYRA H H (Electronic S (Electronic S) (Electronic S)	cated in the SESW of Secon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON Ubmission) THIS SPACE F( Committed to insortice doe: itable title to those rights in the c operations thereon. U.S.C. Section 1212, make it a tatements or representations a	252284 veri DPHILLIPS ( r processin DR FEDE	17S, R32E) to the kimately 5,188ft in /ith a flowrate of 1 e distrubance to a ersonnel in detect fied by the BLM We COMPANY, sent to g by LINDA DENNI: Title PTRRC Date 07/09/2 RAL OR STATE Office C	length. The 06 BPD (oil, iminimum. ing possible ell Information the Hobbs STON on 08/1 C-CONTRAC 2014 OFFICE U FIELD ARLSBA d willfully to m	system 5/2014 () TAGENT SE MANAGER <u>ND FIELD OF</u> ake to any department or	FICF <sup>1</sup> , agency of the United
a flowline from the (located in the SEN The new pipeline v pipeline will have a gas, & water mixtu The pipeline route The new pipeline r leaks on the pipelin 14. I hereby certify that th Name ( <i>Printed/Typed</i> ) Signature Approved By Conditions of approval, if a certify that the applicant bol which would entitle the app Title 18 U.S.C. Section 100 States any false, fictitious	MCA 96 (lo NW of Section will be a 2 1/ an operating ire). will follow end oute will als ne as soon a he foregoing is MYRA H H (Electronic S (Electronic S) (Electronic S)	cated in the SESW of Secon 20, T17S, R32E). 2" Fiberspar surface pipe pressure of approximate xisting road corridors to I o assist ConocoPhillips ( as they occur. true and correct. Electronic Submission # For CONOCC Committed to AFMSS for IARRISON Ubmission) THIS SPACE F( Committed to this notice doe itable title to those rights in the coperations thereon. U.S.C. Section 1212, make it a	252284 veri DPHILLIPS ( r processin DR FEDE	17S, R32E) to the kimately 5,188ft in /ith a flowrate of 1 e distrubance to a ersonnel in detect fied by the BLM We COMPANY, sent to g by LINDA DENNI: Title PTRRC Date 07/09/2 RAL OR STATE Office C	length. The 06 BPD (oil, iminimum. ing possible ell Information the Hobbs STON on 08/1 C-CONTRAC 2014 OFFICE U FIELD ARLSBA d willfully to m	system 5/2014 () TAGENT SE MANAGER <u>ND FIELD OF</u> ake to any department or	FICF:

# Additional data for EC transaction #252284 that would not fit on the form

#### 32. Additional remarks, continued

The existing pipeline will be flushed, capped and abandoned in place.

Construction will begin as soon as BLM Approval Notification has been received. Preferred start date 9-1-2014.

Please contact ConocoPhillips Company's local PTRRC - Contract Agent, Myra Harrison at 575-441-1805 for additional information or assistance concerning this project.

Myra Harrison Contract Agent, PTRRC ConocoPhillips Company P. O. Box 1012 Hobbs, NM 88241 Phone: 432-688-6834 Cell: 575-441-1805 Myra, Harrison@contractor.conocophillips.com

# ConocoPhillips

July 9, 2014

Cody Layton, Natural Resource Specialist Bureau of Land Management Carlsbad Field Office 620 E Greene Street Carlsbad, NM 88220


Dear Mr. Layton,

Please find attached ConocoPhillips Company Sundry Notice (Form, 3160-5) requesting the permission to upgrade and reroute a flowline from the MCA 96 located in the SESW of Section 20, T17S R32E to the MCA 1C Production Header located in the SENW of Section 20 T17S, R32E. Also, attached for your reference is a map of the proposed pipeline route.

Please feel free to contact me at 575-441-1805 if you should have any questions or need additional information.

Sincerely,

Myra Harrison PTRRC –Contract Agent ConocoPhillips Company



MCA 96 Flowline to the MCA 1C Production Header

Section 20 Twn 17S Rge 32E Lea County NM

LAT 32°48'46.69"N (NAD 83) LON 103°47'19.68"W (NAD 83)

API 30-025-12755 Prop Code A705006

Length of Proposed Flowline (in RED) that will follow the Roads ~ 5,188 Ft

2 <sup>1</sup>/<sub>2</sub>" Surface Fiberspar PIpeline

Oil Production 14 BPD Water Production 92 BPD Gas production 2 MCF Pressure 90 PS!

# BLM LEASE NUMBER: NMLC 029410 A COMPANY NAME: Conoco Phillips Company ASSOCIATED WELL NAME: MCA 281

#### STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the application (Grant, Sundry Notice, APD) and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:

a. Activities of the holder including, but not limited to construction, operation, maintenance,

1

and termination of the facility.

- b. Activities of other parties including, but not limited to:
  - (1) Land clearing.
  - (2) Earth-disturbing and earth-moving work.
  - (3) Blasting.
  - (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.

6. All construction and maintenance activity will be confined to the authorized right-of-way width of 20 feet. If the pipeline route follows an existing road or buried pipeline right-of-way, the surface pipeline must be installed no farther than 10 feet from the edge of the road or buried pipeline right-of-way. If existing surface pipelines prevent this distance, the proposed surface pipeline must be installed immediately adjacent to the outer surface pipeline. All construction and maintenance activity will be confined to existing roads or right-of-ways.

7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.

8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.

9. The pipeline shall be buried with a minimum of 24 inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.

10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint'used shall be a color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.

13. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.

14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.

15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

16. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, powerline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

17. Surface pipelines must be less than or equal to 4 inches and a working pressure below 125 psi.

3

### 18. Special Stipulations:

- a. <u>Lesser Prairie-Chicken:</u> Oil and gas activities will not be allowed in lesser prairiechicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Normal vehicle use on existing roads will not be restricted.
- b. This authorization is subject to your Certificate of Participation and/or Certificate of Inclusion under the New Mexico Candidate Conservation Agreement. Because it involves surface disturbing activities covered under your Certificate, your Habitat Conservation Fund Account with the Center of Excellence for Hazardous Materials Management (CEHMM) will be debited according to Exhibit B Part 2 of the Certificate of Participation.