	State of New M		Form C-103
• Office District I = (575) 393-6161	Energy, Minerals and Nat	tural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
<u>District II</u> + (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION	N DIVISION	30-025-28255
District III = (505) 334-6178	1220 South St. Fra		5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410			STATE FEE X
<u>District IV</u> = (505) 476-3460	Santa Fe, NM 8	37303	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe. NM 87505			
	TICES AND REPORTS ON WELL	S	7. Lease Name or Unit Agreement Name
	OSALS TO DRILL OR TO DEEPEN OR P		
	ICATION FOR PERMIT" (FORM C-101) I	FOR SUCH	Felton / .
PROPOSALS.)	Gas Well Other	OBBS OCD /	8. Well Number 3
1. Type of Well: Oil Well . Name of Operator	Gas wen Oulet	Chro can	9. OGRID Number
	WTP Limited Partnership		9. OGRID Number 192463
3. Address of Operator	A WTP Limited Partnership / 5	EP 28 2015	10. Pool name or Wildcat
	50250 Midland, TX 79710		
4. Well Location		BECENTELL	Eumant rates TR Qu
I	1775	RECEIVED	1770
	feet from the Nov-		100 feet from the WEST line
Section 28	Township 215 R		NMPM County Lea
	11. Elevation (Show whether DF		
Bearing a marine of the state of the same of the same	360	<u> </u>	12. Julius Comment State Con Contract C
12. Check	Appropriate Box to Indicate N	Nature of Notice,	Report or Other Data
			·
	NTENTION TO:	E-PERM	MITTING <swd injection=""></swd>
PERFORM REMEDIAL WORK 🗌		RE CONVE	
TEMPORARILY ABANDON 🗌	CHANGE PLANS 🔲	CG RETUR	
PULL OR ALTER CASING	MULTIPLE COMPL 🔲	LLA	
DOWNHOLE COMMINGLE		CSNG_	ENVIROCHG LOC
CLOSED-LOOP SYSTEM		INT TO	PA P&A NR P&A R
OTHER:		OThen.	7. (
	·		
13. Describe proposed or com-	oleted operations. (Clearly state all	pertinent details, and	d give pertinent dates, including estimated date
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA	pertinent details, and	d give pertinent dates, including estimated date impletions: Attach wellbore diagram of
13. Describe proposed or com-	ork). SEE RULE 19.15.7.14 NMA	pertinent details, and	d give pertinent dates, including estimated date impletions: Attach wellbore diagram of
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA completion.	pertinent details, and	d give pertinent dates, including estimated date impletions: Attach wellbore diagram of
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA completion. TD-4004' PBTD-3966' Perfs-3	pertinent details, and C. For Multiple Cor 823-3975'	mpletions: Attach wellbore diagram of
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA: completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su	mpletions: Attach wellbore diagram of urf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA completion. TD-4004' PBTD-3966' Perfs-3	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su	mpletions: Attach wellbore diagram of urf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA: completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su k, 7-7/8" hole, TOC-S	mpletions: Attach wellbore diagram of urf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA: completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RIH & tag CIBP @ 3775', M&P :	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St k, 7-7/8" hole, TOC-S 25sx cmt to 3600'	mpletions: Attach wellbore diagram of urf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RIH & tag CIBP @ 3775', M&P 2	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su k, 7-7/8" hole, TOC-S 25sx cmt to 3600'	mpletions: Attach wellbore diagram of urf-Circ Surf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RiH & tag CIBP @ 3775', M&P 2 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su k, 7-7/8" hole, TOC-S 25sx cmt to 3600' VOC-Tag VOC-Tag	mpletions: Attach wellbore diagram of urf-Circ Surf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1250-1675' v 4. M&P 55sx cmt @ 510' to surface	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Su k, 7-7/8" hole, TOC-S 25sx cmt to 3600' VOC-Tag VOC-Tag	mpletions: Attach wellbore diagram of urf-Circ Surf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sy 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs ~	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St k, 7-7/8" hole, TOC-S 25sx cmt to 3600' VOC-Tag VOC-Tag	mpletions: Attach wellbore diagram of urf-Circ Surf-Circ
 Describe proposed or com- of starting any proposed w 	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1250-1675' v 4. M&P 55sx cmt @ 510' to surface	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St k, 7-7/8" hole, TOC-S 25sx cmt to 3600' VOC-Tag VOC-Tag	urf-Circ Surf-Circ
13. Describe proposed or com of starting any proposed w	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sy 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs ~	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St k, 7-7/8" hole, TOC-S 25sx cmt to 3600' VOC-Tag VOC-Tag	urf-Circ Surf-Circ
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole, TOC-Substitution (Compared to Section (Compare	mpletions: Attach wellbore diagram of arf-Circ Surf-Circ The Oil Conservation Division
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sy 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs ~	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St, 7-7/8" hole, TOC-St, 7-7/8" hole, TOC-St, VOC-Tag 1535 - ce	The Oil Conservation Division MUST BE NOTIFIED 24 Hours
 Describe proposed or com- of starting any proposed w 	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St, 7-7/8" hole, TOC-St, 7-7/8" hole, TOC-St, VOC-Tag 1535 - ce	mpletions: Attach wellbore diagram of arf-Circ Surf-Circ The Oil Conservation Division
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-St, 7-7/8" hole, TOC-St, 7-7/8" hole, TOC-St, VOC-Tag 1535 - ce	The Oil Conservation Division MUST BE NOTIFIED 24 Hours
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact t	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations
13. Describe proposed or com- of starting any proposed w proposed completion or re-	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact t	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief.
13. Describe proposed or come of starting any proposed was proposed completion or respond to the proposed completion of the proposed completion or respond to the proposed completion of the proposed completion o	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a Rig Release Date above is true and complete to the base of the surface of the surf	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief.
13. Describe proposed or composed of starting any proposed with proposed completion or respond to the proposed or composed or composed with the proposed with the proposed completion or respond to the proposed completion or	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RiH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact 10# MLF between plugs . Above ground steel tanks will be a subove is true and complete to the base of the surfact of the su	pertinent details, and C. For Multiple Core 823-3975' 12-1/4" hole, TOC-St., 7-7/8" hole, TOC-St., 7-7/8" hole, TOC-St., VOC-Tag. 1535 - ce. utilized est of my knowledge.	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief.
13. Describe proposed or composed of starting any proposed with proposed completion or respond to the proposed completion of the proposed completion or respond to the proposed completi	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact 10# MLF between plugs . Above ground steel tanks will be a subove is true and complete to the base of the surfact of the su	pertinent details, and C. For Multiple Core 823-3975' 12-1/4" hole, TOC-St. 7-7/8" hole, TOC	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief.
13. Describe proposed or composed of starting any proposed with proposed completion or respond to the propos	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact 10# MLF between plugs . Above ground steel tanks will be a subove is true and complete to the base of the surfact of the su	pertinent details, and C. For Multiple Core 823-3975' 12-1/4" hole, TOC-St. 7-7/8" hole, TOC	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief. DATE 9 25 15
13. Describe proposed or composed of starting any proposed with proposed completion or respond to the proposed completion of the proposed completion or respond to the proposed completi	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a large of the between plugs Rig Release Date of the between plugs TITLE Sr. E-mail address:	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief. DATE 9 25 15
13. Describe proposed or composed of starting any proposed was proposed completion or respond to the propose	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 15-1/2" 14# csg @ 4004' w/ 1175sx 1. RIH & tag CIBP @ 3775', M&P: 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfar 10# MLF between plugs Above ground steel tanks will be a large of the between plugs Rig Release Date of the between plugs TITLE Sr. E-mail address:	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief. DATE_92515 Oxy.com_PHONE: 432-685-5717
13. Describe proposed or composed of starting any proposed was proposed completion or respond to the propose	ork). SEE RULE 19.15.7.14 NMA. completion. TD-4004' PBTD-3966' Perfs-3: 8-5/8" 24# csg @ 355' w/ 225sx, 1 5-1/2" 14# csg @ 4004' w/ 1175s; 1. RIH & tag CIBP @ 3775', M&P : 2. M&P 25sx cmt @ 3300-3125' v 3. M&P 25sx cmt @ 1850-1675' v 4. M&P 55sx cmt @ 510' to surfact 10# MLF between plugs . Above ground steel tanks will be a subove is true and complete to the base of the surfact of the su	pertinent details, and C. For Multiple Cor 823-3975' 12-1/4" hole, TOC-Suk, 7-7/8" hole	The Oil Conservation Division MUST BE NOTIFIED 24 Hours rior to the beginning of operations e and belief. DATE 9 25 15

OCT 0 8 2015

OXY USA WTP LP - Proposed Felton A #3 API No. 30-025-28255

55sx @ 405'-Surface


12-1/4" hole @ 355' 8-5/8" csg @ 355' w/ 225sx-TOC-Surf-Circ

25sx @ 1850-1675' WOC-Tag |535'-|3L0'

25sx @ 3300-3125' WOC-Tag

25sx @ 3775-3600'


CIBP @ 3775'



7-7/8" hole @ 4004' 5-1/2" csg @ 4004' w/ 1175sx-TOC-Surf-Circ

Perfs @ 3823-3975'

OXY USA WTP LP - Current Felton A #3 API No. 30-025-28255



CIBP @ 3775'