Form 3160-5 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT


FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

rm for proposals to one se form 3160-3 (APD) ATE - Other instruct INJECTION	) for such propos	als.		6. If Indian, Allottee of	or Tribe Name	
	ions on reverse s	ide.				
INJECTION		SUBMIT IN TRIPLICATE - Other instructions on reverse side.				
INJECTION	1. Type of Well				8. Well Name and No.	
SAMPLE CONTROL SAMPLE S				SEMU 247		
2. Name of Operator Contact: ASHLEY BERGEN E-Mail: ashley.bergen@conocophillips.com				9. API Well No. 30-025-42019-00-S1		
3a. Address  MIDLAND, TX 79710  3b. Phone No. (in Ph.: 432-688-1)			de) 10. Field and Pool, or Exploratory SKAGGS			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish,	and State	
Sec 24 T20S R37E SENE 2139FNL 265FEL 32.333585 N Lat, 103.115034 W Lon			NOV 0 6 2015		LEA COUNTY, NM	
RIATE BOX(ES) TO	INDICATE NAT	URREFOREN	CE, RI	EPORT, OR OTHE	R DATA	
TYPE OF ACTION						
] Acidize	☐ Deepen ☐ Produc		ion (Start/Resume)	☐ Water Shut-Off		
□ Notice of Intent □ Alter Casing □ Fra		eat	☐ Reclamation		☐ Well Integrity	
Casing Repair	□ New Const	ruction	☐ Recomplete		☑ Other	
☐ Final Abandonment Notice ☐ Change Plans ☐ Plu		and Abandon		arily Abandon	Onshore Order Varian	
Convert to Injection	☐ Plug Back	□ Water Disposal				
tack & csg to 2000 PS erfs @ 3859'-4077'. Pt , J-55 tbg set @ 3836' 580#/ 30 mins- Test g	umped 12,000 gals & pkr set @ 3828 ood (see attached	of 15% aci '. chart). RDM	d. IO.	PSI		
and correct. ctronic Submission #30	03672 verified by th	e BLM Well	nformation	n System	M	
ted to AFMSS for proce	essing by LINDA JI	MENEZ on 0	7/27/2015 (	15LJ1356SE)		
Name (Printed/Typed) ASHLEY BERGEN		Title STAFF REGULATORY TECH				
ssion)	Date	06/02/20	15			
THIS SPACE FOI	R FEDERAL OR	STATE O	FFICE U	SE		
)		PAUL SWARTZ TitleTECHNICAL PET			Date 11/04/2015	
title to those rights in the s	subject lease	e Hobbs		KI		
	RIATE BOX(ES) TO  RIATE BOX(ES) TO  Acidize  Alter Casing Casing Repair Change Plans Convert to Injection Clearly state all pertinent Complete horizontally, g be performed or provide the performed or performed o	RIATE BOX(ES) TO INDICATE NATE    Acidize	RIATE BOX(ES) TO INDICATE NATURE FOR A CIDENT TYPE OF A CIDENT TYPE OF A CIDENT TYPE OF A CIDENT CASING Practure Treat New Construction Plug and Abandon Plug Back (clearly state all pertinent details, including estimated starting of recomplete horizontally, give subsurface locations and measure the performed or provide the Bond No. on file with BLM/BIA. Autions. If the operation results in a multiple completion or recomment Notices shall be filed only after all requirements, including spection.)  Stack & csg to 2000 PSI for 2mins, 2000 PSI for 2 miners (a) 3859'-4077'. Pumped 12,000 gals of 15% acides, 3-55 tog set (a) 3836' & pkr set (a) 3828'. 580#/30 mins- Test good (see attached chart). RDM in the casing. ConocoPhillips is gathering additional of the composition of the composit	RIATE BOX(ES) TO INDICATE NATURE OF NOTICE, RI  TYPE OF ACTION    Acidize	RIATE BOX(ES) TO INDICATE NATUREROF NOTICE, REPORT, OR OTHE  TYPE OF ACTION    Acidize	









SEMU # 246W

APT, 300254 2018

Date: 1/6/2015

Chart # 2024

Chart # 2024

Social # 271424

Social # 271424

Social # 271424

Bottom perf. 3785

Top perf. 3772.

Bottom perf. 3772.

Bottom perf. 3772.

Bottom perf. 3072.

Bottom perf. 3072.