
| rm 3160-5 igust 2007) | UNITED STATES DEPARTMENT OF THE IN | TERIOR | | OMB N | APPROVED O. 1004-0135 July 31, 2010 | |
|---|--|---|---|--|---|--|
| BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to re abandoned well. Use form 3160-3 (APD) for such | | | | 5. Lease Serial No. NMLC031695B | | |
| | | drill or to re-enter an | e-enter an | | If Indian, Allottee or Tribe Name | |
| SUBMIT IN TRIPLICATE - Other instructions on reverse side. | | | | If Unit or CA/Agreement, Name and/or No. 892000601H | | |
| Type of Well SOII Well Gas Well | | A Well Name and No. WARREN UNIT 31 OGERS om 9. API Well No. 30-025-24781-00-S2 | | | | |
| Name of Operator CONOCOPHILLIPS COM | RHONDA ROGERS | | | 10-S2 | | |
| MIDLAND, TX 79710 | | 3b. Phone No. (include area code Ph: 432-688-91 | s ocp | 10. Field and Pool, or WARREN | Exploratory | |
| | c., T., R., M., or Survey Description) | FED | 1 @ 2016 | 11. County or Parish, | and State | |
| Sec 27 T20S R38E SWSE | 660FSL 1980FEL | FEB | 1 6 2016 | LEA COUNTY, NM | | |
| | | | | LL/10001111, | | |
| | | REC | EIVED | | 1 | |
| 12. CHECK A | PPROPRIATE BOX(ES) TO | OPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA | | | | |
| TYPE OF SUBMISSION | | TYPE O | F ACTION | | 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | |
| Notice of Intent | C Acidize | Deepen | Production | n (Start/Resume) | □ Water Shut-Of | |
| | Alter Casing | Fracture Treat | Reclamati | on | U Well Integrity | |
| Subsequent Report | Casing Repair | New Construction | Recomple | te | 🛛 Other | |
| | | | - | | | |
| The state of the second second | Change Plans | Plug and Abandon | Temporari | ily Abandon | | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation result Abandonment Notices shall be filed | Plug Back details, including estimated startin ive subsurface locations and meas ne Bond No. on file with BLM/BL lts in a multiple completion or rec | Water Dis mg date of any prop ured and true verti A. Required subse completion in a new | posal posed work and approx cal depths of all pertin quent reports shall be w interval, a Form 316 | ent markers and zones. filed within 30 days 0-4 shall be filed once | |
| □ Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direct Attach the Bond under which the following completion of the invot testing has been completed. Finat determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Cso 2/19/15 RIH w/182 jts 2 3/4 test good. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation result Abandonment Notices shall be filed | Plug Back details, including estimated startin ive subsurface locations and meas he Bond No. on file with BLM/BL. list in a multiple completion or rec d only after all requirements, inclu- ease & TOOH & LD. LD. | Water Dis mg date of any prop ured and true verti A. Required subse completion in a new ding reclamation, h | posal posed work and approx cal depths of all pertin equent reports shall be w interval, a Form 316 have been completed, a | ent markers and zones. filed within 30 days 0-4 shall be filed once | |
| □ Final Abandonment Notice Describe Proposed or Completee If the proposal is to deepen direct Attach the Bond under which the following completion of the invot testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Cso 2/19/15 RIH w/182 jts 2 3/4 | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & | Plug Back details, including estimated startin ive subsurface locations and meas he Bond No. on file with BLM/BL. list in a multiple completion or rec d only after all requirements, inclu- ease & TOOH & LD. LD. | Water Dis mg date of any prop ured and true verti A. Required subse completion in a new ding reclamation, h | posal posed work and approx cal depths of all pertin quent reports shall be w interval, a Form 316 have been completed, a | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| □ Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direct Attach the Bond under which the following completion of the invot testing has been completed. Finat determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Cso 2/19/15 RIH w/182 jts 2 3/4 test good. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & | Plug Back details, including estimated startin ive subsurface locations and meas he Bond No. on file with BLM/BL. list in a multiple completion or rec d only after all requirements, inclu- ease & TOOH & LD. LD. | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min | posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a ns- | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| □ Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invot testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Cso 2/19/15 RIH w/182 jts 2 3/4 test good. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & | Plug Back details, including estimated startin ive subsurface locations and meas he Bond No. on file with BLM/BL. list in a multiple completion or rec d only after all requirements, inclu- ease & TOOH & LD. LD. | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min | posal posed work and approx cal depths of all pertin quent reports shall be w interval, a Form 316 have been completed, a | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 ", 4.7#, J-55 tbg & set @ 5810 | Plug Back details, including estimated startin ive subsurface locations and meas the Bond No. on file with BLM/BL, lits in a multiple completion or rec d only after all requirements, including ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT 88325 verified by the BLM We | Water Dis mg date of any propured and true verti A. Required subsection completion in a new ding reclamation, h to 580#/30 min SUB APP | posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a ns- | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Fina determined that the site is ready if WFX-866 2/13/15 NDWH & NUBOP, 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL, lits in a multiple completion or rec only after all requirements, including ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT | Water Dis mg date of any propured and true verti A. Required subsection completion in a new ding reclamation, h to 580#/30 min SUB APP: all Information S the Hobbs 08/18/2015 (15) | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a ns- JECT TO LIK ROVAL BY S | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Fina determined that the site is ready if WFX-866 2/13/15 NDWH & NUBOP, 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL, lits in a multiple completion or rec only after all requirements, including ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT | Water Dis mg date of any propured and true verti A. Required subsection completion in a new ding reclamation, h to 580#/30 min SUB APP: all Information S the Hobbs 08/18/2015 (15) | posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a IS- | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| ☐ Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. Thereby certify that the foregoin Name(Printed/Typed) RHON | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL, lits in a multiple completion or rec only after all requirements, including ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT 0' & pkr @ 5816'. Rum MIT | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, H to 580#/30 min SUB APP | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a ns- JECT TO LIK ROVAL BY S | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| ☐ Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. Thereby certify that the foregoin Name(Printed/Typed) RHON | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce DA ROGERS ic Submission) | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL, lits in a multiple completion or rec only after all requirements, including ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT B8325 verified by the BLM We HILLIPS COMPANY, sent to essing by LINDA JIMENEZ or Title STAFF | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min SUB APP | posal posal posed work and approx cal depths of all pertin equent reports shall be interval, a Form 316 have been completed, a pertine pert | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csg 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. Thereby certify that the foregoin Name(Printed/Typed) RHON Signature (Electron | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce DA ROGERS ic Submission) | Plug Back details, including estimated starting ive subsurface locations and measures he Bond No. on file with BLM/BL. lits in a multiple completion or re- d only after all requirements, inclue ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT B8325 verified by the BLM We HILLIPS COMPANY, sent to essing by LINDA JIMENEZ or Title STAFF Date 04/15/2 R FEDERAL OR STATE | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min SUB APP | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a IS- IECT TO LIK ROVAL BY S ystem LJ1494SE) Y TECHNICIAN EPTED FOI | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invol testing has been completed. Fina determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. I hereby certify that the foregoin Name(Printed/Typed) RHON Signature (Electron proved By | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide th ved operations. If the operation resu I Abandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce DA ROGERS ic Submission) THIS SPACE FOF | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL. lits in a multiple completion or rec only after all requirements, inclue ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT B8325 verified by the BLM We HILLIPS COMPANY, sent to essing by LINDA JIMENEZ or Title STAFF Date 04/15/2 R FEDERAL OR STATE | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min SUB APP | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a IS- IECT TO LIK ROVAL BY S ystem LJ1494SE) Y TECHNICIAN EPTED FOI | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has KE STATE RECORD 2016 | |
| Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direct Attach the Bond under which the following completion of the invo- testing has been completed. Final determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csc 2/19/15 RIH w/bit & 7" Csc 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. I hereby certify that the foregoin Name(Printed/Typed) RHON Signature (Electron proved By titions of approval, if any, are attar y that the applicant holds legal on | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide ti ved operations. If the operation resu tabandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce DA ROGERS ic Submission) THIS SPACE FOF ched. Approval of this notice does no equitable title to those rights in the s | Plug Back details, including estimated starting ive subsurface locations and meas he Bond No. on file with BLM/BL, bits in a multiple completion or rect only after all requirements, inclue ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT B8325 verified by the BLM We HILLIPS COMPANY, sent to essing by LIVDA JIMENEZ or Title STAFF Date 04/15/2 R FEDERAL OR STATE ot warrant or ubject lease | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min SUB APP | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a IS- IS- IS- IS- IS- IS- IS- IS- | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has KE STATE RECORD 2016 | |
| Final Abandonment Notice Final Abandonment Notice Describe Proposed or Completed If the proposal is to deepen direc Attach the Bond under which the following completion of the invo- testing has been completed. Final determined that the site is ready WFX-866 2/13/15 NDWH & NUBOP. 2/16/15 RIH w/bit & 7" Csg 2/19/15 RIH w/182 jts 2 3/4 test good. Chart attached. Thereby certify that the foregoin Name(Printed/Typed) RHON Signature (Electron proved By | Convert to Injection Operation (clearly state all pertinent ionally or recomplete horizontally, gi work will be performed or provide ti ved operations. If the operation resu tabandonment Notices shall be filed or final inspection.) Latch onto RBP @ 5714', rel scrapper to 5970' & TOOH & ", 4.7#, J-55 tbg & set @ 5810 g is true and correct. Electronic Submission #29 For CONOCOP Committed to AFMSS for proce DA ROGERS ic Submission) THIS SPACE FOF ched. Approval of this notice does no equitable title to those rights in the s | Plug Back details, including estimated starting ive subsurface locations and measures he Bond No. on file with BLM/BL. lits in a multiple completion or rec and only after all requirements, inclue ease & TOOH & LD. LD. 6' & pkr @ 5816'. Rum MIT B8325 verified by the BLM We HILLIPS COMPANY, sent to assing by LINDA JIMENEZ or Title STAFF Date 04/15/2 R FEDERAL OR STATE Oti warrant or ubject lease Office | Water Dis mg date of any propured and true verti A. Required subsection ding reclamation, I to 580#/30 min SUB APP Il Information S the Hobbs 00/18/2015 (150 REGULATOR 0FF CE USE | posal posal posed work and approx cal depths of all pertin equent reports shall be winterval, a Form 316 have been completed, a IS- IS- IS- IS- IS- IS- IS- IS- | ent markers and zones. filed within 30 days 0-4 shall be filed once and the operator has ESTATE RECORD 2016 Date ANIVE EMENT | |

SS Dad 2117/14 FEB 18 2016 W



Conoco Phillips Cation test 1-28-15 ser. = 01235 Ches Johnson 1:45p- - 2:12pm 2-19-15