

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-34037	✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input checked="" type="checkbox"/>	✓
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name HOOVER 27	✓
8. Well Number 2	✓
9. OGRID Number 4323	✓
10. Pool name or Wildcat EAST VACUUM - DRINKARD	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,936'	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other ☒ DRY HOLE

2. Name of Operator
CHEVRON U.S.A. INC.

3. Address of Operator
15 SMITH ROAD MIDLAND, TEXAS 79705

4. Well Location GPS Y-LAT X-LONG -
Unit Letter K : 2145 feet from the SOUTH line and 1980 feet from the WEST line
Section 27 Township 17-S Range 35-E NMPM County LEA

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT R

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING/CEMENT JOB ☐

INT TO PA ☒
P&A NR ☐
P&A R ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 8 5/8" 33# -1,550' TOC SURF, OH PLUGS 45 SX 7,625'-7,525', 45 SX 6,033'-5,933', 75 SX 4,324'-4,124', 150 SX 2,818'-2,718', CEMENT RETAINER @ 1,469'.

AS EARLY AS APRIL 11, 2015 MI & RU, ND & NU BOP, TEST SAME.

RIH & STING IN CICR 1,469', MIX & SQZ 45 SX CL "C" FROM 1,600'-1,469', STING OUT SPOT 35 SX 1,469'-1,369' WOC, TAG

CIR W/ 9.5# SALT GEL.MIX & SPOT 35 SX CL "C" CEMENT FROM 100' TO SURFACE ON ALL STRINGS. POOH W/ TBG. NIPPLE DOWN CUT & CAP WELL TO MEET WITH RULE 19.15.7.14 NMAC REQUIREMENTS.

CLASS "C" CEMENT & CLOSED LOOP SYSTEM TO BE USED.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE _____ TITLE Agent for Chevron U.S.A. DATE 03 / 24 / 16

Type or print name Monty L. McCarver E-mail address: monty.mccarver@cjes.com PHONE: 713-325-6288

For State Use Only

APPROVED BY: _____ TITLE Petroleum Engr. Specialist DATE 03/29/2016


Conditions of Approval (if any):

MAR 29 2016

Current Wellbore Schematic

WELL (PN): HOOVER 27 2(CVX) (628895)
 FIELD OFFICE: HOBBS
 FIELD: Vacuum; Drinkard, East
 STATE / COUNTY: NEW MEXICO / LEA
 LOCATION: SEC 27-17S-35E, 2145 FSL & 1980 FWL
 ROUTE:
 ELEVATION: GL: 3,936.0 KB: 3,950.5 KB Height: 14.5
 DEPTHS: TD: 8,200.0

API #: 3002534037
 Serial #:
 SPUD DATE: 7/13/1997
 RIG RELEASE: 7/29/1997
 1ST SALES GAS:
 1ST SALES OIL:
 Current Status: T/A



P+A

Wellbore Schematic

WELL (PN): HOOVER 27 2(CVX) (628895)
 FIELD OFFICE: HOBBS
 FIELD: Vacuum; Drinkard, East
 STATE / COUNTY: NEW MEXICO / LEA
 LOCATION: SEC 27-17S-35E, 2145 FSL & 1980 FWL
 ROUTE:
 ELEVATION: GL: 3,936.0 KB: 3,950.5 KB Height: 14.5
 DEPTHS: TD: 8,200.0

API #: 3002534037
 Serial #:
 SPUD DATE: 7/13/1997
 RIG RELEASE: 7/29/1997
 1ST SALES GAS:
 1ST SALES OIL:
 Current Status: T/A

VERTICAL - Original Hole, 5/16/2013 9:29:14 AM

