District.] 1625 N. French Dr., Hobbs. NM 88240 Phone: (573) 393-6161 Fax: (575) 393-0720 District.II S11 S. First SL., Artesia. NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District.III 1000 Rio Brazos Road. Aztee. NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District.IV 1220 S. St. Francis Dr., Santa Fe. NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462			Energ	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505 APR 27 2016				Sub	mit one	Form C-102 sed August 1, 2011 copy to appropriate District Office IENDED REPORT
WELL LOCATION AND ACREAGE DEDICATION PLAT										
30-025- 43192				³ Pool Code 5150 BELL LAKE, BONE SP			me SPRINC	RING, NORTH		
Property Code				⁵ Property Name					⁶ Well Number	
3/6141			PALOMA BLANCO 19 FED						1H	
OGRID No.		•	⁸ Operator Name						⁹ Elevation	
6137		· .	DEVON ENERGY PRODUCTION COMPANY, L.P.						3541.3	
Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	est line	County
4/m	18	23 S	34 E		500	SOUTH	300	WE	ST	LEA
" Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/W	st line	County
4	19	23 S	34 E		330	SOUTH	380	WE	ST	LEA
¹² Dedicated Acres 152.28	Joint	or Infill	¹ Consolidation	1 Code	ko- 		¹⁵ Order No.	In		•


ĨŁ,

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.


1			"OPERATOR CERTIFICATION
NW CORNER SEC. 18	N/4 CORNER SEC. 18	NE CORNER SEC. 1B	I hereby certify that the information contained hereby is true and complete to the
LAT. = 32.3118800'N LONG. = 103.5175123'W	LAT. = 32;3118805'N LONG. = 108:5092543'W	LAT. = 32.3118770'N LONG. = 103.5006807'W	best of my knowledge and belief, and that this organization either owns a
NMSP EAST (FT)	NMSP EAST (FT)	NMSP EAST (FT)	
N = 478153.49		N = 478192.37 E = 798576.29	working interest or unleased mineral interest in the land including the proposed
E = 793376.19	$L_1 = $		bottom hole location or hus a right to drill this well at this location pursuant to
			a contract with an owner of such a mineral or working interest, or to a
W/4 CORNER SEC. 18	. SEČ. 18	E/4 CORNER SEC. 18	voluntar voling agreement or a compulsory pooling order heretofore entered
LAT. = 32.3046249'N		LAT. = 32.3046206'N	by the division.
LONG. = 103.5175140'W NMSP EAST (FT)	<u>PALOMA BLANCO 19 FED 1H</u>	LONG. = 103.5006648'W	<i>i L Q</i> 04/21/2016
N = 475514.06	ELEV. = 32.2987483'N! (NAD83)	NMSP EAST (FT) N = 475552.54	1 04/21/2010
E = 793395.75	LONG. = 103.5165434 W	E = 798601.70	Signature Date
	NMSP EAST (FT) N = 473378.43	· ·	David H. Cook Regulatory Specialist
	$L_3 = 793711.93$		Printed Name
	SURFACE		
	- LOCATION		david.cook@dvn.com
SECTION CORNER LAT. = 32.2973746 N		SECTION CORNER LAT. = 32.2973633'N	E-mail Address
LONG. = 103.5175143'W	LONG. = 10,3.5091999'W	LONG. = 103.5006503 W	
NMSP EAST (FT)	NMSP EAST (FT) 1 N = 472894.55	NMSP EAST (FT) N = 472912.34	*SURVEYOR CERTIFICATION
N = 472876.41 E = 793415.73	E = 795984.86	E = 798626.69	
	NOTE: LATITUDE AND LONGITUDE COORDINATES ARE		I hereby certify that the well location shown on this plat was
PP: 500 FSL & 300 FWL	SHOWN USING THE NORTH AMERICAN DATUM OF 1983 LI (NADB3). LISTED NEW MEXICO STATE PLANE FAST		plotted from field notes of actual surveys made by me or under
Sec. 18, T. 23S, R. 34E	L2 COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE		my supervision, and that the same is true and correct to the
	EAST COORDINATES MODIFIED TO THE SURFACE.		
W/4 CORNER SEC. 19	4	E/4 CORNER SEC. 19	best of my belief. ON F. JAP
LAT. = 32.2901233'N + LONG. = 103.5175156'W	SEC. 19	LAT. = 32.2901081'N LONG. = 103.5006367W	OCTOBER 8: 200 ON F. J.4. P.
NMSP EAST (FT)	BOTTOM OF HOLE	NMSP FAST (FT)	
N = 470238.36 E = 793435.38	LAT. = 32.2837668'N	N = 470272.93 E = 798651.38	Date of Survey
	LONG. = 103.5162868'W NMSP EAST (FT)		(12797) / (S)
	N = 467928,77		NEL CERTINATION
SW CORNER SEC. 19	$L_3 E = 793832!72$	SE CORNER SEC. 19	- Contract Amarile
LAT. = 32.2828603'N LONG. = 103.5175162'W	GI POTTON LAT. = 32.2828576 N	LAT. = 32.2828515'N	XXXXX ULXXXX//UN
NMSP EAST (FT)	COE HOLE LUNG. = 103.3091043 W	LONG. = 103.5006213'W	Signature and Scal to Provisional Survivor:
N = 467596.08 E = 793455.29	0-380' NMSP EAST (FT) N = 467614.84	N = 467633.01	Certificate Number: FILIMON F ARAMILLO, PLS 12797
c = /93435,29	jE = 796036.36	E = 798676.64	SURVEY NO. 3696D
	1		


۷,

First take/perf @.heel--Sec. 19, T23S, R34E, 330; FNL & 360 FWL, @ toe-- 330 FSL & 380 F.W.L




ũ.












.

х








. . .



Preliminary Plat for electric on Paloma Blanco 19 Fed 1H/2H/3H



ELECTRIC LINE PLAT (400573E)

ELECTRIC LINE FROM AN EXISTING XCEL ELECTRIC LINE TO PALOMA BLANCO 19 FED 1H, 2H, & 3H

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 18, TOWNSHIP 23 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO OCTOBER 21, 2015

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND IN SECTION 18, TOWNSHIP 23 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 SW/4 OF SAID SECTION 18, TOWNSHIP 23 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE SOUTH QUARTER CORNER OF SAID SECTION 18, TOWNSHIP 23 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS S66'40'10"E, A DISTANCE OF 559.72 FEET;


THENCE S8956'24"W A DISTANCE OF 1355.92 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N00'03'11"W A DISTANCE OF 264.55 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S8958'57"W A DISTANCE OF 88.15 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHWEST CORNER OF SAID SECTION 18, TOWNSHIP 23 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS S50'33'29"W, A DISTANCE OF 791.62 FEET;


SAID STRIP OF LAND BEING 1708.61 FEET OR 103.55 RODS IN LENGTH, CONTAINING 1.177 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:


SE/4 SW/4	808.13 L.F.	48.98 RODS	0.557 ACRES
LOT 4	900.48 L.F.	54.57 RODS	0.620 ACRES

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT-THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. WINESS CERTIFICATE IS EXECUTED AT CARLSBAD, IN THIS 2.) BASIS OF BEARING IS NMSP EAST 50 NEW ME úсо, THIS OBER 2015 MODIFIED TO SURFACE COORDINATES. MADRON SURVEYING, INC. 1279 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 Things SHEET: 2-4D SURVEY NO. 4275 OI SOUTH INC NEW MEXIC MADRON SURVEYING BAD. (575) 23-







PETRA 7/21/2015 1:19:52 PM

٠

•