
5. Lease Serial No. NMNMO21422 6. If Indian, Allotted 7. If Unit or CA/Ag NMNM682891 8. Well Name and N ANTELOPE RID 9. API Well No. 30-025-21037 10. Field and Pool, SWD BELL-C	or Exploratory HERRY CANYON h, and State
NMNM021422 6. If Indian, Allottee 7. If Unit or CA/Ag NMNM68289I 8. Well Name and N ANTELOPE RID 9. API Well No. 30-025-21037 10. Field and Pool, SWD BELL-C 11. County or Parish LEA COUNTY	or Exploratory HERRY CANYON h, and State
7. If Unit or CA/Ag NMNM68289I 8. Well Name and N ANTELOPE RID 9. API Well No. 30-025-21037 10. Field and Pool, SWD BELL-C 11. County or Parish LEA COUNTY	or Exploratory HERRY CANYON h, and State
NMNM68289I 8. Well Name and NANTELOPE RIL 9. API Well No. 30-025-21037 10. Field and Pool, SWD BELL-C 11. County or Parish LEA COUNTY	Dolo. DGE UNIT 4 or Exploratory HERRY CANYON h, and State
9. API Well No. 30-025-21037 10. Field and Pool, SWD BELL-C 11. County or Parish LEA COUNTY	or Exploratory HERRY CANYON h, and State
30-025-21037 10. Field and Pool, SWD BELL-C 11. County or Parish LEA COUNTY NOTICE, REPORT, OR OTH	or Exploratory HERRY CANYON h, and State
SWD BELL-Ć	HERRY CÁNYON h, and State
LEA COUNTY	
NOTICE, REPORT, OR OTH	r, NM
100000000000000000000000000000000000000	
ACTION	ER DATA
ACTION	
☐ Production (Start/Resume)	☐ Water Shut-Off
☐ Reclamation	■ Well Integrity
☐ Recomplete	□ Other
☐ Temporarily Abandon	
☐ Water Disposal g date of any proposed work and appro	
red and true vertical depths of all pert. Required subsequent reports shall be mpletion in a new interval, a Form 3 ing reclamation, have been completed.	tinent markers and zones. be filed within 30 days 160-4 shall be filed once
micellar solvent down WH, NU BOP, e 2 Omin, essure test to	only
FOT RECOTO	
40.	~ DOON 11/
FOR RIM	ATTROUAL
TRES DIAM	B/OCD 5/24
Information System	
GULATORY ADVISOR	THE LET LET
	718
	Date
	or agency of the United
b:	Il Information System bs GULATORY ADVISOR A willfully to make to any department of the system of t



OXY USA Inc. Antelope Ridge Unit #4 API No. 30-025-21037

2-7/8" tbg & pkr @ 5127'

Perfs @ 5200-6296'

CIBP @ 6450'

CIBP @ 11290' w/ 38' cmt

Whipstock @ 11646' CR @ 11714' sqz w/ 250sx cmt

Fish @ 11753-12375' consisting of mill, drill collars and slotted liner.

4-3/4" hole @ 12375' 4" slotted liner @ 12027-12375'

