Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u>				State of New Mexico Energy, Minerals and Natural Resources					Form C-105 Revised August 1, 2011 1. WELL API NO. 30-025-42538								
811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505				Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505					<ol> <li>Type of L</li> <li>STA</li> <li>State Oil of L</li> </ol>	ease	🗌 FE	ΕE	FED.		4		
WELL 4. Reason for fil	ing:					ETION RE			) LOG		<ol> <li>Lease Nan Brown</li> <li>Well Num</li> </ol>	Bear	Jnit Agr 36 St	reeme tate	ent Name	SOC	D
C-144 CLO #33; attach this a 7. Type of Com	ind the plat									or	702H			2	001	2,2,2	15
<ul> <li>NEW</li> <li>8. Name of Oper</li> <li>10. Address of O</li> </ul>	<sup>ator</sup> EC	WORKOV			ING	PLUGBAC	к 🗌	DIFFERE	NT RESERV	OIR	0 OCDID	7377			RE	CEIVE	Ð
10. Address 01 0	1	O. Box 2	267 N	lidland	, ТХ	79702					WC-02			2533	336D; l	Jpper	WC
12.Location Unit Ltr Section			Township		Range			Feet from the		N/S Line			he I	e E/W Line		ounty	
BH:	N D	30		25S 25S		33E 33E	-	10-10-1 A	244 233	-	South North	1379 856			Wes	-	Lea
13. Date Spudde		e T.D. Read	hed		e Rig l	Released		16.			(Ready to Pro				17. Elevations (DF and RKB,		
5/19/15 18. Total Measur 17305 M			5			6/17/15 Measured Dep	pth	20.			28/15 Survey Made	R le? 21. Typ			RT, GR, etc.) 3319' GR ype Electric and Other Logs Run		
22. Producing Int 12595'-1	terval(s), of	this comple	tion - T	op, Bottor	m, Nan	ne	4		1								
23.			1	С	ASI	NG REC	OR	D (Repo	ort all str	ing	s set in w	ell)		1.1		2	
CASING SI 10-3/4		WEIGH	t lb./f 0.5	B./FT. DEPTH SET 1129			HOLE SIZE		_	CEMENTING RECORD			AMOUNT PULLED				
7-5/8			9.7	10720			<u>14-3/4</u> 9-7/8		-	800 C 1st: 350 C, 250 H		-	DV tool @ 4910'				
5-1/2 &	5		& 18	17305			6-1/8		2nd: 850 C 600 H		_	Le1	0				
J-1/2 Q	5	20	0 10			17505			5-170	-	00	011	120		199 A.	20	51 3
24. SIZE	TOP		BOT	LINER RECORD TTOM SACKS CEMENT		ENT	25. SCREEN SIZ		25. SIZ								
	1							1		-		-	51				189
26. Perforation	record (int	erval, size, a	and num	ber)						FRA	ACTURE, CE						6
12595 -	17180',	0.40", 13	83 ho	oles DEPTH INTERVAL 12595-17180'			-	AMOUNT AND KIND MATERIAL USED 1112 bbls acid, 7253947 lbs proppant				nt					
				12393-17180				183162 bbls load water									
							DD		FION	_				1976	-		
28. Date First Produc	ction				d (Flow	ving, gas lift, p		<b>ODUC</b> og - Size and			Well Status		d. or Sh	ut-in)	)	-	
8/28/15 Date of Test	Hours		lowing	g ce Size		Prod'n For		Oil - Bbl		Cas	Produci	-	atar Di	<b>L</b> 1		as - Oil F	Datia
10/05/15	24	rested	Op			Test Period	-	1457		Gas - MCI 2027		Water - Bbl. 1474			1:	391	catio
Flow Tubing Press.	8			ate		Gas -	Gas - MCF		4			Gravity - API - <i>(Corr.)</i> 3.0					
29. Disposition o		, used for fu Sold	el, vente	ed, etc.)								30. T	est Wit	nesse	ed By		1. N
31. List Attachm	ents	C-102.	C-103	. C-104	. dire	ectional su	rvev	1							B		
32. If a temporar	y pit was us							orary pit.								1.5	
33. If an on-site l	ourial was u	sed at the w	ell, repo	ort the exa	ct loca	tion of the on-	site bu	rial:							1	- 9 S	
I hereby certi	fy that the	e informa	tion sh	own on	both	Latitude sides of this	forn	is true o	and comple	ete	Longitude to the best of	of mv	knowl	ledge	e and h	NAD 1 elief	927 1983
Signature 🗻	1-	- Wa			_ Pi	rinted <sup>lame</sup> Stan			Title	9	Regulatory					ate	/15/15
E-mail Addre	SS	6				etari			1		Salatory			K	X	10	, 10/10

.

# **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

	Southeastern	n New Mexico	Northwestern New Mexico			
T. Anhy Rustler 1038'		T. Canyon Bell Canyon 5172'	T. Ojo Alamo	T. Penn A"		
T. Salt	1433'	T. Strawn	T. Kirtland	T. Penn. "B"		
B. Salt	4875'	T. Atoka	T. Fruitland	T. Penn. "C"		
T. Yates	a	T. Miss	T. Pictured Cliffs	T. Penn. "D"		
T. 7 Rivers	No. 2 Contraction	T. Devonian	T. Cliff House	T. Leadville		
T. Queen	3 A	T. Silurian	T. Menefee	T. Madison		
T. Grayburg	All Care	T. Montoya	T. Point Lookout	T. Elbert		
T. San Andres	S. 1888	T. Simpson	T. Mancos	T. McCracken		
T. Glorieta		T. McKee	T. Gallup	T. Ignacio Otzte		
T. Paddock		T. Ellenburger	Base Greenhorn	T.Granite		
T. Blinebry		T. Gr. Wash	T. Dakota	and the second		
T.Tubb		T. Delaware Sand 5127'	T. Morrison			
T. Drinkard		T. Bone Springs 9270'	T.Todilto			
T. Abo	4	T. 1st BS Sand 10220'	T. Entrada			
T. Wolfcamp 12320'		T. 2nd BS Sand 10815'	T. Wingate			
T. Penn	- 11	T. 3rd BS Sand 11850'	T. Chinle			
T. Cisco (Bough C)		Τ.	T. Permian			

#### OIL OR GAS SANDS OR ZONES

No. 1, from	No. 3, fromtoto
No. 2, fromtoto	No. 4, fromtoto

### **IMPORTANT WATER SANDS**

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1.	from	.to	feet
		.to	
		.to	
110. 5,			100000000000000000000000000000000000000

## LITHOLOGY RECORD (Attach additional sheet if necessary)

То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology			
	То	To Thickness In Feet	To Thickness Lithology	To       Thickness In Feet       Lithology       From         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       In Feet       In Feet       In Feet       In Feet         In Feet       I	To       Thickness       Lithology       From       To         In Feet       In F	To       Thickness In Feet       Lithology       From       To       Thickness In Feet         In Feet       In Feet       In Feet       In Feet       In Feet       In Feet			