HOBBS OCD

AUG 1 8 2016

District. I
1625 N. French Dr., Hobbs, NM 88240
Phone; (575) 393-6161 Fix: (575) 393-0720
Pistrict. II
811 S. First St., Artesia, NM 88210
Phone; (575) 748-1283 Fax: (575) 748-9720
Pistrict. III
1000 Rio Brazos Road, Aztec, NM 87410
Phone; (505) 334-6178 Fax: (505) 334-6170
<u>District. IV</u>
1220 S. St. Francis Dr., Santa Fe, NM 87505

Phone: (505) 476-3460 Fax: (505) 476-3462

320

State of New Mexico

RECEIVED

Form C-102

Revised August 1, 2011 Submit one copy to appropriate

District Office


☐ AMENDED REPORT


Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT


30-025-	86		² Pool Code 97922	me 1L; BONE SPR	IE SPRING				
Property Code 30863				Well Number 66H					
OGRID No. 6137				^e Elevation 3467.1					
					6 Surface	Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	19	22 S	34 E		437	NORTH	1028	EAST	LEA
			п Во	ttom Hol	e Location If	Different From	m Surface		
UL or lot no.	Section Township		Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	30	22 S	34 E		330	SOUTH	500	EAST	LEA

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.





SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



DEVON ENERGY PRODUCTION COMPANY, L.P. GAUCHO UNIT 66H


LOCATED 437 FT. FROM THE NORTH LINE AND 1028 FT. FROM THE EAST LINE OF SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JANUARY 7, 2016

SURVEY NO. 4334B

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

DIRECTIONS TO LOCATION
FROM STATE HIGHWAY 128 AND CR 21 (DELAWARE BASIN) GO NORT
ON CR 21 8.0 MILES, BEND RIGHT AND GO EAST 1.2 MILES, TURN
LEFT ON CALICHE ROAD AND FOLLOW MAIN LEASE ROAD
NORTH-NORTHWEST APPROX. 4.5 MILES, TURN LEFT AND GO
SOUTHWEST ON PIPELINE ROAD 0.53 MILE TO A PROPOSED ROAD
SURVEY AND FOLLOW FLAGS NORTHWEST 38' TO PROPOSED "" IN
ROAD, STAY LEFT AND FOLLOW FLAGS WEST 812' THEN NORTHWEST
46' (TOTAL OF 896') TO PROPOSED SOUTHEAST PAD CORNER FOR
THIS LOCATION.

NOT TO SCALE


DEVON ENERGY PRODUCTION COMPANY, L.P. GAUCHO UNIT 66H

LOCATED 437 FT. FROM THE NORTH LINE AND 1028 FT. FROM THE EAST LINE OF SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JANUARY 7, 2016

SURVEY NO. 4334B

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO



MADRON SURVEYING, INC. 301 SOUTH CARLSBAD, NEW MEXICO

SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO ACCESS AERIAL ROUTE MAP

		May 192	es rese		CAUCH	O UNIT	66H	RM TZE	PAME	0-0	-		
19	20	24	2/2	26	23	812' 38' 0.53 MI		25	22	28	23	10	20
3(0)	29	28	27	26	26	50	23	23	37	3.6	25	30	29
31	32	33	843	36	33	31	4.5 MILES	89	हाड़ी	35	£(S)	81	822
6	g	4	3	3	1)3 1.	a 2 MILES	4)	3	Ş	1	8	5
7	(e)	9	10	ขีย	13	Z.	8	(9)	je	99	12	7	(3)
13	17	10	¶3 0 000000	13	13	MIES	17	16	Ve Ve	13	13	13	1977
10	2 (a)	21	S R663 22	28	23	0.8	20	21	22 22	28	24	19	
30	29	28	21/	20	25	21 (3)	29	23	27	20	25	30	2
31	32	68	5.3	35	30	N.	82	\$3	34	35	8.9	61	100
(3)	5	3	3	2	Ú	(6)	6	4	1000	3	1	(3)	
7	8	(9)	10	ขข	12	7	8	9	ЯÔ	91	12	7	
18	17	16 NM T203	15	14	13	It3 STAI	U7 e hichwa	10 138 0 533	15 48 R345	143	13	13	

NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH FEBRUARY 2014


DEVON ENERGY PRODUCTION COMPANY, L.P. GAUCHO UNIT 66H

LOCATED 437 FT. FROM THE NORTH LINE AND 1028 FT. FROM THE EAST LINE OF SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JANUARY 7, 2016

SURVEY NO. 4334B

MADRON SURVEYING, INC. 301 SOUTH CARLSBAD, NEW MEXICO



ACCESS ROAD PLAT ACCESS ROAD TO THE GAUCHO UNIT 99H AND 66H

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
DECEMBER 3, 2015

DESCRIPTION

A STRIP OF LAND 20 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NW/4 NW/4 OF SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS NO5"10'08"W, A DISTANCE OF 879.27 FEET:

THENCE N71'27'01"W A DISTANCE OF 38.37 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N89'13'29"W A DISTANCE OF 37.75 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF
SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N00'20'17"W, A DISTANCE OF 862.99 FEET;

SAID STRIP OF LAND BEING 76.12 FEET OR 4.61 RODS IN LENGTH, CONTAINING 0.035 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NW/4 NW/4 76.12 L.F. 4.61 RODS 0.035 ACRES

SURVEYOR CERTIFICATE

INC

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE TATE OF NEW MEXICO.

IN WITHERS WHEREOF THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS DAY OF DECEMBER 2015


MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SHEET: 2-6

MADRON SURVEYING.

SUF

SURVEY NO. 4399 NEW MEXICO



ACCESS ROAD PLAT

ACCESS ROAD TO THE GAUCHO UNIT 99H AND 66H

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
DECEMBER 3, 2015

DESCRIPTION

A STRIP OF LAND 20 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 10 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS NOO'20'17"W, A DISTANCE OF 862.99 FEFT:

THENCE N89'13'29"W A DISTANCE OF 774.56 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N54'26'51"W A DISTANCE OF 46.00 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF
SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N44'20'09"E, A DISTANCE OF 1154.48 FEET;

SAID STRIP OF LAND BEING 820.56 FEET OR 49.73 RODS IN LENGTH, CONTAINING 0.377 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NE/4 820.56 L.F. 49.73 RODS 0.377 ACRES

SURVEYOR CERTIFICATE

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLIEF, AND THAT HIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN. THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS GERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS 2 TOAY OF BECEMBER 2015

F. MARAHILLO PES. Y

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341


SURVEY NO. 4399


SHEET: 4-6


MADRON SURVEYING,

INC. 301 SOUTH CANAL (575) 234-3344

CARLSBAD, NEW MEXICO







FLOWLINE PLAT (400623XYZ)

ONE 8" POLY FLEX BURIED PRODUCTION LINE & ONE 6" POLY FLEX BURIED GAS LIFT COMPRESSION LINE FROM THE GAUCHO
UNIT 66H TO THE GAUCHO UNIT "19" CTB 1; ONE 8" POLY FLEX BURIED PRODUCTION LINE & ONE 6" POLY FLEX BURIED CAS
LIFT COMPRESSION LINE FROM THE GAUCHO UNIT 99H TO THE GAUCHO UNIT "19" CTB 1 (ALL IN THE SAME EASEMENT)

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF A PIPELINE CROSSING SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 21, 2015

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N58'38'16"E, A DISTANCE OF

THENCE S35'37'34"W A DISTANCE OF 90.01 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S54'19'52"E A DISTANCE OF 353.31 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S89'13'24"E A DISTANCE OF 751.86 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S00'54'59"W A DISTANCE OF 25.64 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE \$53'00'26"W A DISTANCE OF 622.38 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

THENCE SOO'25'01"E A DISTANCE OF 218.15 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N89"14'58"E A DISTANCE OF 44.97 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE EAST QUARTER CORNER OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS \$27.52.56"E, A DISTANCE OF 1211.61 FEET;

SAID STRIP OF LAND BEING 2106.32 FEET OR 127.65 RODS IN LENGTH, CONTAINING 1.450 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NE/4 1799.54 L.F. 109.06 RODS 1.239 ACRES SE/4 NE/4 306.78 L.F. 18.59 RODS 0.211 ACRES

SURVEYOR CERTIFICATE

MILIMON F

GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY, AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS DAY OF DECEMBER 2015


JAPANILE PLS 1279


MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341


SURVEY NO. 4418

SHEET: 2-4 MADRON SURVEYING INC. 301 SOUTH CHARLES BAD


NEW MEXICO








MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO





SECTION 19, T22S-R34E, N.M.P.M., LEA COUNTY, NEW MEXICO

LEGAL DESCRIPTION

FOR

DEVON ENERGY PRODUCTION COMPANY, L.P.

THE STATE OF NEW MEXICO

30' ROAD EASEMENT DESCRIPTION:

BEING an easement thirty (30) feet in width lying fifteen (15) feet on the right side and fifteen (15) feet on the left side of the survey centerline described below, being out of the southeast quarter of the northeast quarter (SE ½ NE ½) of Section 19, Township 22 South, Range 34 East, N.M.P.M., Lea County, New Mexico, and being out of a parcel of land owned by the State of New Mexico. Said centerline of easement being more particularly described as follows:

Commencing from a 2" iron pipe w/BC 1913 for the northeast corner of Section 19, T22S-R34E, N.M.P.M., Lea County, New Mexico;

Thence S 22°41' W a distance of 1469.92' to the **Point of Beginning** of this easement having coordinates of Northing=503239.61, Easting=797821.77 feet and continuing the following courses;

Thence S 00°21' E a distance of 182.85' to an angle point;

Thence N 89°40' E a distance of 15.06' to the **Point of Ending** having coordinates of Northing=503056.85, Easting=797837.94 in the southeast quarter of the northeast quarter (SE ¼ NE ¼) of Section 19, from said point a 1" iron pipe w/ BC 1913 for the east quarter corner of Section 19, T22S-R34E bears S 27°14' E a distance of 1238.05', covering **197.91' or 11.99 rods** and having an area of **0.136** acres.

NOTES:

Bearings, distances and coordinates shown herein are based on New Mexico State Plane Coordinate System, NAD 83, East Zone 3001, US Survey Feet, all distances are grid.

I, B.L. Laman, New Mexico PLS No. 22404, hereby certify this survey to reflect an actual survey made on the ground under my supervision. This survey meets the minimum standards for surveying in New Mexico.

B.L. Laman

PLS 22404

75951

Date Signed: 12/14/2015

Horizon Row, LLC


571 State Street, Jasper, TX

(409) 202-5111

Employee of Horizon Row, LLC

BROOMERICO SONAL SURVICE

EXHIBIT "A" PAGE 4 of 4



DIRECTIONS TO LOCATION

FROM STATE ROAD 176 AND CTY ROAD (a.k.a. COUNTY ROAD #30), GO SOUTH ON CTY ROAD 5.9 MILES, TURN LEFT ONTO A LEASE ROAD AND CONTINUE FOR 0.3 MILES, TURN RIGHT ONTO A COUNTY ROAD 31 FOR 3.4 MILE, LEAVE THE EXISTING ROAD TO THE LEFT 95' FOR THE NORTHWEST CORNER OF THE SURFACE SITE (E.O.S.).

VICINITY MAP

SECTION 19, T22S-R34E, N.M.P.M. LEA COUNTY, NEW MEXICO

HORIZON ROW LLC DEVON ENERGY PRODUCTION CO., L.P. PROPOSED SURFACE SITE EASEMENT Drawn by: KIMBLE MORGAN Date: 12/14/2015

SITE NUMBER:
WBS NUMBER:
CC-111277.01
SCALE:
1" = 10000'
REVISIONS:
SHEET:
4 OF 4

ELECTRIC LINE PLAT (400620E)
ELECTRIC LINE TO CONNECT THE GAUCHO UNIT 66H & 99H FROM AN EXISTING 4 WIRE POWER LINE DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 18, 2015 N74'52'54"W 918.85 FT 18 17 16 2633.38 FT BC BROKE OFF 2639.80 FT N89°35'49"E N89°34'16"E BC 1913 20 21 19 906.92 FT L 2641.20 2640.25 STATE S00°22'59"E N00°20'17"W POWER **₹** SEC 20 T.22S... R.34E BC 1913 BC 1913 AT E 14 2638.50 11+05.7 10+41.4 8+48.9 8+48.9 6+24.9 6+24.9 5+65.9 2+83.0 2+19.7 0+54.5 0+54.5 STA STA STA STA STA STA STA BLMS00.08,08"E N00*21*58"W 19 L 20 28^{BC} 1913 9C 1916 30 S89°33'31"W 2632.32 FT S89°33'31"W 2632.32 FT 29 29 SEE NEXT SHEET (2-6) FOR DESCRIPTION 1000 SURVEYOR CERTIFICATE = 1000 I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. NEW MEXICO, THIS 22 DAY DE SECEMBER 2015 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341 FIND F. JAN INC. 301 SOUTH CANAL (575) 234-3341 SHEET: 1-6 SURVEY NO. 4427 CARLSBAD *MADRON SURVEYING*, \ NEW MEXICO

ELECTRIC LINE PLAT (400620E)
ELECTRIC LINE TO CONNECT THE CAUCHO UNIT 66H & 99H FROM AN EXISTING 4 WIRE POWER LINE

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 18. 2015

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NW/4 NW/4 OF SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHWEST CORNER OF SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N74'52'54"W, A DISTANCE OF

THENCE S52'52'55"W A DISTANCE OF 1105.72 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHWEST CORNER OF SAID SECTION 20, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS NOO'20'17"W, A DISTANCE OF 906.92 FEET;

SAID STRIP OF LAND BEING 1105.72 FEET OR 67.01 RODS IN LENGTH, CONTAINING 0.762 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NW/4 NW/4 1105.72 L.F. 67.01 RODS 0.762 ACRES

SURVEYOR CERTIFICATE

GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE_OF-NEW_MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS DAY OF DECEMBER 2015

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 4427

SHEET: 2-6

MADRON SURVEYING.

FYDINON F. INC. 301 SOUTH CANAL (575) 234-3341

CARLSBAD NEW MEXICO

ELECTRIC LINE PLAT (400620E)
ELECTRIC LINE TO CONNECT THE GAUCHO UNIT 66H & 99H FROM AN EXISTING 4 WIRE POWER LINE DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 18, 2015 N56*44*47"E 18 17 13 N89°24'46"E 2642.13 FT BC 1913 N89°24'30"E 2596.52 FT BC 1918 20 24 1 19 IGAUCHO UNIT 66H & 99H (TIE) 906.92 FT F E 25 40 2630. STATE S00°20'17"E N00°50°W SEC 19 T.22S. R.34E END BC 1913 #9 EN BC 1913 E E POLE POLE #5 POLE #4 SECTION L E.O.L. 2640.06 11+31.9 14+07.4 6+82.8 19+58.3 STA BLMW00°29'10"W 500*21 19 1 20 24 1 19 8C 1918 25 30 29^{BC 1916} S89°32'14"W 2604.86 FT S89°32'14"W 2604.86 FT SEE NEXT SHEET (4-6) FOR DESCRIPTION 1000 SURVEYOR CERTIFICATE = 1000 I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO. GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT. IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD, 2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES. NEW MEXICO, THIS DODAY OF DECEMBER 2015 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 none (575) 234-3341 EXTUGALA SHEET: 3-6 SURVEY NO. 4427 INC. (575) 234-3341 CARLSBAD, MADRON SURVEYING, NEW MEXICO

ELECTRIC LINE PLAT (400620E)

ELECTRIC LINE TO CONNECT THE CAUCHO UNIT 66H & 99H FROM AN EXISTING 4 WIRE POWER LINE

DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING
SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO
DECEMBER 18, 2015

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS NOO'20'17"W, A DISTANCE OF 906.92 FEET:

THENCE \$52*52*55*W A DISTANCE OF 26.19 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N89*13*40*W A DISTANCE OF 826.39 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N54*20'25*W A DISTANCE OF 299.07 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE N35*38'11*E A DISTANCE OF 60.06 FEET THE TERMINUS OF THE LINE HEREIN DESCRIBED;
SAID SECTION 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N56*44'47"E, A DISTANCE OF 1255.42 FEET;

SAID STRIP OF LAND BEING 1211.71 FEET OR 73.44 RODS IN LENGTH, CONTAINING 0.835 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NE/4 1211.71 L.F. 73.44 RODS 0.835 ACRES

SURVEYOR CERTIFICATE

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING IS NMSP EAST MODIFIED TO SURFACE COORDINATES.

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE TEPE OF NEW METICO.

IN WITNESS WHEREOF THIS CERTIFICATE IS EXECUTED AT CARLSBAD.

NEW MEXICO, THIS DAY OF DECEMBER 2015

PLANTILLO PLE

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341


SURVEY NO. 4427

SHEET: 4-6

MADRON SURVEYING, (INC. 30/ SOUTH CANAL

C. 30 SOUTH CANAL (575) 234-3341

CARLSBAD, NEW MEXICO



ELECTRIC LINE PLAT (400620E)
ELECTRIC LINE TO CONNECT THE GAUCHO UNIT 66H & 99H FROM AN EXISTING 4 WIRE POWER LINE

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTIONS 20, 19, TOWNSHIP 22 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO DECEMBER 18, 2015

GAUCHO UNIT 66H & 99H

POLE TRANSFORMER END 6# POLE E.O.L. 23+17.4

STA

POWER 4/W EXIST. NO POLE END AT B.O.L. 00+0

SHEET: 6-6

SURVEY NO. 4427 MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

