

State of New Mexico  
Energy, Minerals and Natural Resources  
**OIL CONSERVATION DIVISION**  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

**RECEIVED**  
**SEP 23 2016**  
**HOBBS OGD**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 A. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd. Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL API NO. <b>30-025-42941</b>
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease NO. <b>VB-1978-0002</b>
7. Lease Name or Unit Agreement Name <b>Chipotle State Com</b>
8. Well Number <b>2H</b>
9. OGRID Numer <b>873</b>
10. Pool Name <b>(97647) Maljamar; Paddock, North</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>4349' GL</b>

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator <b>Apache Corporation</b>
3. Address of Operator <b>303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705</b>
4. Well Location Unit Letter <b>D</b> : <b>125</b> feet from the <b>N</b> line and <b>660</b> feet from th <b>W</b> line Section <b>29</b> Township <b>16S</b> Range <b>32E</b> NMPM County <b>Lea</b>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <b>4349' GL</b>

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK	<b>INT TO PA</b> <b>Pm x</b> <b>P&amp;A NR</b> _____ <b>P&amp;A R</b> _____
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING O	
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB	
DOWNHOLE COMMINGLE <input type="checkbox"/>		ALTERING CASING	
OTHER: <input type="checkbox"/>		P AND A	
		OTHER:	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

**Apache Corporation proposes to P&A the above mentioned well by the attached procedure. A closed loop system will be used for all fluids from this wellbore and disposed of required by OCD Rule 19.15.17.**

Spud Date:

**NOTIFY OCD 24 HOURS PRIOR TO BEGINNING PLUGGING OPERATIONS**

hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE	<u><i>Guinn Burks</i></u>	TITLE	<u>Sr. Reclamation Foreman</u>	DATE	<u>9/20/16</u>
Type or print name	<u>Guinn Burks</u>	E-mail add.	<u>guinn.burks@apachecorp.com</u>	PHONE:	<u>432-556-9143</u>
APPROVED BY:	<u><i>Mark Whitman</i></u>	TITLE	<u>Petroleum Engr. Specialist</u>	DATE	<u>9/27/2016</u>
Conditions of Approval (if any):					



LEASE NAME

Chipotle State Com

WELL #

2H


API #

30-025-42941

COUNTY

Lea

## WELL BORE INFO.







WELL BORE INFO.

LEASE NAME

Chipotle State Com

WELL #

2H

API #

30-025-42941

COUNTY

Lea

0

TOC @ 220' by CBL

626

1253

17 1/2" Hole  
13 3/8" 54.5# @ 1262'  
W/ 1100 sx CIRC to surf

1879

2506

T. YATES 2525

3132

3758

4385

12 1/4" Hole  
9 5/8" 40# @ 4210'  
w/ 2400 sx Circ to surf

5011

8 1/2" Hole ✓  
7" 29# @ 5741' ✓  
5 1/2" 20# @ 5741' - 13,350' ✓  
w/ 720 sx cmt, TOC @ 220" by CBL  
did not cmt stage 2

5638

DVT @ 5741'

Perforated interval 6600'-13,341'

6264

TVD @ 6264'  
TMD @ 13,370'

6. PUH & perf @ 200' & sqz 80 sx Class "C" cmt from 200' to surf. Attempt to CIRC 7" to surf. (Water Board)

5. PUH & spot 30 sx Class "C" cmt from 1312' - 1133' WOC/TAG (Surf Shoe, Rustler, & Salado)

4. PUH & spot 70 sx Class "C" cmt from 2851' - 2451' WOC/TAG (Yates & 7 Rvrs)

3. PUH & spot 30 sx Class "C" cmt from 3456' - 3277' (Queen)

2. PUH & spot 100 sx Class "C" cmt from 4260' - 3781' WOC/TAG (San Andres, Grayburg, & Inter Shoe)

1. MIRU P&A unit. RIH & set CIBP @ 5700', CIRC w/ MLF & spot 25 sx Class "C" cmt from 5700' - 5550'. (DVT, Blinbry Horizontal section, Glorieta, & Paddock)

