

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

HOBBS OGD

NOV 04 2016

RECEIVED

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO.

30-025-04396

5. Indicate Type of Lease

STATE ☐ FEE ☒ FEDERAL

6. State Oil & Gas Lease No.

063116

7. Lease Name or Unit Agreement Name

Scale Federal

8. Well Number

3

9. OGRID Number

371416

10. Pool name or Wildcat

Eumont

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Forty Acres Energy

3. Address of Operator

11777B Katy Hwy, Suite 305 Houston, TX 77079

4. Well Location

Unit Letter M : 661 feet from the S line and 661 feet from the W line  
Section 34 Township 20S Range 36E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Trip out with pump, rods, and tubing.
- rig up w/ 4-3/4" drill bit and foam unit
- drill out CIBP at 3815' and wash down to 3900'
- acidize existing perms 3834'-3870'
- RIH with pump, rods, tubing. Return to production.

FEDERAL WELLS  
REQUIRE BLM  
APPROVAL.  
MSS.

Spud Date:

11/5/16

Rig Release Date:

11/11/16

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE G. Johnson TITLE Engineer DATE 11-4-16

Type or print name Garret Johnson E-mail address: garret@faenergyus.com PHONE: 832-706-0056

For State Use Only

APPROVED BY:

Accepted for Record Only

DATE

Conditions of Approval (if any):

M. Brown 11/7/2016