

Submit 1 Copy To Appropriate District Office

District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-07593
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name South Hobbs (G/SA) Unit
8. Well Number 47
9. OGRID Number 157984
10. Pool name or Wildcat Hobbs (G/SA)
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3607' GL

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐ Temporarily Abandoned

2. Name of Operator
Occidental Permian, Ltd

3. Address of Operator
HCR 1 Box 90 Denver City, TX 79323

4. Well Location
Unit Letter K : 1980 feet from the South line and 1980 feet from the West line
Section 3 Township 19-S Range 38-E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

E-PERMITTING <SWD INJECTION>
CONVERSION ☐ RBDMS ☒
RETURN TO ☐ TA ☒
CSNG ☐ ENVIRO ☐ CHG LOC ☐
INT TO PA ☐ P&A NR ☐ P&A R ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: Casing integrity test/TA status request ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Date of test: 10/19/2016

Pressure readings: Initial - 520 PSI Ending - 520 PSI

Length of test: 30 minutes

Witnessed: NO

This Approval of Temporary
Abandonment Expires 10/19/2018

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Mendy A. Johnson TITLE Admin. Associate DATE 10/31/2016

Type or print name Mendy A. Johnson E-mail address: mendy_johnson@oxy.com PHONE: 806-592-6280

For State Use Only

APPROVED BY: Markus Brown TITLE Dist Supervisor DATE 11/8/2016

Conditions of Approval (if any):

PRINTED IN U.S.A.

5 6 PM

4

3

2

1

NOON

11

10

MIDNIGHT

12

7

8

6 AM

5

4

3

Graphic Controls

DATE 10-19-16
BR 2221

Demetric Woods
#56 PATE

SWU (GSA) Unit
Well No. 47
App. Dec 3-1795-83
30-025-07593


520 P50

SHU 47

API# 30-025-07593

TWN 19-S; RING 38-E

Injector - TA'd



13-3/8" 48# @ 216'
cmt'd w/ 133 sxs
TOC @ Surf (Circ.)

10-3/4" 40.5# @ 1683'
cmt'd w/350 sxs
TOC @ surf. (calc.)

Squeezed @1800', 2450', 3149'
1100 sxs

7" 24# @ 4061'
cmt'd w/250 sxs
TOC @ 2524' (Calc.)

cmt plug @3880'

SQZD perfs 4020-4124"
Plugged Back: 4100-4200'

4 1/2" 9.5# @ 4210'
cmt'd w/80 sxs
TOC @ 3915 (Calc.)

PBTD @ 3800'
TD @ 4280'

American Valve & Meter, Inc.

1113 W. BROADWAY

P.O. BOX 166 HOBBS,
NM 88240

T0: Pate Trucking

DATE: 06/23/16

This is to certify that:

I, Tony Flores

Technician for American Valve & Meter Inc.

has checked the calibration of the following instrument.

8" Pressure recorder

Ser#4842

at these points.

Pressure #			Temperature *or Pressure #		
Test	Found	Left	Test	Found	Left
- 0	-	- 0	-	-	-
- 500	-	- 500	-	-	-
- 700	-	- 700	-	-	-
- 1000	-	- 1000	-	-	-
- 200	-	- 200	-	-	-
- 0	-	- 0			

Remarks: _____

Signature: Tony Flores