District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III
1000 Rio Brazos Road, Azrec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 District IV
1220 S. St. Francis Dr. Santa Fe. NM 87505

of.

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION


Form C-102 1220 South St. Francis DEHOBBS CCD Submit one copy to appropriate District Office Santa Fe, NM 87505 Revised August 1, 2011

DEC 2 2 2016

Phone: (505) 476-3460 Fax: (505) 476-3462								DEC -	-17			
WELL LOCATION AND ACREAGE DEDICATION PLAT												
1 A		² Pool (Code	Pool Name								
30-029		96637 TEAS, BONE SPRING, E						AST				
⁴ Property Code				⁵ Property Name							⁶ Well Number	
317197				NORTH LEA 5 FED COM							1H	
OGRID N			9 Elevation									
18917				READ & STEVENS, INC.							3640.6	
¹⁰ Surface Location												
UL or lot no.	Section	Township	Range	Lot Id	n Feet from	Feet from the North/South line		Feet from the	East/West line		County	
1)2	5	20 S	34 E	2	280		NORTH	2140	EAST		LEA	
" Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township Range Lot Idn		n Feet from	the 1	North/South line	Feet from the	East/West line		County		
P	5	20 S	34 E		330		SOUTH	350	EAS	ST	LEA	
12 Dedicated Acres	Joint o	r Infill i	Consolidation	Code	Order No.							
16 0.09												

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.


	N80.33,38,E	2644.12 FT N89'30'46"E	2621.07 FT 1	"OPERATOR CERTIFICATION
	NW CORNER SEC. 5	N QUARTER CORNER SEC. 5	11	I hereby certify that the information contained herein is true and complete to the
	LAT. = 32'36'33.846"N	LAT. = 32'36'33.947"N 2140'-		best of my knowledge and belief, and that this organization either owns a
	LONG. = 103°35'27.233"V	/-	NE CORNER SEC. 5 LAT. = 32'36'33.983"N	working interest or unleased mineral interest in the land including the proposed
		LOT 3 N 82	LONG. = 103'34'25.692"W	bottom hole location or has a right to drill this well at this location pursuant to
E		SURFACE LOI 2	t	
69.	LOT 4	LOCATION	LOT 1	voluntary pooling agreement or a compulsory pooling order heretofore entered
2636.69		NORTH LEA 5 FED COM 1H	0140	by the division.
		ELEV. = 3640.6' LAT. = 32'36'31.184"N (NAD83)		RA- 14 Ochson Zoll
59"		LONG. = 103'34'50.714'W	4	Signature Date
NO0'02'59"W			2,3100	Za MSM
9			10	Printed Name) Inchine Of Badgeoning. (or
			1	0421
				INCHINO USCADOJODITANG. (V
	DNF	NOTE: LATITUDE AND LONGITUDE COORDINATES	E/4 CORNER SEC. 5	E-mail Address
		ARE SHOWN USING THE NORTH	LAT. = 32'36'07.880"N	CALIDATION CEDITICATION
		AMERICAN DATUM OF 1983 (NAD83). LISTED NEW MEXICO STATE PLANE EAST	LONG. = 103'34'25.770"W	¹⁸ SURVEYOR CERTIFICATION
		COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE		I hereby certify that the well location shown on this plat was
		NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE	1	plotted from field notes of actual surveys made by me or under
ᇤ		SURFACE.		my supervision, and that the same is true and correct to the
69.9	,			best of my belief.
2636.		BOTTOM OF HOLE		JULY 18. 2016 ON F. JAR
>		LAT. = 32.35.45.037"N LONG. = 103.34'30.030"N	,1	Date of Survey
2,29		[6NG. = 103 34 30.030 W	воттом	Date of Survey
NO0'02'59"W			OF HOLE	Date of Survey.
×		į .	P N 55 1	- KRALINARY (Vo
				A STATE OF OFFICE OF
	SW CORNER SEC. 5 LAT. = 32'35'41.678"N	S QUARTER CORNER SEC. 5 SE COR LAT. = 32'35'41.755"N LAT. = 32'	NER SEC. 5 350'	Significant Segle of Processional Surveyor:
	LONG. = 103'35'27.610"V	2111 02 00 111100 11		Certificate Number: FILIMON F. JARAMILLO, PLS 12797
	S89°25'42"W	v 2636.95 FT S89°28'38"v	2641.87 FT	SURVEY NO. 1898A



SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

SITE MAP

NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NADB3). LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NADB3). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE



SCALE 1" 150 = DIRECTIONS TO LOCATION FROM MILE MARKER #78 ON HWY 62-180 GO WEST APPROX. 0.40 OF A MILE TO LEASE ROAD ON RIGHT (NORTH) TURN NORTH LEASE ROAD TURNS LEFT (WEST) GO APPROX. 0.40 OF A MILE, TURN LEFT GO SOUTH 99' TO THE NORTHEAST PAD CORNER FOR THIS LOCATION.


READ & STEVENS, INC. NORTH LEA 5 FED COM 1H LOCATED 280 FT. FROM THE NORTH LINE AND 2140 FT. FROM THE EAST LINE OF SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO


240 chilon roll



ELECTRIC LINE FROM AN EXISTING ELECTRIC POLE TO THE NORTH LEA 5 FED COM 1H, 2H, 3H, & 4H

READ & STEVENS, INC.

CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO



SEE NEXT SHEET (2-6) FOR DESCRIPTION



GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 1-6

MADRON SURVEYING

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND RLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

OCTOBER 2016 THIS 1/127 DAY OF

MRANILLO PLS 4 279

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 4936

301 SOUTH CANAL (575) 234-3347 CARLSBAD. NEW MEXICO

ELECTRIC LINE FROM AN EXISTING ELECTRIC POLE TO THE NORTH LEA 5 FED COM 1H, 2H, 3H, & 4H

READ & STEVENS, INC. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO OCTOBER 10, 2016

DESCRIPTION

STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE

FROM B.O.L TO SECTION 32
BEGINNING AT A POINT WITHIN LOT 1 OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N79'50'03"E, A DISTANCE OF 525.16 FEET; THENCE NOO'00'48"E A DISTANCE OF 88.29 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N89'30'46"E, A DISTANCE OF 516.91 FEET;

SAID STRIP OF LAND BEING 88.29 FEET OR 5.35 RODS IN LENGTH, CONTAINING 0.061 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

LOT 1 88.29 L.F. 5.35 RODS 0.061 ACRES

EROM SECTION 32 TO E.O.L.
BEGINNING AT A POINT WITHIN LOT 1 OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE NORTH
QUARTER CORNER OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS S89*30'46"W, A DISTANCE OF 1362.90

THENCE S89'22'55"W A DISTANCE OF 680.83 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S00'01'28"E A DISTANCE OF 79.63 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTH QUARTER CORNER OF SAID SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N83'41'36"W, A DISTANCE OF 686.25 FEET;

SAID STRIP OF LAND BEING 760.46 FEET OR 46.09 RODS IN LENGTH, CONTAINING 0.523 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

LOT 1 44.06 L.F. 2.67 RODS 0.030 ACRES LOT 2 716.40 L.F. 43.42 RODS 0.493 ACRES

SURVEYOR CERTIFICATE

FILIMON

GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 2-6

MADRON SURVEYING,

I. FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797. HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS WHEREOF, THIS CERTIFICATE IS E. THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO THIS


MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 4936

INC. 301 SOUT CARLSBAD, NEW MEXICO

ELECTRIC LINE FROM AN EXISTING ELECTRIC POLE TO THE NORTH LEA 5 FED COM 1H, 2H, 3H, & 4H

READ & STEVENS, INC. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO OCTOBER 10, 2016



SEE NEXT SHEET (4-6) FOR DESCRIPTION



GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.
- 2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 3-6

MADRON SURVEYING.

SURVEYOR CERTIFICATE

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.

IN WITNESS, WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,

NEW MEXICO, THIS DAY OF OCTOBER 2016

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 4936

INC. 301 SOUTH AND CARLSBAD, NEW MEXICO

ELECTRIC LINE FROM AN EXISTING ELECTRIC POLE TO THE NORTH LEA 5 FED COM 1H, 2H, 3H, & 4H

READ & STEVENS, INC. CENTERLINE SURVEY OF AN ELECTRIC LINE CROSSING SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO OCTOBER 10, 2016

DESCRIPTION

A STRIP OF LAND 30 FEET WIDE CROSSING STATE OF NEW MEXICO LAND IN SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M., LEA COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE SE/4 SE/4 OF SAID SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M., WHENCE THE SOUTHEAST CORNER OF SAID SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS N89'30'46"E, A DISTANCE OF 516.91 FEET:

THENCE NOO'00'48"E A DISTANCE OF 1.73 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S89'22'55"W A DISTANCE OF 757.89 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTH QUARTER CORNER OF SAID SECTION 32, TOWNSHIP 19 SOUTH, RANGE 34 EAST, N.M.P.M. BEARS S89'30'46"W, A DISTANCE OF 1362.90 FEET;

SAID STRIP OF LAND BEING 759.62 FEET OR 46.04 RODS IN LENGTH, CONTAINING 0.523 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 SE/4 759.62 L.F. 46.04 RODS 0.523 ACRES

SURVEYOR CERTIFICATE

GENERAL NOTES 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT.

2.) BASIS OF BEARING AND DISTANCE IS NMSP EAST (NAD83) MODIFIED TO SURFACE COORDINATES. NAD 83 (FEET) AND NAVD 88 (FEET) COORDINATE SYSTEMS USED IN THE SURVEY.

SHEET: 4-6

MADRON SURVEYING,

I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO.


IN WITNESS WHEREOF, THIS CERTIFICATE IS EXECUTED AT CARLSBAD,


OF OCTOBER 2016 NEW MEXICO.

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 234-3341

SURVEY NO. 4936


INC. 30 SOUTH CALL CARLSBAD, NEW MEXICO





SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

SITE MAP NOTE: LATITUDE AND LONGITUDE COORDINATES ARE SHOWN USING THE NORTH AMERICAN DATUM OF 1983 (NAD83). LISTED NEW MEXICO STATE PLANE EAST COORDINATES ARE GRID (NAD83). BASIS OF BEARING AND DISTANCES USED ARE NEW MEXICO STATE PLANE EAST COORDINATES MODIFIED TO THE SURFACE



SCALE 1 150 DIRECTIONS TO LOCATION FROM MILE MARKER #78 ON HWY 62-180 GO WEST APPROX. 0.40 OF A MILE TO LEASE ROAD ON RIGHT (NORTH) TURN NORTH LEASE ROAD TURNS LEFT (WEST) GO APPROX. 0.40 OF A MILE, TURN LEFT GO SOUTH 99' TO THE NORTHEAST PAD CORNER FOR THIS LOCATION.


READ & STEVENS, INC. NORTH LEA 5 FED COM 1H LOCATED 280 FT. FROM THE NORTH LINE AND 2140 FT. FROM THE EAST LINE OF SECTION 5, TOWNSHIP 20 SOUTH, RANCE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO LOCATION VERIFICATION MAP



READ & STEVENS, INC.

NORTH LEA 5 FED COM 1H

LOCATED 280 FT. FROM THE NORTH LINE

AND 2140 FT. FROM THE EAST LINE OF

SECTION 5, TOWNSHIP 20 SOUTH,

RANGE 34 EAST, N.M.P.M.


LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A

MADRON SURVEYING, INC. 501 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO VICINITY MAP



DISTANCES IN MILES

NOT TO SCALE

DIRECTIONS TO LOCATION
FROM MILE MARKER #78 ON HWY 62-180 GO WEST APPROX. 0.40
OF A MILE TO LEASE ROAD ON RIGHT (NORTH) TURN NORTH LEASE
ROAD TURNS LEFT (WEST) GO APPROX. 0.40 OF A MILE, TURN LEFT
GO SOUTH 99' TO THE NORTHEAST PAD CORNER FOR THIS LOCATION.

READ & STEVENS, INC.

NORTH LEA 5 FED COM 1H

LOCATED 280 FT. FROM THE NORTH LINE

AND 2140 FT. FROM THE EAST LINE OF

SECTION 5, TOWNSHIP 20 SOUTH,

RANGE 34 EAST, N.M.P.M.


LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO AERIAL PHOTO



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH FEBRUARY 2014 READ & STEVENS, INC.

NORTH LEA 5 FED COM 1H


LOCATED 280 FT. FROM THE NORTH LINE
AND 2140 FT. FROM THE EAST LINE OF
SECTION 5, TOWNSHIP 20 SOUTH,
RANGE 34 EAST, N.M.P.M.
LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A

MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SECTION 5, TOWNSHIP 20 SOUTH, RANGE 34 EAST, N.M.P.M. LEA COUNTY, STATE OF NEW MEXICO ACCESS AERIAL ROUTE MAP



NOT TO SCALE AERIAL PHOTO: GOOGLE EARTH FEBRUARY 2014

READ & STEVENS, INC.

NORTH LEA 5 FED COM 1H

LOCATED 280 FT. FROM THE NORTH LINE

AND 2140 FT. FROM THE EAST LINE OF

SECTION 5, TOWNSHIP 20 SOUTH,

RANGE 34 EAST, N.M.P.M.

LEA COUNTY, STATE OF NEW MEXICO

JULY 18, 2016

SURVEY NO. 1898A
MADRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

