Form 3160-5 (June 2015)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS Stand Field Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
6. MIT M66821

16. If Indian, Allottee or Tribe Name

abandoned wei	I. Use form 3160-3 (AP	D) for such p	roposais	D HO	bbs	The Name	
SUBMIT IN 1	page 2	5000	7. If Unit or CA/Agree	ment, Name and/or No.			
Type of Well	PE- 27 20	7/2	8. Well Name and No. TELECASTER 30	FEDERAL 3H /	,		
2. Name of Operator Contact: WESLEY RANDALL ENDURANCE RESOURCES LLC E-Mail: WESLEY@ENDURANCERESOURCES LLC.COM					9. API Well No. 30-025-41455		
3a. Address 203 WEST WALL SUITE 100 MIDLAND, TX 79701	. (include area code) 2-4680	)	Field and Pool or Exploratory Area     ANTELOPE RIDGE BS WEST				
4. Location of Well (Footage, Sec., T.			11. County or Parish, State				
/ Sec 30 T23S R34E 330FNL 19			LEA COUNTY, NM				
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent   ✓	☐ Acidize	☐ Dee	□ Deepen		tion (Start/Resume)	☐ Water Shut-Off	
	☐ Alter Casing	☐ Hyd	raulic Fracturing	☐ Reclamation		■ Well Integrity	
☐ Subsequent Report	□ Casing Repair	□ Nev	■ New Construction		olete	<b>⊠</b> Other	
☐ Final Abandonment Notice	☐ Change Plans ☐		g and Abandon	☐ Tempor	rarily Abandon		
	☐ Convert to Injection ☐ P		g Back	☐ Water I	r Disposal		
Attach the Bond under which the wor following completion of the involved testing has been completed. Final Abdetermined that the site is ready for fi Endurance Resources LLC retalecaster Tank Battery. This equipment necessary to captu Endurance Resources LLC un 1. Endurance Resources LLC verification to the Authorized C2. Endurance Resources LLC 3. If volume being combusted lost?, therefore no royalty oblig a. ?Unavoidably Lost? product combusted) from low-pressure 4. Essentially all measured combusted of the second combusted of	operations. If the operation repandonment Notices must be filinal inspection.  quests permission to instance the gas exceeds the viderstands that the follow may be required to provious process. Will comply with NTL-4A is less than 50 MCF of gration shall be accrued a tion shall mean (1) those extorage tanks.	sults in a multipled only after all a Vapor Cot that the costalue of the gaing conditions de economic requirements as per day, it nd will not be vapors which	ombustor Unit (V t of installing and s over the life of apply: justification and p is considered ?u required to be re a are released (in	cupletion in a sing reclamation of the operating the facility.  corovide volumavoidably eported, this case	new interval, a Form 316 n, have been completed a	0-4 must be filed once	
Electronic Submission #359217 verified by the BLM Well Information System For ENDURANCE RESOURÇES LLC, sent to the Hobbs Committed to AFMSS for processing by DEBORAH MCKINNEY on 01/17/2017 ()							
Name (Printed/Typed) WESLEY RANDALL			Title PRODUCTION MANAGER				
Signature (Electronic Submission) Date 11/29/2016  THIS SPACE FOR FEDERAL OR STATE OFFICE USE							
11	1 10 1		T			7.	_
Approved By J. W. W. Milloung			Title 720	Title TLAET Date 23		Date 7/23/1	7
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to condu	Office CFO						
Title 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent s				willfully to ma	ake to any department or	agency of the United	

(Instructions on page 2)

\*\* OPERATOR-SUBMITTED \*\* OPERATOR-SUBMITTED \*\*

K2

#### Additional data for EC transaction #359217 that would not fit on the form

#### 32. Additional remarks, continued

volumes need to be reported on OGOR ?B? reports as disposition code ?08?. 5. Per 43 CFR 3162.7-5(d)/Onshore Order No.3.III.I.1, site facility diagram must be submitted within 60 days of equipment installation.

6. This approval does not authorize any additional surface disturbance.
7. Subject to like approval from NMOCD.

Attached are the following:
? Site security diagram of the current tank battery as well as the location of the VCU and the manifold line connecting the tanks to the VCU.
? Contact name and number to retrieve information on volumes being combusted.
? Specification sheet(s) for the VCU.

### Telecaster Tank Battery - VCU Specification Sheet

# Edge Manufacturing & Technology

Edge XXV 18" LP Combustor. 99.9% Destruction removal efficiency and surpasses the requirements of EPA NSPS40 CFR Subpart OOOO and AER directive 60.

18"x15' Free Standing

Maximum LP Volume 25 Mscfd

Electronic Ignition Control with Data Logging


3" Threaded Standard Flame Arrestor


Edge 600 Burner Management System

Solar or 110v power

Concrete Block

Pilot Gas Scrubber Pot - 8" x 36" volume pot





# **Contact Information for Volumes Combusted**

Richard Joy / 575-703-7635 (c) / 575-308-0722 (o)

Tim Houghtaling / 575-200-6717 (c) / 575-308-0722 (o)